

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
1 April 2004 (01.04.2004)

PCT

(10) International Publication Number
WO 2004/026888 A2

(51) International Patent Classification⁷: **C07H**

(21) International Application Number:
PCT/US2003/029577

(22) International Filing Date:
19 September 2003 (19.09.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/412,479 19 September 2002 (19.09.2002) US

(71) Applicants (*for all designated States except US*): **COLEY PHARMACEUTICAL GMBH** [DE/DE]; Elisabeth-Selbert-Strasse 9, 40764 Langenfeld (DE). **UNIVERSITY OF SASKATCHEWAN** [CA/CA]; Kirk Hall, 117 Science Place, Saskatoon, Saskatchewan S7N 5C8 (CA). **QIAGEN GMBH** [DE/DE]; Max-Volmer-Strasse 4, 40724 Hilden (DE).

(72) Inventors; and


(75) Inventors/Applicants (*for US only*): **LIPFORD, Grayson, B.** [US/US]; 38 Bates Road, Watertown, MA 02472 (US). **MOOKHERJEE, Neeloffer** [IN/CA]; Apt 408, 2233 Allison Road,, Vancouver, BC V6T 1T7 (CA). **BABIUK, Lorne** [CA/CA]; 245 East Place, Saskatoon, Saskatchewan S7J 2Y1 (CA). **BROWNLIE, Robert** [CA/CA]; 123 O'Brien Crescent, Saskatoon, Saskatchewan S7K 5K3 (CA). **GRIEBEL, Philip** [CA/CA]; Box 36, RR5, Saskatoon, Saskatchewan S7K 3J8 (CA). **MUTWIRI, George** [CA/CA]; 569 Nordstrum Road, Saskatoon, Saskatchewan S7K 7X6 (CA). **HECKER, Rolf** [DE/DE]; Benrodestr. 60, 40597 Düsseldorf (DE).

(74) Agent: **STEELE, Alan, W.**; Wolf, Greenfield & Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210 (US).

(81) Designated States (*national*): AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU; CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,

[Continued on next page]

(54) Title: TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES



(57) Abstract: Novel amino acid and nucleotide sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) Toll-like receptor 9 (TLR9) are provided. Also provided are amino acid and nucleotide sequences for dog (canine), cat (feline), mouse (murine), and human TLR9. Comparison of these sequences, especially in combination with functional assessment for species-specific CpG motif preferences, permits identification of specific regions and amino acid residues of interest in TLR9 ligand interaction. Novel chimeric TLR9 receptor molecules, cells expressing these molecules, and methods for their use in screening assays for TLR9 ligands are also provided.



MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished upon receipt of that report

(84) **Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

Background of the Invention

Synthetic oligodeoxynucleotides (ODN) and DNA containing immunostimulatory
5 CpG motifs (CpG DNA) function as potent adjuvants and activators of the innate immune
system. Heeg K et al. (2000) *Int Arch Allergy Immunol* 121:87-97; Krieg AM (2001)
Vaccine 19:618-22. A wide variety of CpG-containing sequences have been screened for
biological activity and it is reported that optimal CpG DNA sequences can vary among
species. Rankin R et al. (2001) *Antisense Nucleic Acid Drug Dev* 11:333-40.

10 Toll-like receptor 9 (TLR9) has recently been identified as a receptor for CpG ODN.
Hemmi H et al. (2000) *Nature* 408:740-5. The molecular mechanism by which TLR9
recognizes CpG DNA is not understood.

Summary of the Invention

15 Toll-like receptor 9 (TLR9) is known to be involved in innate immunity and to signal
in response to CpG DNA. To date, the amino acid sequences only of human and murine
TLR9 have been reported, and, interestingly, these two species are known to prefer different
CpG motifs. The structural basis for this species-specific CpG motif preference has not yet
been fully elucidated. The instant invention provides, in part, novel amino acid and
20 nucleotide sequences of rat, pig, cow, and horse TLR9. These novel TLR9 sequences are
useful for elucidating certain key structural features of TLR9. Specifically, comparison of
sequences of murine, human, and these novel TLR9 sequences permits identification of areas
of highly conserved sequence, areas of group conservation, and areas of hypervariability. In
addition, such comparisons permit an assessment of evolutionary relatedness among TLR9
25 molecules of the various species, as well as an assessment of inter-species homologies.
Importantly, such comparisons permit a rational basis for identifying amino acids in TLR9
that may be involved in the CpG binding site, as well as amino acids involved in conferring
species specificity for particular CpG motifs. Such information may be used to design and
construct novel TLR9 molecules which incorporate specific point or regional mutations and
30 which possess desired ligand binding characteristics. Such information may also be useful in
designing and identifying novel ligands for TLR9 of a given species.

- 2 -

In one aspect, the invention provides isolated polypeptides having amino acid sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) TLR9 polypeptides. These amino acid sequences correspond to SEQ ID NOs 1, 5, 9, 13, and 17, respectively. Each of these sequences is believed to include at least a majority of an extracellular domain, as well as a transmembrane region and at least part of a TLR/IL-1 receptor (TIR) domain. To the extent any such sequence may lack an amino-terminal and/or carboxy-terminal sequence, such sequence is ascertainable, without undue experimentation, using conventional molecular biology techniques and the sequence information provided herein.

In another aspect the invention provides isolated polypeptides having amino acid sequences for essentially the whole extracellular domain, optionally including a signal peptide, of each of rat, porcine, bovine, equine, and ovine TLR9. These amino acid sequences correspond to SEQ ID NOs 2, 6, 10, 14, and 18, respectively. Such extracellular domains are believed to include sequence specifically involved in binding to TLR9 ligand, such as CpG DNA. In addition, such extracellular domains are believed to include sequence that confers species specificity for particular CpG motifs.

Isolated nucleic acid molecules encoding the polypeptides just described above are also provided according to further aspects of the invention. Such nucleic acid molecules include, but are not limited to, nucleic acid molecules having sequences provided by SEQ ID NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively. Isolated nucleic acid molecules encoding the TLR9 polypeptides of SEQ ID NOs 1, 5, 9, 13, 17; and 2, 6, 10, 14, and 18 also include nucleic acid molecules that differ in sequence from SEQ ID NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively, due to degeneracy of the genetic code. Such nucleic acid molecules will hybridize, under stringent conditions, with suitably selected nucleic acid molecules having sequences selected from SEQ ID NOs 3, 4, 7, 8, 11, 12, 15, 16, 19, and 20.

In another aspect the invention provides a vector which includes an isolated nucleic acid molecule of the invention. In one embodiment the vector is an expression vector and the isolated nucleic acid molecule of the invention is operably linked to a regulatory sequence in the vector. When present within a cell, an expression vector according to this aspect of the invention causes the cell to express a polypeptide of the invention.

The invention according to another aspect provides a cell in which a vector of the invention is present. In one embodiment the cell containing the vector expresses a

- 3 -

polypeptide of the invention. In certain embodiments the cell also contains a reporter construct that transduces a TLR9-mediated signal in response to contact of the polypeptide of the invention or a TLR9 with a suitable TLR9 ligand. The cell containing the vector, and optionally containing the reporter construct, can be used in screening methods also provided
5 by the invention.

In yet another aspect the invention provides an antibody or antibody fragment that binds specifically to an isolated polypeptide of the invention. In certain embodiments the antibody or antibody fragment binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide. More specifically, the antibody or antibody fragment binds uniquely to
10 one of the isolated polypeptides of the invention. In one embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide also binds to either mouse or human TLR9. In another embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide does not also bind to either mouse or human TLR9. In some embodiments
15 the antibody or antibody fragment binds selectively to a chimeric TLR9 polypeptide of the invention. In certain embodiments the antibody or antibody fragment of the invention is a monoclonal antibody or fragment of a monoclonal antibody.

In one aspect the invention provides a method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the first species. The method involves aligning protein sequences of TLR9 of a first species,
20 TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species; generating an initial set of candidate amino acids in the TLR9 of the first species by excluding each amino acid in the TLR9 of the first species which (a) is
25 identical with the TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with the TLR9 of the third species or (b)
30 differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

- 4 -

In another aspect the invention provides a method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9. The method according to this aspect of the invention involves aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a CpG DNA optimized for murine TLR9; generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids. In one embodiment the method according to this aspect of the invention is performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred CpG DNA).

In another aspect the invention also provides an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (extracellular domain (ECD) of murine TLR9) except for substitution of at least one key amino acid identified according to the method above. The polypeptide according to this aspect of the invention is a chimeric TLR9 polypeptide. Preferably the polypeptide according to this aspect of the invention binds to CpG DNA optimized for human TLR9 better than does the isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (ECD of murine TLR9). In one embodiment the polypeptide includes only one substituted amino acid. The isolated polypeptide according to this aspect of the invention may further include sequence involved in TLR/IL-1R signal transduction, e.g., intracellular domain of TLR9 as provided in SEQ ID NOs 29 and 33. For example, in one embodiment a polypeptide according to this aspect of the invention is an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:29 (full length murine TLR9) except for substitution of at least one key amino acid identified according to the method above.

- 5 -

In another aspect the invention provides an isolated nucleic acid molecule including a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described. In one embodiment the isolated nucleic acid molecule has a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described.

5 In yet another aspect, the invention provides a screening method to identify a TLR9 ligand. The method involves contacting a polypeptide (including a chimeric TLR9 polypeptide) of the invention with a candidate TLR9 ligand; measuring a signal in response to the contacting; and identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling. In one embodiment
10 the candidate TLR9 ligand is an immunostimulatory nucleic acid. In one embodiment the candidate TLR9 ligand is a CpG DNA.

The invention also provides, in yet a further aspect, a screening method to identify species-specific CpG-motif preference of an isolated polypeptide of the invention. The method according to this aspect of the invention involves contacting an isolated polypeptide
15 of the invention with a CpG DNA including a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GGCGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG; measuring a signal in response to the contacting; and identifying a species-specific CpG-motif preference when the signal in
20 response to the contacting is consistent with TLR9 signaling. In one embodiment the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
25	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
30	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
	TCCATGACATTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
35	TCCATGACGCTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTGATGTT	(SEQ ID NO:53),
	TCCATGACGGTTTTGATGTT	(SEQ ID NO:54),

- 6 -

TCCATGACGTCTTTGATGTT (SEQ ID NO:55),
TCCATGACGTATTTGATGTT (SEQ ID NO:56), and
TCCATGACGTGTTTGATGTT (SEQ ID NO:57).

In certain embodiments of the screening methods of the invention, the signal includes
5 expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway. In one
embodiment the reporter gene is operatively linked to a promoter sensitive to NF- κ B. In one
embodiment the signal in response to contacting is binding of the candidate TLR9 ligand or
CpG DNA to the polypeptide of the invention.

In one embodiment the screening method is performed on a plurality of test
10 compounds. In one embodiment the response mediated by the TLR9 signal transduction
pathway is measured quantitatively and the response mediated by the TLR9 signal
transduction pathway associated with each of the plurality of test compounds is compared
with a response arising as a result of an interaction between the functional TLR9 and a
reference immunostimulatory compound.

Brief Description of the Figures

Figure 1 depicts a Clustal W multiple sequence alignment of deduced amino acid
sequences for cat (feline), dog (canine), cow (bovine), mouse (murine), sheep (ovine), pig
(porcine), horse (equine), human, and rat TLR9 polypeptides. The deduced amino acid
15 sequences for feline, canine, bovine, murine, ovine, porcine, equine, human, and rat TLR9
polypeptides shown in the figure correspond to SEQ ID NOs 25, 21, 9, 29, 17, 5, 13, 33, and
1, respectively. Lines labeled "multiple" refer to the multiple sequence alignment of all six
sequences shown. Lines labeled "mo/hu" refer to a paired sequence alignment of mouse and
human TLR9 sequences alone.

25 Figure 2 is a cladogram depicting an evolutionary relatedness tree for rat, murine,
porcine, bovine, equine, and human TLR9 polypeptides in Figure 1.

Figure 3 is a graph depicting species specificity of TLR9 signaling with selected
oligonucleotides having strong specificity for human (2006), mouse (5890), or neither (1982).

Detailed Description of the Invention

30 The present invention provides novel amino acid and nucleotide sequences for TLR9
derived from rat, pig, cow, horse, and sheep. These sequences can be used to identify key
features of the primary sequences of these and related TLR molecules, including previously

- 7 -

known primary sequences of human and mouse (murine) TLR9. Such key features include binding site information and species specificity toward particular CpG motifs. Native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to identify and to design novel TLR9 ligands.

5 Additionally, the native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to compare various TLR9 ligands, including CpG DNA.

In one aspect the invention provides isolated TLR9 polypeptides, and isolated nucleic acid molecules encoding them, from rat, pig, cow, horse, and sheep. The term "isolated" as
10 used herein with reference to a nucleic acid molecule or polypeptide means substantially free of or separated from components with which it is normally associated in nature, e.g., other nucleic acids, proteins, lipids, carbohydrates or *in vivo* systems to an extent practical and appropriate for its intended use. In particular, the nucleic acids or polypeptides are sufficiently pure and are sufficiently free from other biological constituents of host cells so as
15 to be useful in, for example, producing pharmaceutical preparations. Because an isolated nucleic acid or polypeptide of the invention may be admixed with a pharmaceutically acceptable carrier in a pharmaceutical preparation, the nucleic acid or polypeptide may represent only a small percentage by weight of such a preparation. The nucleic acid or polypeptide is nonetheless substantially pure in that it has been substantially separated from
20 the substances with which it may be associated in living systems.

An amino acid sequence of rat TLR9 is provided as SEQ ID NO:1. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:1 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of rat TLR9 (See
25 Figure 1). Amino acids numbered 1-821 of SEQ ID NO:1 are presumptively extracellular domain and correspond to SEQ ID NO:2. SEQ ID NO:3 is a nucleotide sequence of rat TLR9 cDNA having an open reading frame corresponding to nucleotides 1-3096. SEQ ID NO:4 is a nucleotide sequence of rat cDNA encoding amino acids 1-821 of SEQ ID NO:1.

An amino acid sequence of porcine TLR9 is provided as SEQ ID NO:5. Based on
30 comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:5 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of porcine TLR9

- 8 -

(See Figure 1). Amino acids numbered 1-819 of SEQ ID NO:5 are presumptively extracellular domain and correspond to SEQ ID NO:6. SEQ ID NO:7 is a nucleotide sequence of porcine TLR9 cDNA having an open reading frame corresponding to nucleotides 77-3166. SEQ ID NO:8 is a nucleotide sequence of porcine cDNA encoding amino acids 1-819 of SEQ ID NO:5.

An amino acid sequence of bovine TLR9 is provided as SEQ ID NO:9. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:9 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of bovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:9 are presumptively extracellular domain and correspond to SEQ ID NO:10. SEQ ID NO:11 is a nucleotide sequence of bovine TLR9 cDNA having an open reading frame corresponding to nucleotides 84-3170. SEQ ID NO:12 is a nucleotide sequence of bovine cDNA encoding amino acids 1-818 of SEQ ID NO:9.

An amino acid sequence of equine TLR9 is provided as SEQ ID NO:13. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:13 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of equine TLR9 (See Figure 1). Amino acids numbered 1-820 of SEQ ID NO:13 are presumptively extracellular domain and correspond to SEQ ID NO:14. SEQ ID NO:15 is a nucleotide sequence of equine TLR9 cDNA having an open reading frame corresponding to nucleotides 115-3207. SEQ ID NO:16 is a nucleotide sequence of equine cDNA encoding amino acids 1-820 of SEQ ID NO:13.

An amino acid sequence of ovine TLR9 is provided as SEQ ID NO:17. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:17 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of ovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:17 are presumptively extracellular domain and correspond to SEQ ID NO:18. SEQ ID NO:19 is a nucleotide sequence of ovine TLR9 cDNA having an open reading frame corresponding to nucleotides 92-3178. SEQ ID NO:20 is a nucleotide sequence of ovine cDNA encoding amino acids 1-818 of SEQ ID NO:17.

- 9 -

SEQ ID NO:1 (Rat TLR9)

MVLCRRTLHPLSLLVQAAVLAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI
 HHLHNLDFVHLPNVRQLNLKWNCPPPGLSPLHFSCRTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL
 5 SHTNIVLVDASSLAGLHSLRVLFMDGNCYYKNPCNGAVNVTDAFLGLSNLTHLSLKYNNTLTPRQLPPSLEYL
 LLSYNLIVKLGAEDLANLTSRLMLDVGGNCRRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKSSSLHSLN
 SKWFQGLANLSVLDLSENFLYESINKTSAFQNLTRLRKLDSLNYCKKVSFARLHLASSFKSLVSLQELNMNGIF
 FRLLNKNTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGVWP
 PASLTPALPSTPVSKNFMVRCKNLRTMDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK
 10 VLDLSYNKLDLYHSKSFSELPQLQALDLSYNSQPFMSQIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS
 VEYLDGSGNGVGRMWDEEDLYLYFFQDLRSLIHLDSLQNKHLILRPQNLNLYPKSLTKLSFRDNHLSFFNWSSLA
 FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPFAFFALAVELKEVNLSHNILKTVDRSWFGPIV
 MNLTVLVDVSSNPLHCACGAPFVDLLLEVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFGLSLL
 AVAVGTVLPPLLQHLGWDVWYCFHLCLAWLPPLTRGRRSAQALPYDAFVVFDAQSAVADWVYNELRVRLERERG
 15 RRALRLCLEDRDLPGQTLFENLWASIYGRKTLFVLAHTDKVSGLLRTSFLLAQORLLEDKDVVVLVILRPDA
 HRSRYVRLRQLRCQSVLFWPHQPNQGGSFWAQLSTALTRDNHNFYNRNFCRGPTAE

SEQ ID NO:2 (Rat TLR9)

MVLCRRTLHPLSLLVQAAVLAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI
 20 HHLHNLDFVHLPNVRQLNLKWNCPPPGLSPLHFSCRTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL
 SHTNIVLVDASSLAGLHSLRVLFMDGNCYYKNPCNGAVNVTDAFLGLSNLTHLSLKYNNTLTPRQLPPSLEYL
 LLSYNLIVKLGAEDLANLTSRLMLDVGGNCRRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKSSSLHSLN
 SKWFQGLANLSVLDLSENFLYESINKTSAFQNLTRLRKLDSLNYCKKVSFARLHLASSFKSLVSLQELNMNGIF
 FRLLNKNTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGVWP
 25 PASLTPALPSTPVSKNFMVRCKNLRTMDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK
 VLDLSYNKLDLYHSKSFSELPQLQALDLSYNSQPFMSQIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS
 VEYLDGSGNGVGRMWDEEDLYLYFFQDLRSLIHLDSLQNKHLILRPQNLNLYPKSLTKLSFRDNHLSFFNWSSLA
 FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPFAFFALAVELKEVNLSHNILKTVDRSWFGPIV
 MNLTVLVDVSSNPLHCACGAPFVDLLLEVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFG
 30

SEQ ID NO:3 (Rat TLR9)

atgggtctctgtcgagaccctgcaccccttgctctctcctggtagacggccgcagtgctggctgaggtctggcc
 ctgggtaccctgcctgccttccctaccctgtgaactgaagcctcatggcctggtagactgcaactggctcttccctg
 aagctgtgtgcctcacttctctgtgcgcagaaccccggtccaacatcaccagcctttccttgatcgccaaccgcac
 35 caccacctgcacaacctcgactttgtccacctgcccacgtgcgacagctgaacctcaagtggaaactgtccgccc
 cctggcctcagcccttgcaacttctcctgcccgcacatgaccattgagccaaaacacctcctggctatgcgcacgtg
 gaagagctgaacctgagctataacggtatcaccactgtgccccgcctgccagctccctgacgaatctgagccta
 agccacaccaacatcctggtagctgacccagcagcctcgctggcctgcacagcctgcgagttctctcatggac
 gggaaactgctactacaagaacccctgcaacggggcggtgaacgtgaccccgacgccttctgggcttgagcaac
 40 ctacccactgttcccttaagtataacaacctcacagaggtgcccccgcaactgcccccgagcctggagtaacctc
 ctgctgtcctataacctcatcgtcaagctggggcggaagacctagccaacctgacctcccttcgaatgcttgat
 gtgggtgggaattgcccgtcgctgtgatcacgccccgacctctgtacagaatgccggcgagaagtcctctgatctg
 caccctcagactttccatcacctgagccacctgaaggcctgggtgctgaaggacagttctctccactcgctgaac
 tccaagtgggtccaagggtctggcgaaacctctcggtgctggacctaaagcgagaactttctctacgagagcatcaac
 45 aaaaccagcgcccttcagaacctgacccgtctgcgcaagctcgacctgtccttcaattactgcaagaaggatctg
 ttccgcccgcctccacctggcaagttccttcaagagcctgggtgctgctgagcagctgaacatgaacggcatcttc
 ttccgcttactcaacaagaacacgctcaggtggctgggtgctgccccagctccacacgctccacgttccaatg
 aattcatcaaccagggcgagctcagcgtcttttagtacctccgagcccttcgctttgtggacctgtccaataat
 cgcacagcgggcctccaacgctgtccagagtcgccccgaaaaggcagacgagggcgagaaggggggttccatgg
 50 cctgcaagctcaccaccagctctcccgagcactccgctctcaagaacttcatgggtcaggtgtaagaacctcaga
 ttaccatggacctgtctcggaacaaccaggtgactatcaagccagagatgttcgtcaacctctcccatctccag
 tgtctgagcctgagccacaactgcacgcaggtgtcaatggctctcagttcctgcccgtgaccaacctgaag
 gtgctggacctgtcctataacaagctggacctgtacattcgaaatcggttcagtgagctcccacagttgcaggcc

- 10 -

ctggacctgagctacaacagccagccattcagcatgcaggggatagggcacaacttcagttttctggccaatctg
tccaggttacagaaccttagcctggcacacaaatgacattcacagccgctgtcctcacgcctctacagcacctca
gtggagtatctggacttcagcggcaacggtgtggggccgcatgtgggacgaggaggacctttacctctattttctc
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaaacctcaac
5 tacctccccaagagcctgacgaagctgagtttccgtgacaatcacctctctttctttaactggagcagctctggcc
ttcctgcccattctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcacccctgccta
ggcagctcctccagaaactggatgtcagtagcaacagtatcgtctttgtgggtcccagccttctttgtctctggcg
gtagagctaaaaggtcaacctcagccataaacatcctcaagactgtggatcgctcctgggttggggccattgtg
atgaacctgacggttctagacgtgagcagcaacctctgcattgtgcctgcggtgcacctttgtagacttactg
10 ctggaagtgcagaccaaggtgcctggcctggctaacggtgtgaagtgtggcagctcccggccagctgcaggggccgc
agcatctttgcgcaagacctgcggctgtgcctggatgacgtcctttctcgggactgctttggcctttactcctg
gctgtggcgctgggcacggtgttgcttactgcagcatctctgcggctgggacgtctggtagctgttccatctg
tgcttgccatggctacctttgctgacctggcggcgagcgccccaaagctctcccttatgatgccttcgtgggtg
ttcgataaggcgagagcgcggttgctgactgggtgtataacgagcttcgagtgcggttagaggagcgggcggtg
15 cgccgagcctacgcttgggtctggaggacgagattggctgcctggccagacactcttcgagaacctctggggcc
tccatctatggcagccgcaagactctgtttgtgctggccacacggacaaggtcagtgggcctcctgcgcaccagc
ttcctgctggctcagcagcgctgtggaggaccgcaaggacgtgggtgttgggtgatcctgcgcctgatgcc
caccgctcccgctacgtgcgactgcgcagcgctctgcgcagagtgctcttctggccccatcagcccaac
gggcagggcagctctggggccagctgagtacagccctgactagggacaaccaccacttctataaccggaacttc
20 tgccgggggacctacagcagaatag

SEQ ID NO:4 (Rat TLR9)

atgggttctctgtcgcaggacctgcaccccttgtctctcctgggtacaggccgcagtgctggctgaggtctctggcc
ctgggtacctgctgccttcttacctgtgaactgaagcctcatggcctggtagactgcaactggctcttctctg
25 agtctgtgctcacttctctgcgcgagaacccgttccaacatcaccagccttctctgtatgccaaaccgcatc
caccacctgcacaacctcgactttgtccacctgcccaagctgcgacagctgaacctcaagtggaactgtccgccc
cctggcctcagccccttgacttctcctgcgcgatgaccttgagcccaaaaccttctggctatgcgcatgctg
gaagagctgaacctgagctataacggtatcaccactgtgccccgctgccagctccttgacgaatctgagccta
agccacaccaacatcctggtagctgacgagcctcgctggcctgcacagcctgcgagttctctcatggac
30 gggaactgctactacaagaaccttgaacggggcggtgaacgtgaccccgagcgccttctgggcttgagcaac
ctcaccacttgctccttaagtataacaacctcacagaggtgccccgccaactgccccccagcctggagtagctc
ctgtctgtccttaacctcatcgtaagctggggcggaagacctgaccaactgacctccttcgaatgcttgat
gtgggtgggaattgcgctcgctgtgatcacgccccgaacctctgtacagaatgcggcagaagtcccttgatctg
caccctcagactttccatcacctgagccaccttgaaggcctgggtgctgaaggacagttctctccactcgctgaac
35 tccaagtggttccagggtctggcgaaacctctcggtgctggacctaaagcgagaactttctctacgagagcatcaac
aaaaccagcgcttctcagaacctgaccgctctgcgcaagctcgacctgtccttcaattactgcaagaaggtagctg
ttcgcccgctccacctggcaagttccttcaagagcctgggtgtcgctgcaggagctgaacatgaacggcatcttc
ttcgcttactcaacaagaacacgctcaggtggctggctggctgtgccaaagctccacacgctgcaccttcaaatg
aatctcatcaaccagcgagcagctcagcgtcttagtaccttccgagccttctgcttggtagctgtccaataat
40 cgcatcagcgggctccaacgctgtccagagtcgccccgaaaaggcagacgaggcggaagggggttccatgg
cctgcaagtctcaccacgctctcccgagcactccgctctcaaagaacttcatggtaggtgtaagaacctcaga
ttcaccatggacctgtctcggaacaaccagggtgactatcaagccagagatgttcgtcaacctctccatctccag
tgtctgagcctgagccacaactgcatcgcgagcgtgtcaatggctctcagttcctgcgcgtgaccaacctgaag
gtgctggacctgtcctataacaagctggacctgtaccttcgaaatcgctcagtgagctcccacagttgcaggcc
45 ctggacctgagctacaacagccagccattcagcatgcaggggatagggcacaacttcagttttctggccaatctg
tcagggttacagaaccttagcctggcacacaatgacattcacagccgctgtcctcacgcctctacagcacctca
gtggagtatctggacttcagcggaacggtgtgtggggccgcatgtggggacgaggaggacctttacctctattttctc
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaaacctcaac
tacctccccaagagcctgacgaagctgagtttccgtgacaatcacctctctttctttaactggagcagctctggcc
50 ttcttgcccaatctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcacccctgccta
ggcagctcctccagaaactggatgtcagtagcaacagtatcgtctttgtgggtcccagccttctttgtctggcg
gtagagctaaaagaggtcaacctcagccataaacatcctcaagactgtggatcgctcctgggttggggccattgtg
atgaacctgacggttctagacgtgagcagcaacctctgcattgtgcctgcggtgcacctttgttagacttactg
ctggaagtgcagaccaaggtgcctggcctggctaacggtgtgaagtgtggcagctcccgcagctgcaggggccgc
55 agcatcttgcgcaagacctgcggtgtgcctggatgacgtcctttctcgggactgctttggc

- 11 -

SEQ ID NO:5 (Porcine TLR9)

MGPRCTLHPLSLLVQVLTALAAALAQGRLPAPFLPCELPQPHGLVNCNWLFLKSVPHFSAAPRANVTSLSLLSNRIH
 HLHDSDFVHLSSRLTLNLKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTVPALPDSLVLSLS
 RTNIVLDPHTLTGLHALRYLYMDGNCYYKNPCQGALEVVPAGALLGLGNLTHLSLKYNLLETEVPRSLPPSLETLL
 5 LSYNHIVTLTPEDLANLTALRVLDVGGNCRCDHARNPCRECPKDHKLHSDTFSHLSRLEGLVLKDSSLYNLDT
 RWFRGLDRLQVLDLSENFLYDCITKTTAFQGLARLRLSLNLSFNYHKKVSFAHLHLAPSFHGLRSLKELDMHGIF
 RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPGLLYVDLSDNRISGAARPVAITREVDGRERVWLP
 NLAPRPLDTRLSED FMPNCKAFSFTLDLSRNNLVITIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRVL
 10 DLSHNKL DLYHGRSFTLPRLEALDLSYNSQPFMTQGVGHNL SFVAQLPALRYLSLAHNDIHSRVSQQLCSASLC
 ALDFSGNDLSRMWAEGLYLRFFQGLRSLVWLDLSQNLHTLLPRALDNLPKSLKHLHLRDNNAFFNWSSLTLL
 PKLETDL LAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN
 LKVL DVSANPLHCACGATFVGFLLEVQAAVPGLP SRVKCGSPGQLQGH SIFAQDLRLCLDETLSWNCFGISLLAM
 ALGLVVPMLHHL CGWDLWYCFHLCLAWLPHRGQRGADALFYDAFVVF DKAQSAVADWVYNELRVQLEERRGRRA
 LRLCLEERD WLPKTLFENLWASVYSSRKTFLVLAHTDRVSGLLRASFLLAQQRLL EDRKDVVVLVILRPDAYRS
 15 RYVRLRQRLCRQSVLLWPHQPRGQGSFWAQLGTALTRDNHNFYNRNFCRGPTTAE

SEQ ID NO:6 (Porcine TLR9)

MGPRCTLHPLSLLVQVLTALAAALAQGRLPAPFLPCELPQPHGLVNCNWLFLKSVPHFSAAPRANVTSLSLLSNRIH
 HLHDSDFVHLSSRLTLNLKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTVPALPDSLVLSLS
 20 RTNIVLDPHTLTGLHALRYLYMDGNCYYKNPCQGALEVVPAGALLGLGNLTHLSLKYNLLETEVPRSLPPSLETLL
 LSYNHIVTLTPEDLANLTALRVLDVGGNCRCDHARNPCRECPKDHKLHSDTFSHLSRLEGLVLKDSSLYNLDT
 RWFRGLDRLQVLDLSENFLYDCITKTTAFQGLARLRLSLNLSFNYHKKVSFAHLHLAPSFHGLRSLKELDMHGIF
 RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPGLLYVDLSDNRISGAARPVAITREVDGRERVWLP
 NLAPRPLDTRLSED FMPNCKAFSFTLDLSRNNLVITIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRVL
 25 DLSHNKL DLYHGRSFTLPRLEALDLSYNSQPFMTQGVGHNL SFVAQLPALRYLSLAHNDIHSRVSQQLCSASLC
 ALDFSGNDLSRMWAEGLYLRFFQGLRSLVWLDLSQNLHTLLPRALDNLPKSLKHLHLRDNNAFFNWSSLTLL
 PKLETDL LAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN
 LKVL DVSANPLHCACGATFVGFLLEVQAAVPGLP SRVKCGSPGQLQGH SIFAQDLRLCLDETLSWNCFG

30 SEQ ID NO:7 (Porcine TLR9)

gagcacgaacatccttctactgtagctgctgccgggtctgccagccagaccctttggagaagacccccactccctgt
 catgggcccccgctgcaccctgcaccccttctctcctgggtgcagggtgacagcgctggctgcggctctggccca
 gggcaggtgcctgccttccctgccctgtgagctccagccccacggcctgggtgaactgcaactggctcttccctgaa
 gtccgtgccccacttctcgggcgcagcgcggcgcccaacgtcaccagcctctccttactctccaaccgcatcca
 35 ccactgcagcactccgacttcgtccacgtgcagcctacgaactctcaacctcaagtggagctgccgcggc
 tggcctcagccccatgcacttccctgccacatgaccctgagcggcgaacacaccttccctggcggcggcggcggc
 ggagctgaacctgagctacaacagcatcacgaccgtgcctgcctgcccactccctcgctgtccctgtcgctgag
 ccgcaccaacatcctgggtgctagacccacccacctcactggcctacatgcctgcgctacctgtacatggatgg
 caactgctactacaagaacccctgccagggggcgctggaggtgggtgccgggtgcctcctcggcctgggcaacct
 40 cacacatctctcactcaagtacaacaatctcacggaggtgccccgcagcctgccccccagcctggagacctgct
 gttgtcctacaaccacattgtcacccctgacgctgaggacctggccaatctgactgccctgcgctgcttgatgt
 gggggggaactgccgcggctgtgaccatgcccgcaacccctgcagggagtgcccaaaggaccaccccaagctgca
 ctctgacaccttcagccacctgagccgctcgaaggcctgggtgttgaaagacagttctctacaacctggacac
 caggtgggttcaggcctggacaggtccaagtgtgacctgagtgagaaactcctctacgactgcatcaccaa
 45 gaccacggccttcaggcctggcccgactgcgcagcctcaacctgtccttcaattaccacaagaaggtgtcctt
 tgcccacctgcacctggcaccctcctttgggcacctccggtccctgaaggagctggacatgcatggcatcttctt
 ccgctcgctcagtgagaccacgtccaacctctgggtccaactgcctatgctccagacctgcccctgcagatgaa
 ctcatataaccaggcccagctcagcatctttggggccttccctggcctgctgtacgtggacctatcggaacaaccg
 catcagcggagctgcaaggccagtgccattactagggaggtggatggtagggagaggggtctggctgccttccag
 50 gaacctcgctccagctccactggacactctccgctcagaggacttcatgccaaactgcaaggccttcagcttcac
 ctggagctgctcggaacacactgtgacacatccagctggagatggttgctgcctctcacgcctcgagtgct
 gcgctgagccacaacagcatctccaggcgtgcaatggctctcagtttgctgcgctgaccagcctgcgggtgct
 ggacctgtccacaacaagctggacctgtatcacggcgctcggttcacggagctgccgcgctggaagcactgga
 cctcagctacaatagccagccctttaccatgcagggtgtgggccacaacctcagcttcgtggccagctgcccgc

- 12 -

cctgcgtacctcagcctggcgacacaatgacatccatagccgagtgcccagcagctctgtagcgccctactgtg
cgccctggacttttagcggcaacgatctgagccggatgtgggctgagggagacctctatctccgcttcttccaagg
cctaagaagccttagtctggctggacctgtcccagaaccacctgcacacctctcctgccacgtgccctggacaacct
5 ccccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctctct
gccaagctggaaacctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcac
ccagctgcgaggctggacctcagtggaacagcatcggtcttgtgaacctggcttctttgcccctggccaagca
gttagaagactcaacctcagcgccaatgccctcaagacagtggagccctcctggtttggctcgatgggtgggcaa
cctgaaagctcctagacgtgagcgccaacctctgcactgtgctgtggggcgaccttcgtgggcttctgtctgga
10 ggtacaggctgcccgtgctgggctgccagccgctcaagtgtggcagtcggggcagctccagggtccatagcat
ctttgcgcaagacctgcgctctgctggatgagacctctcgtggaactgttttggcatctcgtgctggccat
ggccctgggctgggtgtgcccctgctgcaccacctctgcggtgggacctctggtactgcttccacctgtgct
ggcctggctgccccaccgagggcagcgcgggggcgagacgacctgttctatgatgccttcgtggtctttgacaa
agctcagagtgtgtggcagctgggtgtacaacagctgcgggtgcagctggaggagcgccgtggcgccgcgc
actgcgctgtgctggaggagcgagactggttacctggcaagacgctcttcgagaacctgtgggctcagctcta
15 cagcagcgcaagacctgtttgtgctggccacacggacgctgtcagcgccctcttgcgtgccagtcttctgtct
ggcccagcagcgctgctggaggaccgaaggacgttgtagtgctgggtgatcctgcgccccgactcaccgctc
ccgctacgtgcggtgcgcccagcgctctgcgcccagagtgtcctcctctggccccaccagccccgtgggcagg
cagcttctggggccagctgggacagccctgaccagggacaaccaccacttctataaccggaacttctgcccggg
20 cccacgacagccgaatagcactgagtgcagccagttgccccagccccctggatttgcctctctgctgggg
tgcccaacctgctttgtcagccacaccactgctctgctccctgttccccacccccccccagcctggcatgt
aacatgtgcccaataaatgctaccggaggggccaagaaaaaaaaaaaaaaaaaaaaa

SEQ ID NO:8 (Porcine TLR9)

atgggcccccgctgcacctgcaccccccttctctcctgggtgcaggtgacagcgctggctgcggctctggccag
25 ggcaggctgcctgcttctcctgtgagctccagccccacggcctggtgaactgcaactggctcttctctgaag
tcgctgccccacttctcgggcgagcgccccgggccaacgtcaccagcctctccttactctccaaccgcatccac
cacctgcacgactccgacttctgtccacctgtccagcctacgaactctcaacctcaagtggaaactgccgcggct
ggcctcagccccatgcacttccctgcccacatgaccatcgagcccaacaccttcttggcctgcccacctggag
30 gagctgaacctgagctacaacagcatcacgaccgtgctgcccctgcccagctccctcgtgtccctgtcgctgagc
cgcaccaacatcctggtgctagacccccaccacctcactggcctacatgccctgcgctacctgtacatggatggc
aactgctactacaagaaccttgcagggggcgctggagggtggcgggctgcccctcctcgccctgggcaacctc
acacatctctcactcaagtacaacaatctcagggaggtgccccgcagcctgccccccagcctggagacctgtct
35 ttgtcctacaaccacattgtcacctgacgcctgaggacctggccaatctgactgcccctgcgctgtgtgatgtg
ggggggaactgccgcgctgtgaccatgccgcgaaccttgcagggagtgcacaaaggaccaccccaagctgcac
tctgacaccttcagccacctgagccgctcgaaggcctgggtgttgaaagacagttctctctacaacctggacacc
aggtggttccgaggcctggacaggtccaagtgtggacctgagtgagaacttctctacgactgcacaccaag
accacggccttccagggcctggcccagctgcgcagcctcaacctgtccttcaattaccacaagaaggtgtcctt
40 gcccacctgcacctggcaccctcctttgggcacctccggctccctgaaggagctggacatgcatggcatcttcttc
cgctcgctcagtgagaccacgctccaacctctggtccaactgcctatgctccagacctgcgctgcagatgaac
ttcattaaccaggcccagctcagcatctttggggccttccctggcctgctgtacgtggacctatcggacaaccgc
atcagcggagctgcaaggccagtgccattactaggagggtggatggtagggagagggtctggctgcttccagg
aacctcgctccacgtccactggacactctccgctcagaggacttcatgccaactgcaaggccttcagcttccac
45 ttggacctgtctcggaacaacctggtgacaatccagtcggagatgtttgtcgcctctcacgctcgagtgcctg
cgctgagccacaacagcatctcccaggcggtcaatggctctcagtttgtgcccgtgaccagcctgcgggtgctg
gacctgtcccacaacaagctggacctgtatcacggcgctcggttcacggagctgcccgcgctggaagcactggac
ctcagctacaatagccagcccttaccatgcagggtgtgggcccacaacctcagcttctgtggcccagctgcccgc
ctgcgctacctcagcctggcgacacaatgacatccatagccagtggtccagcagctctgtagcgcctcactgtgc
50 gccctggacttttagcggcaacgatctgagccggatgtgggctgagggagacctctatctccgcttcttccaaggc
ctaagaagcctagtctggctggacctgtcccagaaccacctgcacacctcctgccacgtgccctggacaacctc
cccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcctg
cccaagctggaaacctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcacc
cagctgcggaggctggacctcagtggaacagcatcggtcttgtgaacctggcttcttggccctggccaagcag
55 ttagaagagctcaacctcagcgccaatgccctcaagacagtggagccctcctgggttggctcgatgggtgggcaac
ctgaaagtcttagcgtgagcgccaacctctgcactgtgctgtggggcgaccttcgtgggcttctgctggag
gtacaggctgcccgtgctgggctgccagccgctcaagtgtggcagtcggggcgagctccagggccatagcatc
tttgcgcaagacctgcgctctgctggatgagacctctcgtggaactgttttggc

- 13 -

SEQ ID NO:9 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPALPCELPQPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTEIPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLSL
5 HTSILVLGPHTFTGLHALRFLYMDGNCYMNPCCRALEVAPGALLGLGNLTHLSLKYNLLEVPRLPPSLDTLL
LSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPLHPDTFSHLSRLEGLVLKDSLSLYKLEK
DWFRGLGRLQVLDLSENFLYDYITKTITFNDLTQLRRLNLSFNHKKVSAHLHLASSFGSLVLEKLDMHGIF
RSLTNITLQSLTRLPLKQLSLHLQLNFINQAQLSIFGAPPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR
GLAPGPLDAVSSKDFMPSCNLTLDLSRNNLVITIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD
10 LSHNKL DLYHGRSFTTELPQLEALDLSYNSQPFMSQGVGHNL SFVAQLPSRLYLSLAHNGIHSRVSQKLSSASLRA
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLDNLPKSLRQLRLRDNNAFFNWSSLTVLP
RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVPIPGFFVRATRLIELNLSANALKTVDPSWFGSLAGTL
KILDVSANPLHCACGAADFVDFLLERQEA VPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFGLSLLMVA
LGLAVPMLHHL CGWDLWYCFHLCLAHLP RRRRQRGEDTLLYDAVVVFDKVQSAVADWVYNELRVQLEERRRRAL
15 RLCLEERDWLPKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQRLLEDKDVVVLVILRPAAYRSR
YVRLRQRLCRQSVLLWPHQPSGQGSFWANLGIALTRDNRFYNNRNFRCGP TAE

SEQ ID NO:10 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPALPCELPQPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTEIPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLSL
20 HTSILVLGPHTFTGLHALRFLYMDGNCYMNPCCRALEVAPGALLGLGNLTHLSLKYNLLEVPRLPPSLDTLL
LSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPLHPDTFSHLSRLEGLVLKDSLSLYKLEK
DWFRGLGRLQVLDLSENFLYDYITKTITFNDLTQLRRLNLSFNHKKVSAHLHLASSFGSLVLEKLDMHGIF
RSLTNITLQSLTRLPLKQLSLHLQLNFINQAQLSIFGAPPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR
GLAPGPLDAVSSKDFMPSCNLTLDLSRNNLVITIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD
25 LSHNKL DLYHGRSFTTELPQLEALDLSYNSQPFMSQGVGHNL SFVAQLPSRLYLSLAHNGIHSRVSQKLSSASLRA
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLDNLPKSLRQLRLRDNNAFFNWSSLTVLP
RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVPIPGFFVRATRLIELNLSANALKTVDPSWFGSLAGTL
KILDVSANPLHCACGAADFVDFLLERQEA VPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFG
30

SEQ ID NO:11 (Bovine TLR9)

gggaagtgggcgccaagcatccttccctgcagctgctcccaacctgcccggcagaccctctggagaagccgcat
tccctgtcatgggcccctactgtgccccgcaccccttctctcctggtgcaggcgccgactggcagcgcc
tggcggagggcaccctgcctgccttccctgcctgtgagctccagcccatggcaggtggactgcaactggctgt
35 tccctgaagtctgtgccgcacttttcggctggagcccccgggccaatgtcaccagcctctccttaatactccaacc
gcatccaccacttgcatgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagtggactgcc
cgccggccggcctcagcccatgcatctccctgcctgatgacctcgagcccaacaccttccctggctgtgccca
ccctggaggagctgaacctgagctacaacggcatcacgacctgcctgcctgccagttccctcgtgtccctgt
cgctgagccacaccagcatcctggtgctaggccccaccacttcaccggcctgcacgcctgcgcttctgtaca
40 tggacggcaactactacatgaacccctgcccgcggcctggagtgccccagggccctcctcggcctgg
gcaacctcacgcacctgtcgctcaagtacaacaacctcacggaggtgccccgcgcctgccccagcctggaca
ccctgtgctgtcctacaaccacattgtcacctggcaccgaggacctggccaacctgactgccctgcgcgtgc
ttgacgtgggtgggaactgccgcccgtgcgacctgcccgaacccctgcagggagtggccaaagaacttcccca
agctgcaccctgacaccttcagtcacctgagccgctcgaaggcctggtgtgaaggacagtctctctacaaac
45 tagagaaagattggttcgcggcctgggcaggctccaagtgtcgcacctgagtgagaacttccctctatgactaca
tcaccaagaccacctcttcaacgacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaagg
tgtccttcgcccactgcacctagcgtcctccttgggagctggtgtcctggagaagctggacatgcacggca
tcttcttcgctccctcaccaacatcacgctccagtcgctgacccggctgccccagctccagagctctgcactgc
agctgaacttcatcaaccaggcccagctcagcatcttggggccttcccagacctgctctcgtggacctgtcgg
50 acaaccgcatcagcggagccgcgacgccagcggccgcccctgggggaggtggacagcaggggtggaagtctggcgat
tgcccaggggctcgctccaggcccgtggacgcccgtcagctcaaaggacttcatgccaagctgcaacctcaact
tcaccttggaacctgtcacggaacaacctggtgacaatccagcaagagatgtttaccgcctctccgcctccagt
gcctgcgcctgagccacaacagcatctcgaggcggttaatggctcccagttcgtgcccgtgaccagcctgcgag

- 14 -

tgctcgacctgtcccacaacaagctggacctgtaccatggcgctcattcacggagctgccgcagctggaggcac
tggacctcagctacaacagccagcccttcagcatgcagggcggtgggccacaacctcagcttcgtggccagctgc
cctccctgcgctacctcagccttgccgacaaatggcatccacagccgctgtcacagaagctcagcagcgctcgt
tgcgcgccctggacttcagcggcaactccctgagccagatgtgggcccaggagacctctatctctgctttttca
5 aaggtttgaggaacctgggtccagctggacctgtccgagaacctctgcacacctcctgcctcgtcacctggaca
acctgcccagagcctggggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgaccg
tcttgcctggctggaagccctggatctggcaggaaaccagctgaaggccctgagcaacggcagcctgcgcctg
gcatccggctccagaagctggagctgagcagcaacagcatcggtctcgtgatccccggcttcttctgcgcgca
ctcggtgatagagcttaacctcagcgccaatgcctgaagacagtggatccctcctgggttcggttctttagcag
10 ggacctgaaaaatcctagacgtgagcgccaacccgctccactgcgcctgcggggcgccctttgtggacttctgc
tggagagacaggaggccgtgcccgggtgtccaggcgctcacatgtggcagtcggggccagctccaggggcgca
gcatcttcacacaggacctgcgcctctgcctggatgagacctctccttggactgctttggcctctcactgctaa
tgggtggcgctggcctggcagtgcccatgctgcaccacctctgtggctgggacctctggtactgcttccacctgt
gtctggcccatttgccccgacggcgccggcagcgggcgaggacacctgctctatgatgcgcctcgtggtcttgc
15 aaggtgacagctgcagtggtgatgtgggtgtacaacagctccgcgtgcagctggaggagcgccggggcgcc
ggcgctccgcctctgcctggaggagcgagctccctggtaagacgctcttcgagaacctgtgggctcgg
tctacagcagccgaagacctgttctgtgctggaccacacggaccgggtcagcgccctcctgcgcgacagcttcc
tgcctggccagcagcgctgttggaggaccgaaggacgtcgtagtgtggtgatcctgcgccccgcgcctatc
ggctccgctacgtgcggctgcgcccagcgctctgcccagagcgctcctctggccccaccagccagtgggcc
20 agggtagtttctgggccaacctgggcatagccctgaccagggaacacctcacttctataaccggaaacttctgcc
ggggccccacgacagccgaatagcacagagtgaactgccag

SEQ ID NO:12 (Bovine TLR9)

atggggccctactgtgccccgcacccctttctctcctgggtgcaggcgccggcactggcagcgccctggccgag
25 ggcacctgctgccttcttgcctgtgagctccagccccatgggtcaggtggactgcaactggctgttcttgaag
ctgtgtccgcactttctggctggagcccccgcccaatgtcaccagcctctccttaatctccaaccgcatccac
cacttgcatgactctgacttcgtccacctgtccaaacctgcgggtcctcaacctcaagtggaaactgccgcggcc
ggcctcagccccatgacttccctgcccgtatgaccatcgagcccaacaccttctgggtgtgcccacctggag
30 gagctgaacctgagctacaacggcatcacgacctgacctgcccagttcctcgtgtcctgtgcgtgagc
cacaccagcatcctgggtgctaggccccaccaccttcaccggcctgcacgacctgcttctgtacatggacggc
aactgctactacatgaacccctgcccggggccctggagggtggccccaggcgccctcctcggtcgggcaacctc
acgcacctgtcgtcaagtacaacacctcacggaggtgccccgcgcctgccccccagcctggacacctgctg
tctgtcctacaaccacattgtcacacctggcaccggagacctggccaacctgactgacctgctgtgactgacgtg
35 ggtgggaactgcccgcgtgcgacctgcccgaaccttgcaggagtgccaaagaacttcccaagctgcac
cctgacaccttcagtcacctgagccgctcgaaggcctgggtgtgaaggacagttctctctacaaactagagaaa
gattgggttccgcgccctgggaggtccaagtgtcagacctgagtgagaacttctctatgactacatcaccaag
accaccatcttcaacgacctgacctgagctgcgcagactcaacctgtccttcaattaccacaagaagggtgtccttc
gcccacctgcacctagcgtcctcctttgggagctggtgtccctggagaagctggacatgcacggcatcttcttc
cgtcctctcaccaacatcacgctccagtcgctgaccggctgcccagctccagagctctgcatctgcagctgaac
40 ttcataaccaggcccagctcagcatctttggggccttcccagacctgctcttctgtggacctgtcggacaaccgc
atcagcggagccgcgacgcccagcgccgccccggggagggtggacagcagggtggaagtctggcgatgcccagg
ggcctcgtctcaggcccgctggacgcccgtcagctcaaaggacttcatgccaagctgcaacctcaacttcaccttg
gacctgtcacggaacaacctgggtgacaatccagcaagagatgtttaccgcctctccgcctccagtgctgcgc
ctgagccacaacagcatctcgcaggcggttaatggctcccagttcgtgcccgtgaccagcctgcgagtgctgcac
45 ctgtcccacaacaagctggacctgtaccatggcgctcattcacggagctgccgcagctggaggcactggacctc
agctacaacagccagcccttcagcatgcagggcggtgggccacaacctcagcttctgtggccagctgcccctcctg
cgctacctcagccttgccgacaaatggcatccacagcgctgtcacagaagctcagcagcgcttctgctgcgc
ctggacttcagcggcaactccctgagccagatgtgggcccaggaggagacctctatctctgttttcaaaggcttg
aggaacctgggtccagctggacctgtccgagaacctctgcacacctcctgcctcgtcacctggacaacctgccc
50 aagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgacctcctgccc
cggttggaagccctggatctggcaggaaaccagctgaaggccctgagcaacggcagcctgcccgcctggcatccgg
ctccagaagctggacgtgagcagcaacagcatcggtctcgtgatccccggcttcttctgcgcgagctcggtg
atagagcttaacctcagcgccaatgccctgaagacagtggatccctcctgggttcggttctttagcagggaacctg
aaaatcctagacgtgagcgccaacccgctccactgcgcctgcggggcgccctttgtggacttctgctggagaga
55 caggaggcgtgcccgggtgtccaggcgctcacatgtggcagtcggggccagctccaggggccgacagcatcttc
acacaggacctgcgcctctgcctggatgagacctctccttggactgcttggc

- 15 -

SEQ ID NO:13 (Equine TLR9)

MGPCHGALQPLSLLVQAAMLAVALAQGTLPFFLPCELQPHGLVNCNWLFLKSVPHFSAAPRDNVTSLSLLSNRI
 HHLHDSDFQAQLSNLQKLNKWNCPAGLSPMHFPCMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL
 5 SRTNQLQDPTSLTGLHALRFLYMDGNCYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTTPRSLPPSLEYL
 LLSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSLSYQLN
 PRWFRGLGNLTVLDLSENFLYDCITKTKAFQGLAQLRRLNLSFNHKKVSFAHLTLAPSFGLSLLSQELDMHGIF
 FRSLSQKTLQPLARLPLMLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGKKVWLTS
 RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVPQEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV
 10 LDLSHNKL DLYHGRSFTLPRLEALDLSYNSQPFMRGVGHNL SFVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL
 WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRHLHTLLPCTLGNLPKSLQLLRRLNNYLAFNWSSLT
 LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSRSII FVVPGFALATRLRELNLSANALRTEEPSWFGFLAG
 SLEVL DVSANPLHCACGA AFVDFLLQVQA AVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFGLSLLV
 VALGLAMPMLHHL CGWDLWYCFHLGLAWLPRRGWQRGADALSYDAFVFDKAQSAVADWVYNELRVRLERERRR
 15 ALRLCLEERDWLPKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLLAQQRLLLEDKDVVVLVILSPDARR
 SRYVRLRQRLCRQSVLFWPHQPSGQRSFVAQLGMALTRDNRHFYNQNFRCGPTMAE

SEQ ID NO:14 (Equine TLR9)

MGPCHGALQPLSLLVQAAMLAVALAQGTLPFFLPCELQPHGLVNCNWLFLKSVPHFSAAPRDNVTSLSLLSNRI
 20 HHLHDSDFQAQLSNLQKLNKWNCPAGLSPMHFPCMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL
 SRTNQLQDPTSLTGLHALRFLYMDGNCYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTTPRSLPPSLEYL
 LLSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSLSYQLN
 PRWFRGLGNLTVLDLSENFLYDCITKTKAFQGLAQLRRLNLSFNHKKVSFAHLTLAPSFGLSLLSQELDMHGIF
 25 FRSLSQKTLQPLARLPLMLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGKKVWLTS
 RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVPQEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV
 LDLSHNKL DLYHGRSFTLPRLEALDLSYNSQPFMRGVGHNL SFVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL
 WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRHLHTLLPCTLGNLPKSLQLLRRLNNYLAFNWSSLT
 LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSRSII FVVPGFALATRLRELNLSANALRTEEPSWFGFLAG
 30 SLEVL DVSANPLHCACGA AFVDFLLQVQA AVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFG

SEQ ID NO:15 (Equine TLR9)

ctctgttctctgagctgttgccgcgtgaagggactgagcagcacaagcatcctcctctgcagctgctgcccagtg
 tgccagctggaccctctggatcatctccactccctgtcatgggccccttgccatggtgcccctgcagcccctgtct
 ctctgtggtgcaggcgccatgctggcgtggtcttgcccaggcaccctgcctccctcctgcctgtgagctc
 35 cagccccagccgctgtgaactgcaactggtctgttccctgaagtccgtgccccacttctcagcagcagcaccgccg
 gacaatgtcaccagccttctctgtctccaaccgcatccaccacctccagactccgactttgcccactgtcc
 aacctgcagaaactcaacctcaaatggaactgcccgcagccgctcagccccatgcacttcccctgccacatg
 accatcgagcccaacttctctgtgtaccacccctggaggagctgaacctgagctacaacggcatcacgact
 gtgcctgcccctgcccagctccctcgtgtccctgatcctgagccgcaccaacatcctgcagctagacccccaccagc
 40 ctacaggcgctgcatgcccctgcgcttccatatacatggatggcaactgctactacaagaacccctgcccgcgggccc
 ctggagggtggccccaggcgcccctccttgccctgggcaacctcaccacctgtcactcaagtacaacaacctcaca
 acggtgccccgcagcctgccccctagcctggagtagctgtgtgctcacaaccacattgtcaccctggcacct
 gaggacctggccaactgactgcccctgcgtgtgctcgatgtgggtggaaactgcccgcgctgtgacctgcacgc
 aacctgctggtggagtggccacataaattccccagctgcactccgacaccttcagccacctaaagccgctagaa
 45 ggcctcgtgttgaaggatagttctctctaccagctgaaccccagatgggtccctggcctgggcaacctcacagtg
 ctgacctgagtgagaacttctctacgactgcataccaaaaaaggcattccagggcctggcccagctgcga
 agactcaactgtccttcaattaccataagaaggtgtccttcgcccacctgacgctggcaccctccttcgggagc
 ctgctctccctgcaggaaactggacatgcagtgcatcttctccgctcactcagccagaagacgctccagccactg
 gccgcctgcccagctccagcgtctgtatctgcagatgaacttcataaccaggcccagctcggcatcttcaag
 50 ggggaggtggatgggtgggaagaaggtctggctgacatccaggggacctcactccaggccactggacacccccagc
 tctgaggacttcatgccaagctgaagaacctcagcttcaccttggacctgtcacggaacaacctggtaacagtc
 cagccagagatgtttgcccagctctcgccgctccagtgccctgcgctgagccacaacagcatctcgaggcggtc

- 16 -

aatggctcacagttcgtgccactgaccagcctgcaggtgctggacctgtccataacaaactggacctgtacat
ggcgctcgtttacggagctgccgagctggaggccctggacctcagctacaacagccagcccttcagcatgcgg
gggtggggccacaacctcagcttctgtggccagctgccaccctgcgctacctcagcctggcacacaatggcatc
cacagccgtgtgtcccagcagctctgcagcactcgtgtgggcccctggacttcagcggcaattccctgagccag
5 atgtgggctgagggagacctctatctccgcttcttccaaggcctgagaagcctaataccggctagacctgtccag
aatcgtctgcataacctcctgccatgcacctgggcaacctccccaagagcttgacgtgctgctcctcgtaac
aattacctggccttcttcaattggagcagcctgacctcctgcccacctggaaacctggacctggctggaaac
cagctgaaggctctgagcaatggcagcctgccttctggcaccagctccagaggctggacgtcagcaggaacagc
atcatcttcgtggtccctggcttcttctgtctggccacgaggctgcgagagctcaacctcagtgccaacgcctc
10 aggacagaggagccctcctgggttgggttctctagcaggtcccttgaagtcttagatgtgagcgccaacctctg
cactgcgctgtggggcagccttctgtgacttctgctgcaggttcaggctgccgtgcttggctgtgccagccgc
gtcaagtgtggcagtcggggcagctccagggccgcagcatcttcgcacaagacctgcgctctgctggacaag
tccctctcctgggactgttttggctctctcattgctggttgtggccctgggctggccatgcctatgttgaccac
ctctgcggctgggaacctctggtactgcttccacctgggctggcctggctgccccggcgggggtggcagcggggc
15 gggatgcccagctatgatgccttctgtggtcttcgacaaggcacagagcgcagtgccgactgggtgtacaat
gaactgcgggtgcggctagaggagcgcgctggggcgcggcgctccgctgtgtctggaggagctgactgacta
cctggcaagacgtgttgcgaaaacctgtgggctcagctacagcagccgcaagatgctgttctgtctggccac
acggaccaggtcagtgccctcttgcgtgccagcttctgctggccagcagcgtctgctggaggaccgcaaggac
gttgtggtgctggttaacctgagccctgacgcccgcgcttccgcttacgtgcggctgcgccagcgcctctgcgc
20 cagagtgtcctctctggccccaccagcctagtggccagcgcagcttctgggcccagctaggcatggccctgacc
agggacaaccgcccactctataaccagaacttctgcggggcccgacgatggctgagtagcacagagtgcagcc
tggcatgtacaacccccagccctgaccttgccctctctgcctatgatgccagctgctgctcactctgtgacgccc
tgctctgcctccgcacctcaccctggcatacagcaggcactcaataaatgccactggcaggccaaacagcca
aaaaaaaaaaaaaaaa

25

SEQ ID NO:16 (Equine TLR9)

atgggccccttgccatgggtgcctgcagcccctgtctctcctgggtgcaggcgcccatgctggccgtggtcttggcc
caaggcacccctgcctcccttctgcccctgtgagctccagcccccagggcctggtgaactgcaactggctgttctg
aagtccgtgcccacttctcagcagcagcaccgccggacaatgtcaccagccttctccttgcctctccaaaccgcatc
30 caccacctccagcactccgacttgcaccaactgtccaacctgcagaaactcaacctcaaatggaactgcccgccca
gcccgcctcagccccatgcacttccctgccacatgaccatcgagcccaacacttctcctggctgtaccacacctg
gaggagctgaacctgagctacaacggcatcacgactgtgcctgcccctgcccagctccctcgtgtccctgatcctg
agccgcaccaacatcctgcagctagaccacccagcctcagggcctgcagcctgccccttccctatagatggat
ggcaactgctactacaagaacctcgcggggggccctggagggtggccccagggcgcctccttggcctgggcaac
35 ctacccacctgtcactcaagtacaacaacctcacaacgggtgccccgcagcctgccccctagcctggagtacctg
ctgttgcctacaaccacattgtcacctggcactgaggacctggccaatctgactgcccctgctgtgctcgat
gtgggtggaaactgcccgcgctgtgacatgcacgcaacctcgcgtggagtggccacataaatccccagctg
cactccgacaccttcagccacctaaagccgctagaaggcctcgtgttgaaggatagttctctctaccagctgaac
cccagatggttccgtggcctgggcaacctcacagtgtcgacctgagtgagaacttctctacgactgcacacc
40 aaaaccaaggcatccagggcctggcccagctgcgaagactcaacttgccttcaattaccataagaagggtgtcc
ttcgccacctgacgtggcaccctccttcgggagcctgctctccctgcaggaactggacatgcattggcatcttc
ttcgctcactcagccagaagacgtccagccactggcccgcctgcccctgctccagcgtctgtatctgcagatg
aacttcatcaaccaggcccagctcggcatcttcaaggacttccctggctgcgctacatagacctgtcagacaac
cgcactcagtgagctgtggagccgtggccaccacaggggaggtggatgggtgggaagaaggctcgtgtgacatcc
45 agggacctcactccaggcccactggacacccccagctctgaggacttcagccaagctgcaagaacctcagcttc
accttggacctgtcacggaacaacctggtaacagctccagccagagatgttggcccagctctcgcgctccagtg
ctgcgctgagccacaacagcatctgcaggcggtcaatggctcacagttcgtgcccactgaccagcctgcaggtg
ctggacctgtccataaacaactggacctgtaccatgggcgctcgtttacggaagctgcccgcagctggaggccctg
gacctcagctacaacagccagcccttcagcatgcgggtgtggggccacaacctcagcttctgtggcccagctgccc
50 acctgcgctacctcagcctggcacacaatggcatccacagccgtgtgtcccagcagctctgcagcactcgtg
tgggcccctggacttcagcggcaattccctgagccagatgtgggtgagggagacctctatctccgcttcttccaa
ggcctgagaagcctaataccggctagacctgtcccagaatcgtctgcataacctcctgccatgcacctgggcaac
ctccccaagagcttgacgtgctgctctccgtaacaattacctggccttcttcaattggagcagcctgacctc
ctgcccacctggaaacctggacctggctggaaacctgaggtctctgagcaatggcagcctgcctctgtggc
55 accgctccagaggctggacgtcagcaggaacagcatctctcgtggctccctggccttcttgcctgtggccag
aggctgcgagagctcaacctcagtgccaacgcctcaggacagaggagccctcctgggttgggttctctagcaggc
tcccttgaagtcttagatgtgagcgccaacctctgcactgcgctgtggggcagccttctgtgacttctgctg

- 17 -

caggttcaggctgccgtgcctggctctgccagccgcgtcaagtgtggcagtcggggccagctccagggccgcagc
atcttcgcacaagacctgcgcctctgcctggacaagtcctctctctgggactgttttgggt

SEQ ID NO:17 (Ovine TLR9)

5 MGPYCAPHPLSLLVQAAALAAALAQGTLPAPFLPCELPQPRGKVN CNWFLKSVPRFSAGAPRANVTSLSLISNRIH
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLSL
RTSILVLGPTHFTGLHALRFLYMDGNCYYKNPCQQA VEVPAGALLGLGNLTHLSLKYNNTLTPRRRLPPSLDTLL
LSYNHIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKNFPKLHPDFTFSLSRLEGLVLKDS SLYKLEK
10 DWFRGLGRQLVLDLSENFLYDYITKTTIFRNLTQLRRLNLSFN YHKKVSFAHLQLAPSF GGLVSLKLDMHGIF
RSLTNTTLRPLTQLPKLQSLSLQLNFINQAELSIFGAFPSLLFVDLSDNRISGAARPVAALGEVDSGVEVWRWPR
GLAPGPLAAVSAKDFMPSCNLNFTLDLSRNNLVTIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNL SFVAQLPSLRYL SLAHNGIHSRVSQKLSSASLRA
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLDNLPKSLRQLRLRDNNLAFNWS S LTVLP
15 QLEALDLAGNQLKALSNGSLPPGTRQLQKLDVSSNSIGFVTPGFFVLANRLKELNLSANALKTVDPFWFGRLTETL
NILDV SANPLHCACGA AFVDFLEMQAAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFGFSLLMVA
LGLAVPMLHHL CGWDLWYCFHLCLAHLP RRRRQRGEDTLLYDAFVVFDKAQSAVADWVYNELRVQLEERRRRAL
RLCLEERDWLP GKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQRLLDRKDVVVLVILRPAAYRSR
YVRLRQLRCRQSVLLWPHQPSGQGSFWANLGMALTRDNRHFYNRNFCRGPTTAE

20 SEQ ID NO:18 (Ovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAQGTLPAPFLPCELPQPRGKVN CNWFLKSVPRFSAGAPRANVTSLSLISNRIH
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLSL
RTSILVLGPTHFTGLHALRFLYMDGNCYYKNPCQQA VEVPAGALLGLGNLTHLSLKYNNTLTPRRRLPPSLDTLL
LSYNHIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKNFPKLHPDFTFSLSRLEGLVLKDS SLYKLEK
25 DWFRGLGRQLVLDLSENFLYDYITKTTIFRNLTQLRRLNLSFN YHKKVSFAHLQLAPSF GGLVSLKLDMHGIF
RSLTNTTLRPLTQLPKLQSLSLQLNFINQAELSIFGAFPSLLFVDLSDNRISGAARPVAALGEVDSGVEVWRWPR
GLAPGPLAAVSAKDFMPSCNLNFTLDLSRNNLVTIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNL SFVAQLPSLRYL SLAHNGIHSRVSQKLSSASLRA
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLDNLPKSLRQLRLRDNNLAFNWS S LTVLP
30 QLEALDLAGNQLKALSNGSLPPGTRQLQKLDVSSNSIGFVTPGFFVLANRLKELNLSANALKTVDPFWFGRLTETL
NILDV SANPLHCACGA AFVDFLEMQAAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFG

SEQ ID NO:19 (Ovine TLR9)

gtcggcacgggaagtgtgagcgccaagcatccttccctgcagctgccgcccacttgcccgcagaccctctggaga
35 agccgcattccctgccatgggcccctactgtgccccgaccccccttctctcctgggtgcaggcgccgctggc
agcagccctggcccagggcaccctgcctgccttccctgcctgtgagctccagccccggggaagtgaactgcaa
ctggctgttccctgaagtctgtgcgcgcttttcggccggagcccccgggccaatgtcaccagcctctcctta
ctccaaccgcattccaccacttgacgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagt
40 gaactgcccgccggccgctcagccccatgcacttccctgccgcatgacctcgagcccaacaccttccctggc
tgtgcccaccctggaggagctgaacctgagctacaatggcatcacgaccgtgcctgcccagttctctcgt
atccctgtcgtgagccgcaccagcatcctgggtgctaggccccaccacttcaccggcctgcacgcctgcgctt
tctgtacatggacggcaactgctactataagaacctgcccagggccgtggaggtggccccaggcgccctcct
tggcctgggcaacctcacgcacctgtcgtcaagtacaacaacctcacggaggtgccccgcgcctgccccccag
cctggacaccctgctgctgtcctacaaccacatcatcaccctggcaccgaggacctggccaatctgactgcct
45 gcgtgtgcttgatgtgggcggaactgccgcgctgcgaccacgcccgaacctgcagggagtgccaaagaa
cttccccaaagctgcaccctgacaccttcagccacctgagccgcctcgaaggcctgggtgtgaaggacagttctct
ctacaaactagagaaagactggttcgcggcctgggagggctccaagtgtcgacctgagtgagaacttccctca
tgactacatcaccaagaccacctcttcaggaacctgaccagctgcgcagactcaacctgtccttcaattacca
caagaaggtgtccttcgcccacctgcaactggcaccctcctttggggcctgggtgtccctggagagctggacat
50 gcacggcatcttcttcgctccctcaccaaccacgctccggccgctgaccagctgcccagctccagagctct
gagctgtcagctgaacttcatcaaccaggccgagctcagcatctttggggccttcccagcctgctctcgtgga
cctgtcggacaaccgcattcagcggagctgcgaggccggtggccgcccctcggggaggtggacagcgggtggaagt
ctggcggtggcccaggggcctcgctccaggcccgtggccgcgctcagcgcaaggacttcatgccaagctgcaa

- 18 -

cctcaacttcaccttggacctgtcacggaacaacctgggtgacgatccagcaggagatgtttaccgcctctcccc
cctccagtgcctgcgctgagccacaacagcatctcgaggcggttaatggctcgcagttcgtgccgctgaccgc
cctgcgagtgtcgcacctgtcctacaacaagctggacctgtaccatgggcgctcgttcacggagctgccgcagct
ggaggcactggacctcagctacaacagccagcccttcagcatgcaggcgctggggccacaacctcagcttcgtggc
5 ctagctgccgtccctgcgctacctcagccttgcgcacaacggcatccacagccgctgtcacagaagctcagcag
cgctcgctgcgcgccctggacttcagcggcaactccctgagccagatgtggggccgaggagacctctatctctg
cttcttcaaaggcttgaggaaacctgggtccagctggacctgtccaagaaccacctgcacacctcctgcctcgta
cctggataaacctggccaaagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcag
cctgactgttctgccccagctggaagccctggatctggcgggaaaccagctgaaggccctgagcaacggcagcct
10 gccacctggcaccggctccagaagctggacgtgagcagcaacagcatcggtttgtgaccttggtcttcttgt
ccttgccaaccggctgaaagagcttaacctcagcgccaacgcctgaagacagtggatcccttctgggttcggtcg
cttaacagagacctgaatatcctagacgtgagcgccaaccgcctcactgtgcctgcggggcgcccttctgtgga
cttctctgtggagatgcaggcgccgctgcctgggtgtccaggcgctcagctgtggcagtcggggccagctcca
ggcgcgacgcatcttcgcacaggacctgcgctctgcctggatgagacctctccttggaactgcttgggtctctc
15 gctgctaaatgggtggcgctgggctggcctgctgctgacacctctgtggtcgggacctgtggtactgctt
ccacctgtgtctggccatattgccccgacggcgggcgagcgggcgaggacacctgctcagactgcttctgt
ggtcttcgacaaggcgagagtgacgtggcgactgggtgtacaacgagctccgcgtgcagctggaggagcgccg
cgggcgccggcgctccgctctgcctggaggagcgagactggctccctggcaagacgctcttcgagaacctgtg
ggcctcggtctacagcagccgtaagacctgttctgtgctggaccacacggaccgggtcagtgccctcctgcgcgc
20 cagcttctctgctggccagcagcgctgttggaggaccgcaaggatgtcgtggtgctggtgatcctgcgccccgc
cgctaccggctccgctacgtgcggctgcgcagcgccctctgcgcagagcgtcctcctctggccccaccagcc
cagtgggcagggtagcttctgggccaacctgggcatggcctgaccagggacaaccggcacttctataaccggaa
cttctgcgggggccccacgacagccgaatagcacagagtgactgcccag

25 SEQ ID NO:20 (Ovine TLR9)

atggggccctactgtgccccgcacccctttctctcctgggtgacggcgggcgctggcagcagccctggccag
ggcaccctgctgccttctgcctgtgagctccagccccgggtaagggtgaactgcaactggctgttctgaag
tctgtgccgcttttctggccggagcccccgggccaatgtcaccagcctctccttaatctccaaccgcatccac
cacttgcacgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagtggaaactgccgcggcc
30 ggctcagcccatgcaacttccctgcgcgcatgaccatcgagcccaacacctcctggctgtgcccacctggag
gagctgaacctgagctacaatggcatcacgacgctgcctgcctgcccagttctctcgatccctgtcgctgagc
cgaccagcatcctgggtgctaggccccaccacttcacggcctgcacgcctgcgcttctgtacatggacggc
aactgctactataagaaccttgcagcagggcggtggagggtggccccaggcgccctccttggcctgggcaacctc
acgcacctgtcgctcaagtacaacaacctcacggaggtgccccgcgcctgccccccagcctggacacctgctg
35 ctgtcctacaaccacatcatcaccctggcaccggaggacctggccaatctgactgcctgctgtgcttgatgtg
ggcggaactgccgcgctgcgaccacgcccgaaccttgcagggagtgccaaagaacttccccagctgcac
cctgacaccttcagccacctgagccgctcgaaggcctggtgttgaggacagttctctctacaaactagagaaa
gactgggtccgcggcctgggcaggctccaagtgtcgcacctgagtgagaacttctctatgactacatcaccaag
accaccatcttcaggaacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaagggtgctcttc
40 gccacctgcaactggcaccctccttgggggctggtgtccctggagaagctggacatgcacggcatcttcttc
cgctcctcaccacaccacgctccggcgctgaccagctgccaagctccagagctctgagctcgcagctgaac
ttcatcaaccaggccgagctcagcatcttggggccttcccgagcctgctcttctgtggacctgtcggacaaccgc
atcagcggagctgcgaggccggtggccgcctcggggaggtggacagcggggtggaagtctggcggtggcccagg
ggcctcgctccaggcccgctggccgcgctcagcgcaaggacttcatgccaagctgcaacctcaacttcaccttg
45 gacctgtcacggaacaacctgggtgacgatccagcaggagatgtttaccgcctctccgcctccagtgcctgcgc
ctgagcacaacagcatctcgaggcggttaatggctcgcagttcgtgcgctgacctgcctgcgagtgctcgac
ctgtcctacaacaagctggacctgtacctgggcgctcgttcacggagctgccgagctggaggcactggacctc
agctacaacagccagcccttcagcatgcaggcggtggggccacaacctcagcttctggggccagctgcgctcctg
cgctacctcagccttgccgcaacggcatccacagcccgctgtcacagaagctcagcagcgccctcgctgcgcgc
50 ctggacttcagcggcaactcctgagccagatgtggggcgaggagacctctatctctgcttcttcaaaggcttg
aggaacctgggtccagctggacctgtccaagaaccacctgcacacctcctgcctcgctcactggataacctgccc
aagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgactgttctgccc
cagctggaagccctggatctggcgggaaaccagctgaaggccctgagcaacggcagcctgccacctggcaccgg
ctccagaagctggagctgagcagcaacagctggcttctgtgaccttggttcttctgcttgcgaaccggctg
55 aaagagcttaacctcagcgccaacgcctgaagacagtggtaccttctggttcggtcgcttaacagagacctg
aatatcctagacgtgagcgccaaccgcctcactgtgcctgcggggcgcccttctgtggacttctgtggagatg

- 19 -

caggcgccgctgacctgggctgtccaggcgctcacgtgtggcagtcggggccagctccaggcgccgagcatcttc
gcacaggacctgcgctctgacctggatgagaccctctccttgactgctttggc

Complete nucleotide and amino acid sequences for canine and feline TLR9 are
publicly available. For example, an amino acid sequence for canine TLR9 is available as
GenBank accession number BAC65192 and its corresponding nucleotide sequence is
available as GenBank accession number AB104899. An amino acid sequence for feline
TLR9 is available as GenBank accession number AAN15751 and its corresponding
nucleotide sequence is available as GenBank accession number AY137581.

Complete nucleotide and amino acid sequences for canine and feline TLR9 were also
determined independently from those available from public databases.

An amino acid sequence of canine TLR9 is provided as SEQ ID NO:21. Based on
comparison with known amino acid sequences of human and murine TLR9, it appears that
SEQ ID NO:21 includes sequence for at least a majority of the extracellular domain, all of the
transmembrane domain, and at least a portion of the intracellular domain of canine TLR9
(See Figure 1). Amino acids numbered 1-822 of SEQ ID NO:21 are presumptively
extracellular domain and correspond to SEQ ID NO:22. SEQ ID NO:23 is a nucleotide
sequence of canine TLR9 cDNA having an open reading frame corresponding to nucleotides
91-3186. SEQ ID NO:24 is a nucleotide sequence of canine cDNA encoding amino acids 1-
822 of SEQ ID NO:21.

An amino acid sequence of feline TLR9 is provided as SEQ ID NO:25. Based on
comparison with known amino acid sequences of human and murine TLR9, it appears that
SEQ ID NO:25 includes sequence for at least a majority of the extracellular domain, all of the
transmembrane domain, and at least a portion of the intracellular domain of feline TLR9 (See
Figure 1). Amino acids numbered 1-820 of SEQ ID NO:25 are presumptively extracellular
domain and correspond to SEQ ID NO:26. SEQ ID NO:27 is a nucleotide sequence of feline
TLR9 cDNA having an open reading frame corresponding to nucleotides 87-3179. SEQ ID
NO:28 is a nucleotide sequence of feline cDNA encoding amino acids 1-820 of SEQ ID
NO:25.

30

SEQ ID NO:21 (Canine TLR9)

MGPCRGALHPLSLVQAAALALALAQGTLPALFLPCELQPHGLVNCNWLFLKSVPRFSAAAPRGNVTSLSLYSNRI
HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCHMTIEPNTFLAVPTLEDNLNSYNSITTVPALPSSLVLSL
SRTNILLVDPATLAGLYALRFLFLDGNCYKNPCQALQVAPGALLGLGNLTHLSLKYNNLTVVPRGLPPSLEYL

- 20 -

LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKGFQQLHPNTFGHLSHLEGLVLRDSSLYSLD
 PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRRLNLSFNHKKVSFAHLHLASSFGSLLSLQELDIHGIF
 FRSLSKTTLQSLAHLPMQLRLHLQLNFI SQAQLSIFGAFGLRYVDLSDNRISGAAEPAAATGEVEADCGERVWP
 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLVTVQPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL
 5 RVLDSLHNKLDLYHGRSFTLPRLEALDLSYNSQPFMSMRGVGHNL SFVAQLPALRYLSLAHNGIHSRVSQQLRSA
 SLRALDFSGNTLSQMWAEGLDLYLRFFQGLRSLVQLDLSQNLRLHTLLPRNLDNLPKSLRLLRLRDNLYLAFFNWSSL
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSFFALAVRLRELNLNLSANALKTVEPSWFGSL
 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGPLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFSLSL
 LAVALSLAVPMLHQLCGWDLWYCFHLCLAWLPRRGRRRGVDALEYDAFVVFDKAQSSVADWVYNELRVQLEERRG
 10 RRALRLCLEERDWVPGKTLFENLWASVYSSRKTLFVLARTDRVSGLLRASFLLAQQRLLLEDKDVVVLVILCPDA
 HRSRYVRLRQRLCRQSVLLWPHQPSGQRSFQAQLGTALTRDNRHFNQNFRCRGPTTA

SEQ ID NO:22 (Canine TLR9)

MGPCRGALHPLSLLVQAAALALALAQTLPAPFLPCELQPHGLVNCNWLFLKSVPFRFSAAAPRGNVTSLSLYSNRI
 15 HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCHMTIEPNTFLAVPTLEDNLNSYNSITTVPALPSSSLVSLSL
 SRTNIVLDPATLAGLYALRFLFDGNCYKNPCQALQVAPGALLGLGNLTHLSLKYNNTLVVPRGLPPSLEYL
 LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKGFQQLHPNTFGHLSHLEGLVLRDSSLYSLD
 PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRRLNLSFNHKKVSFAHLHLASSFGSLLSLQELDIHGIF
 20 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLVTVQPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL
 RVLDSLHNKLDLYHGRSFTLPRLEALDLSYNSQPFMSMRGVGHNL SFVAQLPALRYLSLAHNGIHSRVSQQLRSA
 SLRALDFSGNTLSQMWAEGLDLYLRFFQGLRSLVQLDLSQNLRLHTLLPRNLDNLPKSLRLLRLRDNLYLAFFNWSSL
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSFFALAVRLRELNLNLSANALKTVEPSWFGSL
 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGPLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCF S
 25

SEQ ID NO:23 (Canine TLR9)

aggaaggggctgtgagctccaagcatcctttctcgtcagctgctgcccagcctgccagccagaccctctggagaag
 cccccgctccctgtcatgggcccctgcccgtggcgccctgcaccccctgtctctcctggtgcaggtgcgcgcgta
 gcccctggccctggcccagggcaccctgcccgtgcccctgcccgtgagctccagccccatggcctgggtgaactgc
 30 aactggctgttctcctcaagtcctgccccgcttctcggcagctgcaccccgcggtaacgtcaccagccttctcctg
 tactccaaccgcatccaccacctccatgactatgactttgtccacttcgtccacctgcggcgtctcaatctcaag
 tggaaactgcccgcgcgcagcctcagccccatgcacttccctgtcacatgaccattgagcccaacaccttccctg
 gctgtgcccaccctagaggacctgaatctgagctataacagcatcacgactgtgcccgccttgcaggttcgctt
 gtgtccctgtccctgagccgcaccaacatcctggtgctggaccctgccaccctggcagggcctttatgcccctgcgc
 35 ttcctgttctggatggcaactgctactacaagaacccctgccagcagggcctgcaggtggccccaggtgccttc
 ctgggctgggcaacctcacacacctgtcactcaagtacaacaacctcacctggtgcccgcgggctgcccccc
 agcctggagtacctgtcttctcctacaaccacatcatcaccctggcacctgaggacctggccaatctgactgcc
 ctgctgtcctcgatgtgggtgggaactgtcgccgctgtgaccatgcccgtaacccctgcagggagtgcaccaag
 ggcttccccagctgcacccaacaccttcggccacctgagccacctcgaaggcctggtgttgaggagacagctct
 40 ctctacagcctggacccccaggtggttccatggcctgggcaacctcatggtgctggacctgagtggagaacttccctg
 tatgactgcatcaccaaaaccaaagccttctacggcctggcccggtgcgcagactcaacctgtccttcaattat
 cataagaaggtgtcctttgcccacctgcatctggcatcctcctctcgggagcctactgtccctgcaggagctggac
 atacatggcatcttctccgctcgctcagcaagaccacgctccagtcgctggccacctgcccactgctccagcgt
 ctgcatctgcagttgaactttatcagccagggccagctcagcatcttcggcgccctccctggactgcggtacgtg
 45 gacttgtcagacaaccgcatcagtgagctgcagagcccgcggtgccacaggggaggtagaggcagactgtggg
 gagagagtctggccacagtcccgggaccttgcctgtgggcccactgggcacccccggctcagaggccttcatgccg
 agctgcaggacctcaacttcaccttggaacctgtctcggaacaacctagtactgttcagccggagatgtttgtc
 cggctggcgcgccctccagtgccctgggctgagccacaacagcatctcgaggcggtcaatggctcgagttcgtg
 cctctgagcaacctgcccgtgctggacctgtcccataacaagctggacctgtaccacggcgctcggttcacggag
 50 ctgcccgcgtggaggccttgacctcagctacaacagccagccctcagcatgcccggcggtgggcccacaatctc
 agctttgtggcacagctgccagccctgcctacactcagcctggcgccacaatggcatccacagccgctggtccccag
 cagctccgcagcgccctcgctccgggcccctggacttcagtggaataacctgagccagatgtggggcggtgggagac
 ctctatctccgcttcttccaaggcctgagaagcctgggttcagctggacctgtcccagaatcgccctgcataccctc
 ctgcccacgcaacctggacaacctccccaaagcctgcggctcctgcggctccgtgacaattacctggcttctctc
 55 aactggagcagcctggccctcctacccaagctggaagccctggacctggcgggaaaccagctgaaggccctgagc

- 21 -

aatggcagcttgcaccaacggcaccagctccagaggtggacctcagcggcaacagcatcggcttcgtgggtcccc
 agcttttttgccttggcgtgaggttcgagagctcaacctcagcgccaacgcctcaagacggtggagccctcc
 tggtttgggttccttggcgggtgccttgaaagtcctagacgtgaccgccaaccccttgcatcgttgcggcgca
 accttcgtggacttccttgcgtggaggtgcaggtcggtgcccggcctgcctagccgtgtcaagtgcggcagccg
 5 gggcagctccagggcgcagcatcttcgcacaggacctggcctctgcttggacgaagcgtctcctgggtctgt
 ttcagcctctcgtgctggtgtggcctgagcctggctgtgcccattgctgcaccagctctgtggttgggacctc
 tggtagcttccacctgtgcctggcctggctgcccggcggggggcgggcggggtgtggaatgcctggcctat
 gacgccttcgtggctcttcgacaaggcgcagagctcgggtggcggactgggtgtacaatgagctgcgggtacagcta
 gaggagcgccgtgggcgccggcgctacgcctgtgtctggaggaacgtgactgggtaccggcggcggcggcggcggc
 10 gagaacctctgggctcagtttacagcagccgcaagacgtgtttgtgctggccgcacggacagagtcagcggc
 ctctcgtgtgcagcttcctgctggcccaacagcctgtgtaggagccgcaaggacgtcgtgtgctgggtgatc
 ctgtgcccgcagcggc
 cccaccagccagctggccagcgcagcttctggggccagctggggcagcggcggcggcggcggcggcggcggcggcggc
 tacaaccagaacttctgcccggggcccccagcagcctgataggcagacagccagcagccttcgcggccctacacc
 15 ctgcctgtctgtctgggatgcccagcctgctggctctacaccggcggcggcggcggcggcggcggcggcggcggcggc
 taaagcgaccgctcaataaatgctgctggttagac

SEQ ID NO:24 (Canine TLR9)

atggggccctgcggtggcgccctgcacccctgtctctcctgggtgcaggtgcgcgctagccctggccctggcc
 20 cagggcaccctgcctgccttcctgcctgtgagctccagcccatggcctgggtgaactgcaactggtgttcttc
 aagtcggtgcccgccttcctgcgagctgcaccccggtgaacgtcaccagccttctctgtactccaaccgcatc
 caccacctccatgactatgactttgtccacttcgtccacctgcggcgtctcaatctcaagtggaaactgcccggcc
 gccagcctcagcccatgcactttcctgtcacatgaccattgagcccaacaccttcctggctgtgcccacccta
 gaggacctgaatctgagctataacagcatcacgactgtgcccgcctgcccagttcgttgtgtcctgtccttg
 25 agccgcaccaacatcctgggtgctggaccctgccacctggcagggccttatgcctgcgcttcctgttcctggat
 ggcaactgctactacaagaacccctgccagcagggcctgcaggtggccccaggtgcccctcctgggcctgggcaac
 ctcacacacctgtcactcaagtacaacaacctcacggtgggtgcgcggggcctgccccccagcctggagtagctg
 ctcttgcctacaaccacatcatcaccctggcactgaggacctggccaatctgactgcctgogtgcctcgtat
 gtgggtgggaactgtgcgcgctgtgaccatgcccgtaacccctgcagggagtgcccaagggcctccccagctg
 30 ccccccaacaccttcggccacctgagccacctcgaaggcctgggtgttgaggagacagctctctctacagcctggac
 ccaggtgggttccatggcctgggcaacctcatggtgctggacctgagtgagaacttctgtatgactgcacacc
 aaaaccaaagccttctacggcctggcccggtgcgcagactcaacctgtccttcaattatcataagaaggtgtcc
 tttgccacctgcacttggcatcctccttcgggagcctactgtccttgcaggagctggacatacatggcatcttc
 ttcgctcgtcagcaagaccagctccagtcgctggcccacctgcccattgctccagcgtctgcactgtcagttg
 35 aactttatcagcaggccagctcagcatcttcggcgcttccttggactgcggtagctggacttgtcagacaac
 cgcactcagtgagctgcagagcccgcggtgccacaggggaggtagaggcagactgtggggagagagctcggcca
 cagtcccgggaccttgcctcggggccactggggcaccggcctcagaggccttcatgcccagctgcaggacctc
 aacttcaccttggacctgtctcggaacaacctagtactgttcagccggagatgtttgtccggctggcgcgctc
 cagtgcttgggctgagccacaacagcatctcgaggcggtcaatggctgcagttcgtgcctctgagcaacctg
 40 cgggtgctggacctgtcccataacaagctggacctgtaccagggcgctcgttcacggagctgccgcggctggag
 gccttggacctcagctacaacagccagccttcagcatgcccggcggtggggccacaatctcagcttctgtggcacag
 ctgcccagcctgcgctacctcagcctggcgcaaatggcatccacagccgctgtccagcagctccgcagcgcc
 tcgctccggggcctggacttcagtgggcaataacctgagccagatgtggggcgaggagacctctatctccgcttc
 ttccaaggcctgagaagcctgggttcagctggacctgtcccagaatcgctgcataacctcctgccacgcaacctg
 45 gacaacctcccaagagcctgcggctcctgcggctcctgtgacaattacctggctttcttcaactggagcagcctg
 gccctcctaccaagctggaagccctggacctggcgggaaaccagctgaaggccctgagcaatggcagcttgccc
 aacggcaccagctccagaggtggacctcagcggcaacagcatcggttcgtgggtcccagcttttttgccttg
 gccgtgaggttcgagagctcaacctcagcgccaacgcctcaagacggtggagccctcctgggttgggtccctg
 gcgggtgcccgtgaaagtcctagacgtgaccgccaaccccttgcatcgttgcggcgcaaccttcgtggacttc
 50 ttgctggaggtgcaggctgcgggtgcccggcctgctacggctgtcaagtgcggcagccggcagctccagggc
 cgcagcatcttcgcacaggacctgcgcctctgcttggacgaagcgtctcctgggtctgtttcagc

SEQ ID NO:25 (Feline TLR9)

MGPCHGALHPLSLVQAAALAVALAQGTLPALFLPCELQRHGLVNCWDLFLKSVPHFSAAAPRGNVTSLSLYSNRI
 55 HHLHDSDFVHLSSLRLNLKWNCPASLSPMHFPCHMTIEPHTFLAVPTLEELNLSYNSITTVPALPSSLVLSL

- 22 -

SRTNIVLDPANLAGLHSLRFLDGNCCYKNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL
 LLSYNHIIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFSLNHLLEGLVLKDSLSYNLN
 PRWFHALGNLMVLDLSENFLYDCITKTTFQGLAQLRRLNLSFNHKKVSFAHLHLAPSGSLLSLQQLDMHGIF
 FRSLSETTLRSLVHLPMLQSLHLQMNFINQAQLSIFGAFPGRLRYVDLSDNRISGAMELAAATGEVDGGERVRLPS
 5 GDALGPPGTPSSEGFMPGCKTLNFTLDLSRNNLVTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV
 LDLSHNKLDLYHGSRFTLPRLEALDLSYNSQPFMSQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCSASL
 RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNLHTLLPRTLNDLPKSLRLLRLRDNYLAFFNWSSLV
 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLNANALKTVEPSWFGSLAG
 10 TLKVLDTGNPLHCACGAADFVDFLEVQAAVPGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFGLSLLT
 VALGLAVPMLHHLGWDLWYCFHLCLAWLPRRGRRGADALPYDAFVDFDKAQSAVADWVYNELRVRLERGRRR
 ALRLCLEERDWPGLKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQQRLLLEDKDVVVLVILRPDAHR
 SRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGTALTRDNQHFYNQNFRCRGPPTAE

SEQ ID NO:26 (Feline TLR9)

15 MGPCHGALHPLSLVQAAALAVALAQGTLPAPFLPCELQRHGLVNCDWLFLKSVPHFSAAPRGNVTSLSLYSNRI
 HHLHDSDFVHLSSRLRLNLKWNCPASLSPMHFPCMTIEPHTFLAVPTLEELNLSYNSITTVPALPSSSLVSLSL
 SRTNIVLDPANLAGLHSLRFLDGNCCYKNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL
 LLSYNHIIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFSLNHLLEGLVLKDSLSYNLN
 20 PRWFHALGNLMVLDLSENFLYDCITKTTFQGLAQLRRLNLSFNHKKVSFAHLHLAPSGSLLSLQQLDMHGIF
 FRSLSETTLRSLVHLPMLQSLHLQMNFINQAQLSIFGAFPGRLRYVDLSDNRISGAMELAAATGEVDGGERVRLPS
 GDALGPPGTPSSEGFMPGCKTLNFTLDLSRNNLVTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV
 LDLSHNKLDLYHGSRFTLPRLEALDLSYNSQPFMSQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCSASL
 RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNLHTLLPRTLNDLPKSLRLLRLRDNYLAFFNWSSLV
 25 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLNANALKTVEPSWFGSLAG
 TLKVLDTGNPLHCACGAADFVDFLEVQAAVPGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFG

SEQ ID NO:27 (Feline TLR9)

agggctctgcgagctccaggcattcttctctgccatcgctgccagctctgccatccagaccctctggagaagcccc
 cactccctgtcatgggcccctgccatggcgccctgcacccctgtctctcctggcgagctgcccgcctggcg
 30 tggccctggccagggcaccctgcctgccttctgcctgtgagctccagcgccacggcctggtaattgcgact
 ggctgttctcaagtccgtgccccacttctcgccggcagcgccccctggtaacgtcaccagccttctcctgtact
 ccaaccgcatccaccacctccacgactccgacttctgccaactgtccagcctgcggcgtctcaacctcaaatgga
 actgcccaccgcccagcctcagcccatgcacttccctgtcacatgaccattgagccccacaccttctggcgg
 tgcccaccctggaggagctgaacctgagctacaacagcatcacgacagtaccgcccctgccagttccctcgtgt
 35 cctgtccttgagccgtaccaacatcctgggtgctggaccctgccaacctcgagggctgcactccctgcgcttct
 tgttcttggtggcaactgctactacaagaacctcctgccgcaggccctgcaggtggccccggcgccctccttg
 gccgggcaaccttacgcacctgtcactcaagtacaacaacctcactgcggtgccccgcggcctgccccagcc
 tggagtacctgctattgtcctacaaccacatcatcacctggcacctgaggacctggccaacctgaccgcccctgc
 gtgtgctcgatgtgggtgggaactgccgtcgctgtgaccacgcccgaacccctgtatggagtgccccaaagggt
 40 tcccgacactgcacccctgacaccttcagccacctgaaccaactcgaaggcctgggtgtgaaggacagctctctct
 acaacctgaacccagatgggtccatgccctgggcaacctcatgggtgctggacctgagtgagaacttccatata
 actgcatcaccaaaaccacagccttccaggccctggcccagctgcgcagactcaacttgtcttcaattaccaca
 agaagggtgccttctgcccacctgcactctggcgccctccttcgggagcctgctctcctgcagcagctggacatgc
 atggcatcttctccgctcgctcagcgagaccagctccggctcgctgggtccacctgcccagctgctccagagctgc
 45 acctgcagatgaacttcatcaatcaggcccagctcagcatcttccggggccttccctggcctgcgatacgtggacc
 tgtcagacaaccgcataagtggagccatggagctggcggtgccacgggggaggtggatgggtggggagagagtc
 ggctgccatctggggacctagctctgggcccaccgggcacccctagctccgagggcttcatgccaggctgcaaga
 ccctcaacttccacttggacctgtcacggaacaacctagtgaacatccagccagagatgttggccggctctcgc
 gcctccagtgctgctcctgagccgcaacagcatctcgaggcagtcacaggctcacaatttatgcgctgacca
 50 gcctgcaggtgctggacctgtccataacaagctggacctgtaccatggcgctcttccaggagctgcgcgggc
 tggaggccctggacctcagctacaacagccagccctcagactgcagggcggtgggtcacaacctcagcttctgtg
 cacacctgcggcgcctgcgctatctcagcctggcgcaacacagcatccacagccgtgtgtccagccagctgtga
 gcgctcgtcgccggccttggacttcagcggcaatgcttgagccggatgtggggcggaggagacctgtatctcc
 acttcttccgaggcctgaggagcctgggtccgggttgatctgtccagaatcgccctgcataccctcttgcacgca
 55 ccttggaacacctccccagagcctggcgctgctgcgtctccgtgacaattatctggcttcttcaactggagca

- 23 -

gcttggtcctcctccccaggctggaagccctggacctggcgggaaaccagctgaaggccctgagcaacggcagct
 tgcctaattggaaccagctccagaggtggacctcagcagcaacagtatcagcttcgtggcctccagcttttttg
 ctctggccaccaggtgctgagagctcaacctcagtgccaacgcccctcaagacgggtggagccctcctgggttcggtt
 ctctagcgggcaacctgaaagtcttagatgtgactggcaacccccctgactgcgcctgtggggcgcccttcgtgg
 5 acttcttctgtggaggtgcaggtgcagtgcccggtgccaggccacgtcaagtgtggcagtgccaggtcagctcc
 agggccgcagcatcttttgcgcaggatctgcgcctctgcctggatgaggccctctcctgggactgttttggcctct
 cgctgctgaccgtggccctgggctggcgtgcccattgctgcaccacctctgtggctgggacctctgggtactgct
 tccacctgtgcctggcctggctgccccggcgggggcgggcgggggcgggatgccctgccctacgatgcctttg
 tggctctcgacaaggcacagagcgcggtggccgactgggtgtacaacagagctgcgggtacggctagaggagcgcc
 10 gtggacgcccagcgctccgcctgtgcctggaggaacgtgactggctaccgggtaaaacgctcttttgagaacctgt
 gggcctcagtttacagcagccgcaagatgtgttctgtggccacacagacaggggtcagcggcctcttgcgcg
 ccagctttctgtggcccagcagcgctgtggaggaccgcaaggacgttgtgggtgctggtgatcctgcgccccg
 acgcccaccgctcccgtatgtgcggctgcgcccagcgctctgcccagagcgctcctctctggccccaccagc
 ccagtggccagcgcagcttctgggcccagctgggacggccctgaccagggacaaccagcacttctataaccaga
 15 acttctgccccggggccccacgacggcagagtgaccgcccagcaccccaagcctcctacaccttgccctgtctgcctg
 ggatgccggg

SEQ ID NO:28 (Feline TLR9)

atgggcccctgccatggcgccctgcacccccctgtctctcctgggtgcaggtgcgcgcctggccgtggccctggcc
 20 cagggcacctgctgctttctgcccctgtgagctccagcgccacggcctgggtgaattgcgactggctgttcttc
 aagtccgtgcccacacttctcggcgccagcgcccggtggtaacgtcaccagcctttccctgtaactccaaccgcatc
 caccacctccacgactccgactttgtccacctgtccagcctgcggcgctctcaacctcaaagtggaaactgccaccc
 gccagcctcagccccatgcaacttcccctgtcacatgaccattgagccccacaccttctggccgtgccaccctg
 25 gaggagctgaacctgagctacaacagcatcacgacagtaccgcccctgccagttccctcgtgtccctgtccttg
 agccgtaccaacatcctggtgctggaccctgcaacctgcgagggctgcactccctgcgctttctgttccctggat
 ggcaactgctactacaagaacccctgcccgcaggccctgcaggtggccccggggcgccctccttggcctgggcaac
 cttaacgacctgtcactcaagtacaacaacctcactgcggtgccccgcggcctgccccccagcctggagtacctg
 ctattgtcctaacaccacatcatcaccctggcacctgaggacctggccaacctgaccgcccctgctgtgctcgat
 30 gtgggtgggaactgcccgtcgctgtgaccacgcccgcacccctgtatggagtggcccaagggttcccgcacctg
 caccctgacaccttcagccacctgaaccacctcgaaggcctgggtgtgaaggacagctctctctacaacctgaac
 ccagatgggttccatgccctgggcaacctcatgggtgctggacctgagtgagaacttccctatatgactgcatcacc
 aaaaccacagccttccaggccctggcccagctgcgcagactcaacttgtctttcaattaccacaagaagggtgtcc
 ttgcccacctgcatctggcgccctccttcgggagcctgctctccctgcagcagctggacatgcatggcatcttc
 ttccgctcgctcagcgagaccagctccggtcgctgggtccacctgcccctgctccagagtctgcacctgcagatg
 35 aacttcatcaatcaggcccagctcagcatcttcggggccttccctggcctgcgatacgtggacctgtcagacaac
 cgcataagtggagccatggagctggcggtgccacgggggaggtggatgggtggggagagagtcggctgccatct
 ggggacctagctctggggccaccgggacccctagctccgagggttcatgccaggctgcaagacctcaacttc
 accttggacctgtcacggaacaacctagtgaacatccagccagagatgtttgcccggctctcgcgccctccagtgc
 ctgctcctgagccgcaacagcatctcgaggcagtcacaggctcacaatttatgcccgtgaccagcctgcagggtg
 40 ctggacctgtcccataacaagctggacctgtaccatggcgctctttcacaggagctgcccgggctggaggccctg
 gacctcagctacaacagccagcccttcagcatgcaggcgctgggtcacaacctcagctttgtggcacagctgccc
 gccctgcgctatctcagcctggcgccacacagacatccacagcgtgtgtcccagcagctctgcagcgccctcgctg
 cgggcttggacttcagcggcaatgccttgagccggatgtgggcccagggagacctgtatctccacttcttcga
 45 ggcttgaggagcctgggtccggttgatctgtcccagaatcgccctgcataacctcttgccacgcacctggacaac
 ctccccagagcctgcggctgctgcgtctccgtgacaattatctggctttcttcaactggagcagcctgggtctc
 ctccccaggtggaagccctggacctggcgggaaaccagctgaaggccctgagcaacggcagcttgccaatgga
 accagctccagaggctggacctcagcagcaacagtatcagcttcgtggcctccagcttttttgctctggccacc
 aggtgcgagagctcaacctcagtgccaacgcccctcaagacgggtggagccctcctgggttcgggttctctagcggg
 50 accctgaaagtccctagatgtgactggcaacccccctgactgcgcctgtggggcgcccttcgtggacttcttgcctg
 gaggtgcaggctgcagtgcccggcctgcaggccacgtcaagtgtggcagtcacaggtcagctccaggcgccgagc
 atctttgcgcaggatctgcgcctctgcctggatgaggccctctcctgggactgttttggc

Complete nucleotide and amino acid sequences for murine and human TLR9 are publicly available. For example, an amino acid sequence of murine TLR9 is available as

- 24 -

GenBank accession no. AAK29625, provided as SEQ ID NO:29. Amino acids numbered 1-821 of SEQ ID NO:29 presumptively include the entire extracellular domain and correspond to SEQ ID NO:30. SEQ ID NO:31 corresponds to GenBank accession number AF348140, which is a nucleotide sequence of murine TLR9 cDNA. SEQ ID NO:32 is a nucleotide
 5 sequence of murine cDNA encoding amino acids 1-821 of SEQ ID NO:29.

An amino acid sequence of human TLR9 is available as GenBank accession no. AAF78037, provided as SEQ ID NO:33. Amino acids numbered 1-820 of SEQ ID NO:33 presumptively include the entire extracellular domain and correspond to SEQ ID NO:34. SEQ ID NO:35 corresponds to GenBank accession number AF245704, which is a nucleotide
 10 sequence of human TLR9 cDNA. SEQ ID NO:36 is a nucleotide sequence of human cDNA encoding amino acids 1-820 of SEQ ID NO:33.

SEQ ID NO:29 (Murine TLR9)

15 MVLRRRTLHPLSLLVQAQAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSL
 SHTNIIIVLDANSLAGLYSLRVLFMDGNCYYKNPCTGAVKVTPGALLGLSNLTHLSLKYNNTLTKVPRQLPPSLEYL
 LVSYNLIIVKLGPEDLANLTSLRVLDVGGNCRRCDHAPNPCI ECGQKSLHLHPETFHHLSHLEGLVLKDSSSLHTLN
 SSWFQGLVNLSVLDLSENFLYESINHTNAFQNLTRLRKLNLSFNRYKKVSFARLHLASSFKNLVSLQELNMNGIF
 20 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRISGPSTLSEATPEEADDAEQEELL
 SADPHAPLSTPASKNFMDCRKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKGIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLSNS
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDLSQNNLHILRPQNLNLPKSLKLLSLRDNYLSFFNWTSL
 FLPNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV
 25 MNLTVDVRSNPLHCACGAAFVDLLEVTQKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFGLSLL
 AVAVGMVVPILHHLCGWDVWYCFHLCLAWPLLARSRSQAQALPYDAFVVDKAQSAVADWVYNELRVRLREERG
 RRALRLCLEDRDWLPGQTLFENLWASIYGRKTLFVLAHTDRVSGLLRTSFLAQQLLEDRKDQVVVLVILRPDA
 HRSRYVRLRQRLCRQSVLFWPQQPNGQGGFWAQLSTALTRDNRHFYNQNFRCGPAT

SEQ ID NO:30 (Murine TLR9)

30 MVLRRRTLHPLSLLVQAQAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSL
 SHTNIIIVLDANSLAGLYSLRVLFMDGNCYYKNPCTGAVKVTPGALLGLSNLTHLSLKYNNTLTKVPRQLPPSLEYL
 LVSYNLIIVKLGPEDLANLTSLRVLDVGGNCRRCDHAPNPCI ECGQKSLHLHPETFHHLSHLEGLVLKDSSSLHTLN
 35 SSWFQGLVNLSVLDLSENFLYESINHTNAFQNLTRLRKLNLSFNRYKKVSFARLHLASSFKNLVSLQELNMNGIF
 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRISGPSTLSEATPEEADDAEQEELL
 SADPHAPLSTPASKNFMDCRKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKGIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLSNS
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDLSQNNLHILRPQNLNLPKSLKLLSLRDNYLSFFNWTSL
 40 FLPNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV
 MNLTVDVRSNPLHCACGAAFVDLLEVTQKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFG

SEQ ID NO:31 (Murine TLR9)

tgctcagagggagcctcgggagaatcctccatctcccaacatgggtctctccgtcgaaggactctgcaccccttgctc
 ctccctggtacaggctgcagtgctggctgagactctggccctgggtacctgcctgccttccctaccctgtgagctg

- 25 -

aagcctcatggcctgggtgactgcaattggctgttccctgaagtctgtaccccgtttctctgcggcagcatcctgc
tccaacatcacccgcctctccttgatctccaaccgtatccaccacctgcacaactccgacttcgtccacctgtcc
aacctgcggcagctgaacctcaagtgggaactgtccaccactggccttagccccctgcacttctcttgccacatg
accattgagcccagaaccttctggctatgctgactggaggagctgaacctgagctataatgggtaccaccact
5 gtgccccgactgccagctccctgggtgaatctgagcctgagccacaccaacatcctgggtcttagatgctaacagc
ctcgcgcggctatacagcctgcgcgttctcttcatggacgggaactgctactacaagaacctcctgcacaggagcg
gtgaaggtgacccccaggcgccctcctgggcctgagcaatctcaccatctgtctctgaagtataacaacctcaca
aaggtgccccgccaactgccccccagcctggagtacctcctgggtgtcctataacctcattgtcaagctggggcct
gaagacctggccaatctgacctcccttcgagtacttgatgtgggtgggaattgccgtcgctgcgacctgcccc
10 aatccctgtatagaatgtggccaaaagtcctccactgcacctgagaccttccatcacctgagccatctggaa
ggcctgggtgctgaaggacagctctctccatacactgaactcttccctgggttccaaggtctggaacctctcggtg
ctggacctaaagcgagaacttctctatgaaagcatcaaccacaccaatgcctttcagaacctaaaccgcctgcgc
aagctcaacctgtccttcaattaccgcaagaaggtatcctttgccccctccacctggcaagttccttcaagaac
ctgggtgctactgcaggagctgaacatgaacggcatcttcttccgctcgctcaacaagtacacgctcagatggctg
15 gccgatctgccccaaactccacactctgcatcttcaaatagaacttcatcaaccaggcacagctcagcatctttgggt
accttccgagcccttcgcttctgtggacttgtcagacaatcgcatcagtgggccttcaacgctgtcagaagccacc
cctgaagagcgatgatgcagagcaggagctgtgtctcggtatcctcaccagctccactgagcaccct
gcttctaaagaacttcatggacaggtgtaagaacttcaagttaccatggacctgtctcggaaccaactctcggtg
atcaagccagagatgtttgtcaatctctcacgcctccagtgctttagcctgagccacaactccattgcacaggct
20 gtcaatggctctcagttcctgcgcgtgactaatctgcaggtgctggacctgtccataacaaactggacttgtac
cactggaaatcgttcagtgagctaccacagttgcagggcctggacctgagctacaacagccagcccttttagcatg
aaggttataggccacaatttcagttttgtggccatctgtccatgctacacagccttagcctggcacacaatgac
attcataaccgctgtgtcctcacatctcaacagcaactcagtgaggtttcttgacttcagcggcaacgggtatgggc
cgcatgtgggatgagggggccttctctccatttcttccaaggcctgagtgggcctgctgaagctggacctgtct
25 caaataaacctgcatactctccggccccagaaccttgacaacctccccagagcctgaagctgctgagcctccga
gacaactacctatcttctttaaactggaccagtctgtccttccctgccccaaactggaagtcctagacctggcaggc
aaccagctaaaggccctgaccaatggcaccctgcctaatggcaccctcctccagaaactggatgtcagcagcaac
agtatcgtctctgtggtcccagccttcttcgctctggcggtcgagctgaaagaggtcaacctcagccacaacatt
ctcaagacgggtggatcgctcctgggtttgggcccattgtgatgaacctgacagttctagacgtgagaagcaacct
30 ctgactgtgctgtggggcagccttcgtagacttactgttggaggtgcagaccaaggtgcctggcctggctaact
gggtgaagtgtggcagccccggccagctgcagggcctgagcatcttcgcacaggacctgcggctgtgctggat
gaggtcctctcttgggactgcttggccttctcactctggcctgtggcgtgggcatgggtgcttactgacac
catctctcgggctgggacgtctgggtactgttttcatctgtgctggcatggctacctttgctggcccgagccga
35 cgcagcggccaaactctccctatgatgccttcgtgggtgttcgataaggcacagagcgcagttgctggactgggtg
tataacgagctgcgggtgcggctggaggagcggcgcggtcgccgagccctacgctgtgtctggaggaccgagat
tggctgcctggccagacgctcttcgagaacctctgggcttccatctatgggagccgcaagactctatttgtgctg
gcccacaaggaccgcgtcagtgccctcctgcgcaccagcttctcgtggtcagcagcgccctgttggaaagaccgc
aaggacgtgggtgttgggtgatcctgcgtccggatgccaccgctcccgctatgtgcgactgcgcagcgtctc
40 tgccgcagagtgctctcttggccccagcagcccaaggcaggggggcttctgggcccagctgagtaacagcc
ctgactagggacaaccgcccacttctataaccagaacttctgcccggggacctacagcagaatagctcagagcaaca
gctggaaacagctgcatcttcatgcctgggtcccagattgctctgcctgc

SEQ ID NO:31 (Murine TLR9)

atgggttctccgtcgaaggactctgcacccttgtcctcctgggtacaggctgcagtgctggctgagactctggcc
45 ctgggtaccctgcctgccttccctaccctgtgagctgaagcctcatggcctgggtgactgcaattggctgttccctg
aagtctgtaccccgtttctctgcggcagcatcctgctccaacatcaaccgcctctccttgatctccaaccgtatc
caccacctgcacaactccgacttcgtccacctgtccaacctgcggcagctgaacctcaagtggaaactgtccacc
actggccttagccccctgcacttctcttgccacatgacctgagccagaaacttctggctatgcgtacactg
50 gaggagctgaacctgagctataatgggtaccactgtgccccgactgcccagctcctgggtgaatctgagcctg
agccacaccaacatcctgggtcttagatgctaacagcctgcgcggcctatacagcctgcgcgttctctcatggac
gggaactgctactacaagaaccttgcacaggagcgggtgaaggtgacccaggcgcctcctgggctgagcaat
ctcaccatctgtctctgaagtataacaacctcacaaggtgccccgccaactgccccccagcctggagtacctc
ctgggtgctataacctcattgtcaagctggggcctgaagacctggccaatctgacctcccttcgagtacttgat
gtgggtgggaattgccgtcgctgcgacctgcccccaatccctgtatagaatgtggccaaaagtcctccacctg
55 caccctgagaccttccatcacctgagccatctggaaggcctgggtgctgaaggacagctctctccatacactgaac
tcttctgggtccaaggtctgggtcaacctctcggtgctggacctaaagcgagaacttctctatgaaagcatcaac
cacaccaatgcctttcagaacctaaaccgcctgcgcaagctcaacctgtccttcaattaccgcaagaaggtatcc

- 26 -

tttgcgcgctccacctggcaagttccttcaagaacctggtgtcactgcaggagctgaacatgaacggcatcttc
ttccgctcgctcaacaagtacacgctcagatggctggcgcgatctgcccactccacactctgcatcttcaaagt
aacttcatcaaccaggcacagctcagcatctttggtaccttccgagcccttcgctttgtggacttgtcagacaat
cgcacatcagtggtgcttcaacgctgtcagaagccaccctgaagaggcagatgatgcagagcaggaggagctgttg
5 tctgcggtacctcaccagctccactgagcaccctgtcttaagaacttcatggacaggtgtaagaacttcaag
ttcaccatggacctgtctcggaacaacctggtgactatcaagccagagatgtttgtcaatctctcagcctccag
tgtcttagctgagccacaactccattgcacaggctgtcaatggctctcagttcctgcccgtgactaatctgcag
gtgctggacctgtcccatacaaaactggacttgtaccactggaaatcggttcagtgcagctaccacagttgcaggcc
ctggacctgagctacaacagccagccctttagcatgaagggtataggccacaatttcagttttgtggcccatctg
10 tccatgctacacagccttagcctggcacacaatgacattcatacccggtgtgtcctcacatctcaacagcaactca
gtgaggtttcttgacttcagcggcaacggtatgggcccagatgtgggatgaggggggctttatctccatttcttc
caaggcctgagtggtgctgaagctggacctgtctcaaaataacctgcatactctccggccccagaaaccttgac
aacctccccaaagagcctgaagctgtgagcctccgagacaactacctatctttctttaactggaccagtctgtcc
15 tctctgcccactggaagtcttagacctggcaggcaaccagctaaaggccctgaccaatggcacctgcctaata
ggcacctcctccagaaactggatgtcagcagcaacagtatcgctctctgtggtcccagccttctctcgctctggcg
gtcagagctgaagagggtcaacctcagccacaacattctcaagacgggtggatcgctcctggtttggcccatctg
atgaacctgacagttctagacgtgagaagcaacctctgcactgtgcctgtggggcagcctctctgagacttactg
ttggaggtgcagaccaaggtgcctggcctggctaattggtgtgaagtgtggcagccccggccagctgcagggccgt
agcatcttcgcacaggacctgcgctgtgcctggatgaggtcctctcttgggactgctttggc

20

SEQ ID NO:33 (Human TLR9)

MGFCRSALHPLSLLVQAIMLAMTLALGTLPALPCELQPHGLVNCNWFLKSVPHFSMAAPRGNVTSLSLSSNRI
HHLHDSDFAHLPRLRLNLKWNCPVGLSPMHFPCMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL
SHTNIMLDSASLAGLHALRFLFMDGNCYKNPCRQALEVAPGALLGLGNLTHLSLKYNNTLVVPRNLPSSLEYL
25 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRRCDHAPNPCMECPRHFPQLHPDTFSLSLRLEGLVLKSSLSWLN
ASWFRGLGNLRVLDLSENFLYKCTTKTKAFQGLTQLRKLNLNFYQKRVSFAHLSLAPSGSLVALKELDMHGIF
FRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYVDLSDNRI SGASELTATMGEADGGEKVLWLP
GDLAPAPVDTFSSSEDFRPNCSLTNFTLDLSRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV
LDLSRNKLDLYHEHSFTELPRLEALDLSYNSQPFQMVGHNFSFVAHLRTLRLHLSLAHNNIHSQVSQQLCSTSL
30 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNRLLHTLLPQTLRNLPKSLQVLRRLRDNYLAFFKWWSLHF
LPKLEVLDLAGNRLKALTNGSLPAGTRLRRLDVSCNSISFVAPGFFSKAKELRELNLNLSANALKTVDHWSFGPLAS
ALQILDVSPANPLHCACGAAFMDLLEVQAAPVGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFALSLLA
VALGLGVPMHLHLGCGWDLWYCFHLCLAWLPWRGRQSGRDEDALPYDAFVVDKTQSAVADWVYNELRGQLEECRG
RWALRLCLEERDWPGLKTLFENLWASVYGSRKTLFVLAHTDRVSGLLRASFLLAQQRLLLEDKRDVVVLVILSPDG
35 RRSRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGMALTRDNHFFYNRNFCQGPTAE

SEQ ID NO:34 (Human TLR9)

MGFCRSALHPLSLLVQAIMLAMTLALGTLPALPCELQPHGLVNCNWFLKSVPHFSMAAPRGNVTSLSLSSNRI
HHLHDSDFAHLPRLRLNLKWNCPVGLSPMHFPCMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL
40 SHTNIMLDSASLAGLHALRFLFMDGNCYKNPCRQALEVAPGALLGLGNLTHLSLKYNNTLVVPRNLPSSLEYL
LLSYNRIVKLAPEDLANLTALRVLDVGGNCRRCDHAPNPCMECPRHFPQLHPDTFSLSLRLEGLVLKSSLSWLN
ASWFRGLGNLRVLDLSENFLYKCTTKTKAFQGLTQLRKLNLNFYQKRVSFAHLSLAPSGSLVALKELDMHGIF
FRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYVDLSDNRI SGASELTATMGEADGGEKVLWLP
GDLAPAPVDTFSSSEDFRPNCSLTNFTLDLSRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV
45 LDLSRNKLDLYHEHSFTELPRLEALDLSYNSQPFQMVGHNFSFVAHLRTLRLHLSLAHNNIHSQVSQQLCSTSL
RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNRLLHTLLPQTLRNLPKSLQVLRRLRDNYLAFFKWWSLHF
LPKLEVLDLAGNRLKALTNGSLPAGTRLRRLDVSCNSISFVAPGFFSKAKELRELNLNLSANALKTVDHWSFGPLAS
ALQILDVSPANPLHCACGAAFMDLLEVQAAPVGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFA

50 SEQ ID NO:35 (Human TLR9)

aggctgggtataaaaaatcttacttctctattctctgagccgctgctgccctgtgggaagggacctcgagtgtga
agcatccttccctgtagctgctgtccagctgtcccgcagaccctctggagaagcccctgccccccagcatgggt
ttctgcccgcagcgcctgcaccgcgtgtctctcctggtgcaggccatcatgctggccatgacctggccctgggt

- 27 -

accttgccctgccttccctaccctgtgagctccagccccacggcctggtgaactgcaactggctgttccctgaagtct
 gtgccccacttctccatggcagcaccctggtgcaatgtcaccagccttctctgtcctccaaccgcacccaccac
 ctccatgattctgactttgcccacctgcccagcctgcccagcctcctcaacctcaagtggaaactgcccgcgggtggc
 ctacgccccatgcacttccccctgccacatgaccatcgagcccagcacttcttggtgtgccccaccctggaagag
 5 ctaaacctgagctacaacaacatcatgactgtgcctgcgctgcccacaaatccctcatatccctgtccctcagccat
 accaacatcctgatgctagactctgccagcctcgccggcctgcatgccctgcgcttcttattcatggacggcaac
 tgttattacaagaaccctgcaggcaggcactggaggtggccccgggtgccctccttggtggtgggcaacctcacc
 cactgtcactcaagtacaacaacctcactgtggtgccccgcaacctgccttccagcctggagtatctgctgttg
 tctacaaccgcacgtcaaaactggcgctgaggacctggccaatctgacggccctgcgtgtgctcgatgtgggc
 10 ggaaattgcccgcgtgcgaccacgctcccaaccctgcatggagtgcctcctgcacttccccagctacatccc
 gatccttcagccacctgagcgtcttggaagcctggtgttgaggacagttctctctcctggtggtgaatgccagt
 tgggtccgtgggctgggaaacctccgagtgctggacctgagtgagaacttctctacaaatgcatacctaaaacc
 aaggccttccagggcctaacacagctgcgcaagcttaacctgtccttcaattacaaaagaggggtgtcctttgcc
 cactgtctctggcccccttcttcgggagcctggcgccctgaaggagctggacatgcacggcatcttcttccgc
 15 tactcgatgagaccacgtccggccactggccgcctgcccatgctccagactctgctctgcagatgaacttc
 atcaaccaggcccagctcgcatcttcaggcccttccctggcctgcgctacgtggacctgtcggacaaccgcac
 agcggagcttcggagctgacagccacctgggggagggagatggaggggagaaggctctggctgcagcctggggac
 ctgtctccggccactggacactccagctctgaagacttcaggcccaactgcagcacctcaacttcacttg
 gatctgtcacggaacaacctgggtgacctgacggcagatgtttgccagctctcgcacctgcagtgctgcgc
 20 ctgagccacaactgcacctcgcagggcagtcattggctcccagttcctgcccgtgacgggtctgcaggtgctagac
 ctgtcccgcaataagctggacctctaccacgagcactcattcacggagctaccgcgactggaggccctggacctc
 agctacaacagccagcccttggcatgcagggcgtggggccacaacttcagcttctggtgctcactgcgcacctg
 cgccacctcagcctggccccacaacatccacagccaagtgtcccagcagctctgcagtacgtcgctgcggggcc
 ctggacttcagcggcaatgcactgggcatatgtgggcccagggagacctctatctgcacttcttccaaggcctg
 25 agcgggttgatctggctggactgttccagaacgcctgcacacctcctgccccaaacctgcgcaacctcccc
 aagagcctacaggtgctgctctccgtgacaattacctggccttctttaagtggtggagcctccacttccctgcc
 aaactggaagtctctgcacctggcaggaaaccggctgaaggccctgaccaatggcagcctgctgctggcaccgg
 ctccggaggctggatgtcagctgcaacagcatcagcttctggtggccccggcttcttttccaaggccaaggagctg
 cgagagctcaaccttagcgccaacgcctcaagacagtgaggacctcctgggttggggccctggcgagtgccctg
 30 caaatactagatgtaagcgccaacctctgcactgcgcctgtggggcgccctttatggacttctgctggagggtg
 caggctgcctgcccggctctgcccagccgggtgaagtgtggcagtcggggccagctccaggccctcagcatcttt
 gcacaggacctgcgcctctgctggatgagccctctcctgggactgtttgcctctcgtgctggctgtggct
 ctgggctgggtgtgcccctgctgcacacctctgtggctgggacctctggtaactgcttccacctgtgcctggcc
 tggcttccctggcgggggcggaagtggcgagatgaggatgccctgccctacgatgccttctggtgctctcgac
 35 aaaaagcagagcgagtgaggagactgggtgtacaacagcttccggggcagctggaggagtgccgtggggcgctgg
 gactccgcctgtgctgagggaacgcgactggctgctggcaaaacctctttgagaacctgtgggctcgtgct
 tatggcagccgcaagacgtgtttgtgctggccacacggaccgggtcagtggtctcttgcgcgccagcttctg
 ctggccagcagcgctgctggaggaccgcaaggacgtgctggtgctggtgatcctgagccctcagggccgcgc
 tccgctacgtgcggctgcgcagcgctctgcgcagagtgctcctcctggtggccccagcagccagctggtaag
 40 cgcagctcttggggccagctgggcatggcctgaccagggacaaccaccttctataaccggaaacttctgcccag
 ggacccacggccgaatagccgtgagccggaatcctgcacgggtgccacctccacactcacctcacctctgctgcc
 tggctgacacctccctgctgcctccctcacccacacctgacacagagca

SEQ ID NO:36 (Human TLR9)

45 atgggtttctgcccagcgcctgcaccgcgtgtctctcctgggtgaggccatcatgctggccatgacctggcc
 ctgggtaccttgccctgccttccctaccctgtgagctccagccccacggcctggtgaactgcaactggctgttctg
 agtctgtgccccacttctccatggcagcaccctggtgcaatgtcaccagccttctctgtcctccaaccgcac
 caccacctccatgattctgactttgcccacctgcccagcctgcccagcctcctcaacctcaagtggaaactgcccgcg
 gttggcctcagccctgcacttccccctgccacatgaccatcgagcccagcacttcttggtgtgcccacctg
 50 gaagagctaaacctgagctacaacaacatcatgactgtgcctgcgctgcccacaaatccctcatatccctgtccctc
 agccataccaacatcctgatgctagactctgccagcctcgccggcctgcatgccctgcgcttcttattcatggac
 ggcaactgttattacaagaaccctgcaggcaggcactggaggtggccccgggtgccctccttggtcctgggcaac
 ctaccacacctgtcactcaagtacaacaacctcactgtggtgccccgcaacctgccttccagcctggagtatctg
 ctgttgcctacaaccgcacgtcaaaactggcgctgaggacctggccaatctgacggccctgcgtgtgctcgat
 55 gtggggcggaattgcccgcgtgcgaccacgctcccaaccctgcatggagtgcctcctgcacttccccagcta
 catcccgataccttcagccacctgagcgtcttgaggcctgggtgtgaaggacagttctctctcctggctgaat
 ccaggttgggtccgtgggctgggaaacctccgagtgctggacctgagtgagaacttctctacaaatgcatacct

- 28 -

5 aaaaccaaggccttccagggcctaacacagctgcgcaagcttaacctgtccttcaattacccaaagaggggtgtcc
 tttgccacctgtctctggcccttctcctcgaggagcctggcgccctgaaggagctggacatgcacggcatcttc
 ttccgctcactcgatgagaccagctccggccactggcccgctgccatgctccagactctgcgtctgcagatg
 aacttcatcaaccaggccagctcggcatcttcagggccttccctggcctgcgtacgtggacctgtcggacaac
 10 cgcacagcggagcttcggagctgacagccaccatgggggagggagatggaggggagaaggtctggctgcagcct
 ggggacctgtgtccggcccccagtggaactcccagctctgaagacttcaggcccaactgcagcacctcaacttc
 accttggatctgtcacggaacaacctgggtgacctgcagccggagatgtttgccagctctcgcacctgcagtgc
 ctgcgctgagccacaactgcatctcgcaggcagtcgaatggctcccagttcctgcccgtgacctgtgcagggtg
 15 ctgacctgtcccgaataagctggacctctaccacgagcactcattcacggagctaccgcgactggaggccctg
 gacctcagctacaacagccagccctttggcatgcaggggcgtgggcccacaacttcagcttcgtggctcacctgcgc
 acctgcccacctcagcctggcccaacaacatccacagccaagtgtcccagcagctctgcagtacgtcgctg
 cgggcccctggacttcagcggcaatgcactgggcccataatgtgggcccaggagacctctatctgcacttcttccaa
 ggctgagcgggttgatctggctggacttgtcccagaaccgctgcacaccctcctgccccaaacctgcccgaac
 20 ctccccaaagagcctacaggtgctgcgtctccgtgacaattacctggccttctttaagtgggtggagcctccacttc
 ctgccccaaactggaagtccctgcacctggcaggaaaccggctgaaggccctgaccaatggcagcctgctgtggc
 acccggtccggaggtggatgtcagctgcaacagcatcagcttcgtggccccggcttcttttccaaaggccaag
 gagctgcgagagctcaaccttagcgccaacgcctcaagacagtggaacctcctgggttgggcccctggcgagt
 gccctgcaaatactagatgtaagcgccaacctctgcactgcgctgtggggcgccctttatggacttctgtgctg
 gaggtgcagggtgcccgtgcccggctgtcccagccgggtgaagtgtggcagtcggggccagctccagggcctcagc
 atctttgcacaggacctgcgcctctgcctggatgaggccctctcctgggactgtttcgcc

In addition to the foregoing native rat, porcine, bovine, equine, and ovine TLR9
 polypeptides and nucleic acid molecules encoding them, chimeric TLR9 polypeptides and
 nucleic acid molecules encoding them are provided by the invention. The chimeric
 25 polypeptides include at least one amino acid substitution based on a comparison of
 conserved and non-conserved amino acids among at least two of rat, murine, porcine, bovine,
 equine, ovine, canine, feline, and human TLR9. The information contained in a multiple
 sequence alignment of these various TLR9 polypeptide sequences, provided for example in
 Figure 1, can be used to identify and select individual amino acid positions and even
 30 individual amino acids to substitute in designing a chimeric TLR9. The substitution or
 substitutions can be effected using methods known to those of ordinary skill in molecular
 biology. Nucleic acids encoding the native or chimeric polypeptides of the invention can be
 inserted into an expression vector and used to express TLR9 polypeptide.

A conservative amino acid substitution shall refer to a substitution of a first amino
 35 acid for a second amino acid, wherein side chains of the first amino acid and the second
 amino acid share similar features in terms of hydrophobicity, size, aromaticity, or tendency to
 alter conformation. For example, conservative amino acid substitutions generally may be
 made between members within each of the following groups: hydrophobic (A, I, L, M, V),
 neutral (C, S, T), acidic (D, E), basic (H, K, N, Q, R), and aromatic (F, W, Y). A non-
 40 conservative amino acid substitution refers to any other amino acid substitution.

- 29 -

An expression vector for TLR9 will include at least a nucleotide sequence coding for a TLR9, or a fragment thereof coding for a functional TLR9 polypeptide, operably linked to a gene expression sequence which can direct the expression of the TLR9 nucleic acid within a eukaryotic or prokaryotic cell. A "gene expression sequence" is any regulatory nucleotide
5 sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the nucleic acid to which it is operably linked. With respect to TLR9 nucleic acid, the "gene expression sequence" is any regulatory nucleotide sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the TLR9 nucleic acid to which it is
10 operably linked. The gene expression sequence may, for example, be a mammalian or viral promoter, such as a constitutive or inducible promoter. Constitutive mammalian promoters include, but are not limited to, the promoters for the following genes: hypoxanthine phosphoribosyl transferase (HPRT), adenosine deaminase, pyruvate kinase, β -actin promoter, and other constitutive promoters. Exemplary viral promoters which function constitutively in
15 eukaryotic cells include, for example, promoters from the simian virus (e.g., SV40), papillomavirus, adenovirus, human immunodeficiency virus (HIV), Rous sarcoma virus (RSV), cytomegalovirus (CMV), the long terminal repeats (LTR) of Moloney murine leukemia virus and other retroviruses, and the thymidine kinase (TK) promoter of herpes simplex virus. Other constitutive promoters are known to those of ordinary skill in the art.
20 The promoters useful as gene expression sequences of the invention also include inducible promoters. Inducible promoters are expressed in the presence of an inducing agent. For example, the metallothionein (MT) promoter is induced to promote transcription and translation in the presence of certain metal ions. Other inducible promoters are known to those of ordinary skill in the art.

25 In general, the gene expression sequence shall include, as necessary, 5' non-transcribing and 5' non-translating sequences involved with the initiation of transcription and translation, respectively, such as a TATA box, capping sequence, CAAT sequence, and the like. Especially, such 5' non-transcribing sequences will include a promoter region which includes a promoter sequence for transcriptional control of the operably joined nucleic acid
30 coding sequence for a TLR9 polypeptide. The gene expression sequences optionally include enhancer sequences or upstream activator sequences as desired.

- 30 -

Generally a nucleic acid coding sequence and a gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the nucleic acid coding sequence under the influence or control of the gene expression sequence. Thus the TLR9 nucleic acid coding sequence and the gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the TLR9 nucleic acid coding sequence under the influence or control of the gene expression sequence. If it is desired that the TLR9 sequence be translated into a functional protein, two DNA sequences are said to be operably linked if induction of a promoter in the 5' gene expression sequence results in the transcription of the TLR9 sequence and if the nature of the linkage between the two DNA sequences does not (1) result in the introduction of a frame-shift mutation, (2) interfere with the ability of the promoter region to direct the transcription of the TLR9 sequence, or (3) interfere with the ability of the corresponding RNA transcript to be translated into a protein. Thus, a gene expression sequence would be operably linked to a TLR9 nucleic acid sequence if the gene expression sequence were capable of effecting transcription of that TLR9 nucleic acid sequence such that the resulting transcript might be translated into the desired TLR9 protein or polypeptide.

A “TLR9 ligand” as used herein refers to a molecule that specifically binds a TLR9 polypeptide. In one embodiment the TLR9 ligand specifically binds a TLR9 polypeptide corresponding to at least a ligand-binding portion of the extracellular domain of TLR9. In most instances a TLR9 ligand will also induce TLR9 signaling when contacted with TLR9 under suitable conditions. TLR9 signaling refers to TLR/IL-1R signal transduction mediated through the TLR9, as described in further detail elsewhere herein. As mentioned above, CpG nucleic acids have been reported to be TLR9 ligands, but TLR9 ligands may include other entities as well, including, for example, small molecules. As also previously mentioned, there appears to be a species-specific preference for at least certain TLR9s and certain CpG motifs. As used herein, a species-preferred CpG DNA refers to a particular CpG DNA that is optimized for signal induction by a TLR9 of a particular species. A CpG DNA that is optimized for signal induction by a TLR9 of a particular species refers to a CpG DNA having a sequence that preferentially binds to and/or induces signaling by TLR9 of that species. For example, a human-preferred CpG DNA shall refer to a CpG DNA that optimally stimulates human TLR9 to signal through its TIR domain. Likewise, a murine-preferred CpG DNA

- 31 -

shall refer to a CpG DNA that optimally stimulates murine TLR9 to signal through its TIR domain. Examples of human-preferred and murine-preferred CpG DNA are ODN 2006 (SEQ ID NO:58) and 1668 (SEQ ID NO:60), respectively.

5 The binding and species specificity of TLR9s are believed to be influenced by key amino acids present in the extracellular domain of TLR9. Key amino acids in a TLR9 as used herein refer to those amino acids which contribute significantly to ligand binding and ligand specificity of a particular TLR9 polypeptide.

A "CpG nucleic acid" or a "CpG immunostimulatory nucleic acid" as used herein is a nucleic acid containing at least one unmethylated CpG dinucleotide (cytosine-guanine
10 dinucleotide sequence, i.e., "CpG DNA" or DNA containing a 5' cytosine followed by 3' guanine and linked by a phosphate bond) which activates a component of the immune system. The entire CpG nucleic acid can be unmethylated or portions may be unmethylated but at least the C of the 5' CG 3' must be unmethylated.

In one embodiment a CpG nucleic acid is represented by at least the formula:

15
$$5'-N_1X_1CGX_2N_2-3'$$

wherein X_1 and X_2 are nucleotides, N is any nucleotide, and N_1 and N_2 are nucleic acid sequences composed of from about 0-25 N's each. In some embodiments X_1 is adenine, guanine, or thymine and/or X_2 is cytosine, adenine, or thymine. In other embodiments X_1 is cytosine and/or X_2 is guanine.

20 Nucleic acids having modified backbones, such as phosphorothioate backbones, also fall within the class of immunostimulatory nucleic acids. U.S. Pat. Nos. 5,723,335 and 5,663,153 issued to Hutcherson, et al. and related PCT publication WO95/26204 describe immune stimulation using phosphorothioate oligonucleotide analogues. These patents describe the ability of the phosphorothioate backbone to stimulate an immune response in a
25 non-sequence specific manner.

An immunostimulatory nucleic acid molecule, including for example a CpG DNA, may be double-stranded or single-stranded. Generally, double-stranded molecules may be more stable *in vivo*, while single-stranded molecules may have increased activity. The terms "nucleic acid" and "oligonucleotide" refer to multiple nucleotides (i.e., molecules comprising
30 a sugar (e.g., ribose or deoxyribose) linked to a phosphate group and to an exchangeable organic base, which is either a substituted pyrimidine (e.g., cytosine (C), thymine (T) or uracil (U)) or a substituted purine (e.g., adenine (A) or guanine (G)) or a modified base. As

- 32 -

used herein, the terms "nucleic acid" and "oligonucleotide" refer to oligoribonucleotides as well as oligodeoxyribonucleotides. The terms shall also include polynucleosides (i.e., a polynucleotide minus the phosphate) and any other organic base-containing polymer. The terms "nucleic acid" and "oligonucleotide" also encompass nucleic acids or oligonucleotides with a covalently modified base and/or sugar. For example, they include nucleic acids having backbone sugars which are covalently attached to low molecular weight organic groups other than a hydroxyl group at the 2' position and other than a phosphate group at the 5' position. Thus modified nucleic acids may include a 2'-O-alkylated ribose group. In addition, modified nucleic acids may include sugars such as arabinose instead of ribose. Thus the nucleic acids may be heterogeneous in backbone composition thereby containing any possible combination of polymer units linked together such as peptide-nucleic acids (which have amino acid backbone with nucleic acid bases). In some embodiments the nucleic acids are homogeneous in backbone composition.

The substituted purines and pyrimidines of the immunostimulatory nucleic acids include standard purines and pyrimidines such as cytosine as well as base analogs such as C-5 propyne substituted bases. Wagner RW et al. (1996) *Nat Biotechnol* 14:840-4. Purines and pyrimidines include but are not limited to adenine, cytosine, guanine, thymine, 5-methylcytosine, 2-aminopurine, 2-amino-6-chloropurine, 2,6-diaminopurine, hypoxanthine, and other naturally and non-naturally occurring nucleobases, substituted and unsubstituted aromatic moieties.

The immunostimulatory nucleic acid is a linked polymer of bases or nucleotides. As used herein with respect to linked units of a nucleic acid, "linked" or "linkage" means two entities are bound to one another by any physicochemical means. Any linkage known to those of ordinary skill in the art, covalent or non-covalent, is embraced. Such linkages are well known to those of ordinary skill in the art. Natural linkages, which are those ordinarily found in nature connecting the individual units of a nucleic acid, are most common. The individual units of a nucleic acid may be linked, however, by synthetic or modified linkages.

Whenever a nucleic acid is represented by a sequence of letters it will be understood that the nucleotides are in 5' to 3' (or equivalent) order from left to right and that "A" denotes adenine, "C" denotes cytosine, "G" denotes guanine, "T" denotes thymidine, and "U" denotes uracil unless otherwise noted.

- 33 -

Immunostimulatory nucleic acid molecules useful according to the invention can be obtained from natural nucleic acid sources (e.g., genomic nuclear or mitochondrial DNA or cDNA), or are synthetic (e.g., produced by oligonucleotide synthesis). Nucleic acids isolated from existing nucleic acid sources are referred to herein as native, natural, or isolated nucleic acids. The nucleic acids useful according to the invention may be isolated from any source, including eukaryotic sources, prokaryotic sources, nuclear DNA, mitochondrial DNA, etc. Thus, the term nucleic acid encompasses both synthetic and isolated nucleic acids.

The immunostimulatory nucleic acids can be produced on a large scale in plasmids, (see *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989) and separated into smaller pieces or administered whole. After being administered to a subject the plasmid can be degraded into oligonucleotides. One skilled in the art can purify viral, bacterial, eukaryotic, etc. nucleic acids using standard techniques, such as those employing restriction enzymes, exonucleases or endonucleases.

For use in the instant invention, the immunostimulatory nucleic acids can be synthesized *de novo* using any of a number of procedures well known in the art. For example, the β -cyanoethyl phosphoramidite method (Beaucage SL and Caruthers MH, *Tetrahedron Let* 22:1859 (1981)); nucleoside H-phosphonate method (Garegg et al., *Tetrahedron Let* 27:4051-4054 (1986); Froehler et al., *Nucl Acid Res* 14:5399-5407 (1986); Garegg et al., *Tetrahedron Let* 27:4055-4058 (1986); Gaffney et al., *Tetrahedron Let* 29:2619-2622 (1988)). These chemistries can be performed by a variety of automated oligonucleotide synthesizers available in the market.

The immunostimulatory nucleic acid may be any size of at least 6 nucleotides but in some embodiments are in the range of between 6 and 100 or in some embodiments between 8 and 35 nucleotides in size. Immunostimulatory nucleic acids can be produced on a large scale in plasmids. These may be administered in plasmid form or alternatively they can be degraded into oligonucleotides before administration.

A "stabilized immunostimulatory nucleic acid" shall mean a nucleic acid molecule that is relatively resistant to *in vivo* degradation (e.g., via an exo- or endo-nuclease).

Stabilization can be a function of length or secondary structure. Nucleic acids that are tens to hundreds of kbs long are relatively resistant to *in vivo* degradation. For shorter nucleic acids, secondary structure can stabilize and increase their effect. For example, if the 3' end of an

- 34 -

oligonucleotide has self-complementarity to an upstream region, so that it can fold back and form a sort of stem loop structure, then the oligonucleotide becomes stabilized and therefore exhibits more activity.

Some stabilized immunostimulatory nucleic acids have a modified backbone. It has
5 been demonstrated that modification of the oligonucleotide backbone provides enhanced activity of the immunostimulatory nucleic acids when administered *in vivo*. Nucleic acids, including at least two phosphorothioate linkages at the 5' end of the oligonucleotide and multiple phosphorothioate linkages at the 3' end, preferably 5, may provide maximal activity and protect the oligonucleotide from degradation by intracellular exo- and endo-nucleases.
10 Other modified oligonucleotides include phosphodiester modified oligonucleotide, combinations of phosphodiester and phosphorothioate oligonucleotide, methylphosphonate, methylphosphorothioate, phosphorodithioate, and combinations thereof. Each of these combinations and their particular effects on immune cells is discussed in more detail in U.S. Pat. Nos. 6,194,388 and 6,207,646, the entire contents of which are incorporated herein by
15 reference. It is believed that these modified oligonucleotides may show more stimulatory activity due to enhanced nuclease resistance, increased cellular uptake, increased protein binding, and/or altered intracellular localization. Both phosphorothioate and phosphodiester nucleic acids are active in immune cells.

Other stabilized immunostimulatory nucleic acids include: nonionic DNA analogs,
20 such as alkyl- and aryl-phosphates (in which the charged phosphonate oxygen is replaced by an alkyl or aryl group), phosphodiester and alkylphosphotriesters, in which the charged oxygen moiety is alkylated. Oligonucleotides which contain diol, such as tetraethyleneglycol or hexaethyleneglycol, at either or both termini have also been shown to be substantially resistant to nuclease degradation.

25 Phosphorothioate nucleic acid molecules may be synthesized using automated techniques employing either phosphoramidate or H-phosphonate chemistries. Aryl- and alkyl-phosphonates can be made, e.g., as described in U.S. Pat. No. 4,469,863; and alkylphosphotriesters (in which the charged oxygen moiety is alkylated as described in U.S. Pat. No. 5,023,243 and European Patent No. 092,574) can be prepared by automated solid
30 phase synthesis using commercially available reagents. Methods for making other DNA backbone modifications and substitutions have been described. Uhlmann E and Peyman A (1990) *Chem Rev* 90:544; Goodchild J (1990) *Bioconjugate Chem* 1:165.

- 35 -

Other sources of immunostimulatory nucleic acids useful according to the invention include standard viral and bacterial vectors, many of which are commercially available. In its broadest sense, a "vector" is any nucleic acid material which is ordinarily used to deliver and facilitate the transfer of nucleic acids to cells. The vector as used herein may be an empty
 5 vector or a vector carrying a gene which can be expressed. In the case when the vector is carrying a gene the vector generally transports the gene to the target cells with reduced degradation relative to the extent of degradation that would result in the absence of the vector. In this case the vector optionally includes gene expression sequences to enhance expression of the gene in target cells such as immune cells, but it is not required that the gene
 10 be expressed in the cell.

Nucleic acid-binding fragments of TLRs are believed to include the extracytoplasmic (extracellular) domain or subportions thereof, such as those which include at least an MBD motif, a CXXC motif, or both an MBD motif and a CXXC motif.

Both mouse and human TLR9 have an N-terminal extension of approximately 180
 15 amino acids compared to other TLRs. An insertion also occurs at amino acids 253-268, which is not found in TLRs 1-6 but is present in human TLR7 and human TLR8. This insert has two CXXC motifs which participate in forming a CXXC domain. The CXXC domain resembles a zinc finger motif and is found in DNA-binding proteins and in certain specific CpG binding proteins, e.g., methyl-CpG binding protein-1 (MBD-1). Fujita N et al. (2000)
 20 *Mol Cell Biol* 20:5107-18. Both human and mouse TLR9 CXXC domains occur at aa 253-268:

CXXC motif:	GNCXXCXXXXXXXXXXCXXC	SEQ ID NO:62
Human TLR9:	GNCRRCDHAPNPCMEC	SEQ ID NO:63
25 Murine TLR9:	GNCRRCDHAPNPCMIC	SEQ ID NO:64

An additional motif believed to be involved in CpG binding is the MBD motif, also found in MBD-1, listed below as SEQ ID NO:53. Fujita, N et al.(2000) *Mol Cell Biol* 20:5107-18; Ohki I et al. (1999) *EMBO J* 18:6653-61. Amino acids 524-554 of hTLR9 and
 30 aa 525-555 of mTLR9 correspond to the MBD motif of MBD-1 as shown:

MBD motif:

- 36 -

	MBD-1	R-XXXXXXX-R-X-D-X-Y-XXXXXXXXXX-R-S-XXXXXX-Y	SEQ ID NO:65
	hTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXXX-R-L-XXXXXX-Y	SEQ ID NO:66
	mTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXXX-Q-L-XXXXXX-Y	SEQ ID NO:67
5	hTLR9	Q-VLDLSRN-K-L-D-L-Y-HEHSFTELP-R-L-EALDLS-Y	SEQ ID NO:68
	mTLR9	Q-VLDLSHN-K-L-D-L-Y-HWKSFSLEP-Q-L-QALDLS-Y	SEQ ID NO:69

Although the signaling functions of MBD-1 and TLR9 are quite different, the core D-X-Y is conserved and is believed to be involved in CpG binding.

10 According to another aspect of the invention, a screening method is provided for identifying an immunostimulatory compound. The method according to this aspect of the invention involves contacting a functional TLR9 with a test compound; detecting presence or absence of a response mediated by a TLR9 signal transduction pathway in the presence of the test compound arising as a result of an interaction between the functional TLR9 and the test
15 compound; and determining the test compound is an immunostimulatory compound when the presence of a response mediated by the TLR9 signal transduction pathway is detected.

An immunostimulatory compound is a natural or synthetic compound that is capable of inducing an immune response when contacted with an immune cell. A TLR9 ligand that is an immunostimulatory compound is a natural or synthetic compound that is capable of
20 inducing an immune response when contacted with an immune cell that expresses TLR9. A TLR9 ligand that is an immunostimulatory compound is also a natural or synthetic compound that is capable of inducing a TLR/IL-1R signal transduction pathway when contacted with a TLR9. Immunostimulatory compounds include but are not limited to immunostimulatory
25 nucleic acids. The immunostimulatory compound can be, for example, a nucleic acid molecule, polynucleotide or oligonucleotide, a polypeptide or oligopeptide, a lipid or lipopolysaccharide, a small molecule.

A basis for certain of the screening assays is the presence of a functional TLR9 in a cell. The functional TLR9 in some instances is naturally expressed by a cell. In other instances, expression of the functional TLR9 can involve introduction or reconstitution of a
30 species-specific TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact with an

- 37 -

immunostimulatory nucleic acid. In yet other instances, expression of the functional TLR9 can involve introduction of a chimeric or modified TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact
5 with an immunostimulatory nucleic acid. Examples of cell lines lacking TLR9 or immunostimulatory nucleic acid responsiveness include, but are not limited to, 293 fibroblasts (ATCC CRL-1573), MonoMac-6, THP-1, U937, CHO, and any TLR9 knock-out. The introduction of the species-specific, chimeric or modified TLR9 into the cell or cell line is preferably accomplished by transient or stable transfection of the cell or cell line with a
10 TLR9-encoding nucleic acid sequence operatively linked to a gene expression sequence (as described above). Methods for transient and for stable transfection of a cell are well known in the art.

The screening assays can have any of a number of possible readout systems based upon either TLR/IL-1R signaling pathway or other assays useful for assessing response to
15 immunostimulatory nucleic acids. It has been reported that immune cell activation by CpG immunostimulatory sequences is dependent in some way on endosomal processing.

In certain embodiments, the readout for the screening assay is based on the use of native genes or, alternatively, cotransfected or otherwise co-introduced reporter gene constructs which are responsive to the TLR/IL-1R signal transduction pathway involving
20 MyD88, TRAF, p38, and/or ERK. Häcker H et al. (1999) *EMBO J* 18:6973-6982. These pathways activate kinases including κ B kinase complex and c-Jun N-terminal kinases. Thus reporter genes and reporter gene constructs particularly useful for the assays can include a reporter gene operatively linked to a promoter sensitive to NF- κ B. Examples of such promoters include, without limitation, those for NF- κ B, IL-1 β , IL-6, IL-8, IL-12 p40, CD80,
25 CD86, and TNF- α . The reporter gene operatively linked to the TLR-sensitive promoter can include, without limitation, an enzyme (e.g., luciferase, alkaline phosphatase, β -galactosidase, chloramphenicol acetyltransferase (CAT), etc.), a bioluminescence marker (e.g., green-fluorescent protein (GFP, U.S. Pat. No. 5,491,084), blue fluorescent protein, etc.), a surface-expressed molecule (e.g., CD25), and a secreted molecule (e.g., IL-8, IL-12 p40, TNF- α). In
30 certain embodiments the reporter is selected from IL-8, TNF- α , NF- κ B-luciferase (NF- κ B-luc; Häcker H et al. (1999) *EMBO J* 18:6973-6982), IL-12 p40-luc (Murphy TL et al. (1995)

- 38 -

Mol Cell Biol 15:5258-5267), and TNF-luc (Häcker H et al. (1999) *EMBO J* 18:6973-6982). At least one of these reporter constructs (NF- κ B-luc) is commercially available (Stratagene, La Jolla, CA). In assays relying on enzyme activity readout, substrate can be supplied as part of the assay, and detection can involve measurement of chemiluminescence, fluorescence, color development, incorporation of radioactive label, drug resistance, or other marker of enzyme activity. For assays relying on surface expression of a molecule, detection can be accomplished using FACS analysis or functional assays. Secreted molecules can be assayed using enzyme-linked immunosorbent assay (ELISA) or bioassays. Many such readout systems are well known in the art and are commercially available.

According to one embodiment of this method, comparison can be made to a reference immunostimulatory nucleic acid. The reference immunostimulatory nucleic acid may be any suitably selected immunostimulatory nucleic acid, including a CpG nucleic acid. In certain embodiments the screening method is performed using a plurality of test nucleic acids. In certain embodiments comparison of test and reference responses is based on comparison of quantitative measurements of responses in each instance.

In another aspect the invention provides a screening method for identifying species specificity of an immunostimulatory nucleic acid. The method involves contacting a TLR9 of a first species with a test immunostimulatory nucleic acid; contacting a TLR9 of a second species with the test immunostimulatory nucleic acid; measuring a response mediated by a TLR signal transduction pathway associated with the contacting the TLR9 of the first species with the test immunostimulatory nucleic acid; measuring a response mediated by the TLR signal transduction pathway associated with the contacting the TLR9 of the second species with the test immunostimulatory nucleic acid; and comparing the two responses. The TLR9 may be expressed by a cell or it may be part of a cell-free system. The TLR9 may be part of a complex, with either another TLR or with another protein, e.g., MyD88, IRAK, TRAF, $\text{I}\kappa\text{B}$, NF- κB , or functional homologues and derivatives thereof. Thus for example a given ODN can be tested against a panel of human fibroblast 293 fibroblast cells transfected with TLR9 from various species and optionally cotransfected with a reporter construct sensitive to TLR/IL-1R activation pathways. Thus in another aspect, the invention provides a method for screening species selectivity with respect to a given nucleic acid sequence.

Test compounds can include but are not limited to peptide nucleic acids (PNAs), antibodies, polypeptides, carbohydrates, lipids, hormones, and small molecules. Test

- 39 -

compounds can further include variants of a reference immunostimulatory nucleic acid incorporating any one or combination of the substitutions described above. Test compounds can be generated as members of a combinatorial library of compounds.

In preferred embodiments, the screening methods can be performed on a large scale and with high throughput by incorporating, e.g., an array-based assay system and at least one automated or semi-automated step. For example, the assays can be set up using multiple-well plates in which cells are dispensed in individual wells and reagents are added in a systematic manner using a multiwell delivery device suited to the geometry of the multiwell plate. Manual and robotic multiwell delivery devices suitable for use in a high throughput screening assay are well known by those skilled in the art. Each well or array element can be mapped in a one-to-one manner to a particular test condition, such as the test compound. Readouts can also be performed in this multiwell array, preferably using a multiwell plate reader device or the like. Examples of such devices are well known in the art and are available through commercial sources. Sample and reagent handling can be automated to further enhance the throughput capacity of the screening assay, such that dozens, hundreds, thousands, or even millions of parallel assays can be performed in a day or in a week. Fully robotic systems are known in the art for applications such as generation and analysis of combinatorial libraries of synthetic compounds. See, for example, U.S. Pat. Nos. 5,443,791 and 5,708,158.

The following examples are provided for illustrative purposes and are not meant to be limiting in any way.

Examples

Example 1. Cloning and Sequencing of Rat, Porcine, Bovine, Equine, Ovine, Canine, and Feline TLR9

Cells and Tissues. Lymphoid tissues, primarily spleen or blood mononuclear cells (PBMC) from five mammalian species were collected: mouse, pig, bovine, rat and horse. Spleen samples were collected in RNAlater™ (Ambion®, Austin, TX, USA), stabilized at 4°C overnight and stored at -70°C. Blood samples were centrifuged at 500 x g for 25 min at room temperature and the buffy coat, containing enriched PBMC, was then removed and stored at -70°C. The mouse specimen was used as a comparative positive control.

- 40 -

First-strand cDNA synthesis. Total RNA from the spleen and PBMC samples was isolated using a monophasic solution of phenol and guanidine isothiocyanate: TRIzol™ reagent (GIBCO BRL®, Burlington, ON, Canada) according to the manufacturer's instructions. First-strand cDNA was synthesized from the total RNA using
5 SUPERScript™ II reverse transcriptase (GIBCO BRL®, Burlington, ON, Canada). Approximately 3 µg of total RNA was added to 50 pmoles of oligo(dT) primer [poly T₍₁₈₎]; the mixture was heated to 70°C for 10 min and subsequently chilled on ice. The following was added to the cooled reaction mixture: 1 µl of mixed dNTP stock containing 10 mM each dATP, dCTP, dGTP and dTTP (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) at
10 neutral pH, 1X first strand buffer (50 mM Tris-HCl pH 8.3/ 75 mM KCl/ 3 mM MgCl₂) and 2 µl of 0.1 M DTT. The mixture was subsequently heated to 42°C for 2 min, followed by addition of 200 units of SUPERScript™ II reverse transcriptase. The reaction was carried out at 42°C for 50 min, followed by 70°C for 15 min. The first-strand cDNA was used as the template for subsequent polymerase chain reaction (PCR) amplifications.

15 *PCR amplification.* TLR9 gene was PCR amplified from each of the above-mentioned species using primers designed from known mouse and human TLR9 sequence in Genbank: Accession AF314224 and AF259262, respectively. The primers were designed using the primer design software, Clone Manager 5 (Scientific and Educational Software, Durham, NC, USA). TLR9 gene-specific primers used were:
20 forward primer 5'-ACCTTGCCCTGCCTTCCTACCCTGTGA-3' (SEQ ID NO:37) and reverse primer 5'-GTCCGTGTGGGCCAGCACAAA-3' (SEQ ID NO:38).

The 2.7 Kbp fragment was PCR amplified using Advantage® 2 DNA polymerase mix (BD Biosciences Clontech, Palo Alto, CA, USA) according to the manufacturer's instructions. PCR reaction volumes of 25 µl contained 15 pmoles of each primer, 0.2 mM of dNTP mix
25 and 1 µl of reverse transcription reaction. PCR amplification was conducted by initial denaturation at 94°C for 1 min followed by 30 cycles of 94°C denaturation (15 sec), 65°C annealing (45 sec) and 72°C extensions (2 min), with a final extension at 72°C for 5 min.

Cloning and sequencing. The PCR amplified fragment was treated with 500 units of T4 DNA polymerase (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) for 15 min
30 at room temperature prior to cleaning the reaction with QIAquick PCR purification kit (QIAGEN Inc., Mississauga, ON, Canada). The fragment was then ligated to pZEROTM - 2

- 41 -

vector (Invitrogen™ Life Technologies, Burlington, ON, Canada), treated with *Eco RV* restriction enzyme, using T4 DNA Ligase (GIBCO BRL®, Burlington, ON, Canada). *E. coli* TOP 10 chemically competent cells (Invitrogen™ Life Technologies, Burlington, ON, Canada) were used to transform ligated products. Plasmids containing the 2.7 Kbp fragment
5 were sequenced using an automated DNA sequencer, CEQ™ 2000XL DNA analysis system (Beckman Coulter Inc., Fullerton, CA, USA).

Sequences of the 2.7 Kbp fragment were derived from three clones of each species selected from independent PCR reactions to account for errors that may have been incurred during the PCR amplifications and to confirm the sequence data.

10 Nucleotide sequences of the rat, porcine, bovine, equine, ovine, canine, and feline TLR9 were extended and completed using standard 5' and 3' RACE PCR and primers designed using the sequences obtained from the 2.7 Kbp fragments.

Results. Nucleotide sequences of rat, porcine, bovine, equine, canine, and feline TLR9 cDNA obtained by the methods above are provided as SEQ ID NOs 3, 7, 11, 15, 19,
15 23, and 27, respectively. Deduced amino acid sequences are provided as SEQ ID NOs 1, 5, 9, 13, 17, 21, and 25, respectively. Deduced amino acid sequences of full-length murine and human TLR9 are provided as SEQ ID NOs 29 and 33, respectively.

Example 2. Comparison of Aligned Sequences for TLR9 from Various Mammalian Species.

20 Multiple sequence alignment of deduced amino acid sequences for feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 polypeptides was performed using Clustal W 1.82 (see, for example, www.cmbi.kun.nl/bioinf/tools/clustalw.shtml). In addition, paired sequence alignment of deduced amino acid sequences for murine and human TLR9 polypeptides was performed using Clustal W 1.82. The results of the multiple
25 sequence alignment are presented in **Figure 1**. As will be appreciated from Figure 1, certain amino acids are highly conserved across all species examined. Similarly, certain amino acids differ only by conservative amino acid substitutions among the various species. In addition, it is evident that certain amino acids which are conserved between murine and human TLR9 are not conserved in other species. Furthermore, Figure 1 also indicates that certain amino
30 acids are highly divergent across various species. The information provided by the comparison of multiple species adds significantly to the information available by comparison between only murine and human TLR9 sequences.

- 42 -

The putative transmembrane regions of the TLR9 polypeptides are indicated in boxes in Figure 1. Sequence upstream of each transmembrane region is extracellular domain and is believed to include sequence primarily responsible for binding to TLR9 ligands, including CpG DNA. The extracellular domains of feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 correspond to amino acids numbered 1-820, 1-822, 1-818, 1-821, 1-818, 1-819, 1-820, 1-820, and 1-821, respectively, as shown in Figure 1.

Figure 2 presents an evolutionary relatedness tree for six TLR9 polypeptides examined. The cladogram in Figure 2 was prepared using Clustal W (see above). As can be appreciated from this figure, murine and human TLR9 are nearly the most divergent TLR9s in this group. Surprisingly, human and horse TLR9 appear relatively closely related.

Example 3. Reconstitution of TLR9 Signaling in 293 Fibroblasts.

Mouse TLR9 cDNA (SEQ ID NO:31) and human TLR9 cDNA (SEQ ID NO:35) in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the EcoRI site. Utilizing a "gain of function" assay it was possible to reconstitute human TLR9 (hTLR9) and murine TLR9 (mTLR9) signaling in CpG-DNA non-responsive human 293 fibroblasts (ATCC, CRL-1573). The expression vectors mentioned above were transfected into 293 fibroblast cells using the calcium phosphate method.

Since NF- κ B activation is central to the IL-1/TLR signal transduction pathway (Medzhitov R et al. (1998) *Mol Cell* 2:253-258; Muzio M et al. (1998) *J Exp Med* 187:2097-101), cells were transfected with hTLR9 or co-transfected with hTLR9 and an NF- κ B-driven luciferase reporter construct. Human fibroblast 293 cells were transiently transfected with hTLR9 and a six-times NF- κ B-luciferase reporter plasmid (NF- κ B-luc) or with hTLR9 alone. After stimulus with CpG-ODN (2006, 2 μ M, TCGTCGTTTGTGCGTTTGTGCGTT, SEQ ID NO:58), GpC-ODN (2006-GC, 2 μ M, TGCTGCTTTGTGCTTTTGTGCTT, SEQ ID NO:59), LPS (100 ng/ml) or media, NF- κ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results representative of three independent experiments showed that cells expressing hTLR9 responded to CpG-DNA but not to LPS.

Independently, human fibroblast 293 cells were transiently transfected with mTLR9 and the NF- κ B-luc construct or with mTLR9 alone. After stimulation with CpG-ODN (1668, 2 μ M; TCCATGACGTTTCCTGATGCT, SEQ ID NO:60), GpC-ODN (1668-GC, 2 μ M;

- 43 -

TCCATGAGCTTCCTGATGCT, SEQ ID NO:61), LPS (100 ng/ml) or media, NF- κ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results showed that expression of TLR9 (human or mouse) in 293 cells results in a gain of function for CpG-DNA stimulation.

5 To generate stable clones expressing human TLR9, murine TLR9, or either TLR9 with the NF- κ B-luc reporter plasmid, 293 cells were transfected in 10 cm plates (2×10^6 cells/plate) with 16 μ g of DNA and selected with 0.7 mg/ml G418 (PAA Laboratories GmbH, Cölbe, Germany). Clones were tested for TLR9 expression by RT-PCR. The clones were also screened for IL-8 production or NF- κ B-luciferase activity after stimulation with
10 ODN. Four different types of clones were generated.

293-hTLR9-luc:	expressing human TLR9 and 6-fold NF- κ B-luciferase reporter
293-mTLR9-luc:	expressing murine TLR9 and 6-fold NF- κ B-luciferase reporter
293-hTLR9:	expressing human TLR9
15 293-mTLR9:	expressing murine TLR9

Results indicated that stable clones also responded to CpG-ODN.

Example 4. Similar ODN Sequence Specificity of TLR9 of Human and Equine TLR9.

20 3×10^6 293T cells were electroporated with 5 μ g NF- κ B-luc plasmid and 5 μ g of either horse TLR9-pcDNA3.1 plasmid or human TLR9-pcDNA3.1 plasmid at 200V, 975 μ F. After the electroporation the cells were plated in 96-well cell culture plates at 2.5×10^4 cells per well and grown overnight at 37°C. The cells were stimulated with the indicated concentration of ODN for 16h, after which the supernatant was removed and the cells lysed in lysis buffer and
25 frozen for at least 2 hours at -80°C. Luciferase activity was measured by adding Luciferase Assay substrate from Promega. Values are given as fold specific induction over non-stimulated control. Results are shown in Figure 3.

As shown in Figure 3, ODN 2006 (TCGTCGTTTTGTCGTTTTGTCGTT; SEQ ID NO:58) has a strong specificity for human TLR9. ODN 1982
30 (TCCAGGACTTCTCTCAGGTT; SEQ ID NO:70) was the negative control ODN. ODN 5890 (TCCATGACGTTTTTGATGTT; SEQ ID NO:39) has a strong specificity for mouse

- 44 -

TLR9. This experiment demonstrates the similarity of horse TLR9 to human TLR9 in binding specificity, a result predicted by the evolutionary relatedness of horse TLR9 to human TLR9. Mouse TLR9 is more distant from horse TLR9 and human TLR9 in sequence homology, and ODN 5890 was not detected by either human or horse TLR9.

5

Example 5. Non-human, Non-murine Native Mammalian TLR9 Useful in Screening for Human-Preferred CpG DNA.

Native rat, porcine, bovine, equine, and ovine TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Rat, porcine, bovine, equine, or ovine TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

20 Example 6. Chimeric TLR9 Useful in Screening for Human-Preferred CpG DNA.

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

30

Example 7. Chimeric TLR9 Responsive to Both Human-Preferred and Murine-Preferred CpG DNA.

- 45 -

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006) and also screened for binding or TLR9 signaling activity when contacted with murine-preferred CpG DNA (ODN 1668). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in each of these assays are then used as the basis for screening for additional human-preferred CpG DNA and for screening for additional murine-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA or candidate murine-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA. Candidate murine-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as murine-preferred CpG DNA.

Equivalents

The foregoing written specification is considered to be sufficient to enable one skilled in the art to practice the invention. The present invention is not to be limited in scope by examples provided, since the examples are intended as a single illustration of one aspect of the invention and other functionally equivalent embodiments are within the scope of the invention. Various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims. The advantages of the invention are not necessarily encompassed by each embodiment of the invention.

All references, patents and patent publications that are recited in this application are incorporated in their entirety herein by reference.

We claim:

- 46 -

Claims

1. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.

5

2. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.

3. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.

10

4. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.

15

5. A vector comprising the nucleic acid of any of claims 3-4.

6. A cell comprising the vector of claim 5.

20

7. An antibody or fragment thereof that binds specifically to the polypeptide of any of claims 1-2.

8. A method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the first species, comprising:
aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species;
generating an initial set of candidate amino acids in the TLR9 of the first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the

25
30

- 47 -

TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with
5 the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

10 9. A method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9, comprising:

aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a
15 CpG DNA optimized for murine TLR9;

generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the
20 initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids.

25

10. The method according to claim 9, performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight, said weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred
30 CpG DNA).

- 48 -

11. An isolated polypeptide comprising an amino acid sequence identical to SEQ ID NO:30 except for substitution of at least one key amino acid identified according to the method of any of claims 9 or 10.

5 12. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide according to claim 11.

13. A vector comprising the nucleic acid of claim 12.

10 14. A cell comprising the vector of claim 13.

15. An antibody that binds specifically to the polypeptide of claim 14.

16. A screening method to identify a TLR9 ligand, comprising:
15 contacting a polypeptide according to any of claims 1, 2, or 11 with a candidate TLR9 ligand;
 measuring a signal in response to the contacting; and
 identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling.

20 17. The method of claim 16, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

25 18. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- κ B.

19. The method of claim 17, wherein the candidate TLR9 ligand is an immunostimulatory nucleic acid.

30 20. The method of claim 19, wherein the immunostimulatory nucleic acid is CpG DNA.

- 49 -

21. A screening method to identify species-specific CpG-motif preference of an isolated polypeptide of claim 2 or claim 11, comprising:

contacting an isolated polypeptide of claim 2 or claim 11 with a CpG DNA comprising a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GCGGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, 5 GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG;

measuring a signal in response to the contacting; and

identifying a species-specific CpG-motif preference when the signal in response to the 10 contacting is consistent with TLR9 signaling.

22. The method of claim 21, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

15 23. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- κ B.

24. The method of claim 21, wherein the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

20	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
25	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
30	TCCATGACATTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
	TCCATGACGCTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTGATGTT	(SEQ ID NO:53),
35	TCCATGACGGTTTTGATGTT	(SEQ ID NO:54),
	TCCATGACGTCTTTGATGTT	(SEQ ID NO:55),
	TCCATGACGTATTTGATGTT	(SEQ ID NO:56), and
	TCCATGACGTGTTTGATGTT	(SEQ ID NO:57).

Figure 1
(1/3)

```

feline      MGPCGHALHPLSLVQAAALAVALAQGTLPFAFLPCELRHGLVNCWDLFLKSVPHFSAAA 60
canine      MGPCRGALHPLSLVQAAALALALAQGTLPFAFLPCELPQHGLVNCNWFLKSVPRFSAAA 60
bovine      MGP-YCAPHPLSLVQAAALAAALAEGLTPFAFLPCELPQHGQVDCNWFLKSVPHFSAGA 59
mouse       MGP-YCAPHPLSLVQAAALAAALAEGLTPFAFLPCELPQHGQVDCNWFLKSVPHFSAGA 59
ovine       MGP-YCAPHPLSLVQAAALAAALAEGLTPFAFLPCELPQHGQVDCNWFLKSVPRFSAGA 59
porcine     MGP-RCTLHPLSLVQVTLAAALAQGRLPFAFLPCELPQHGLVNCNWFLKSVPHFSAAA 59
horse       MGPCGHALQPLSLVQAAMLAVALAQGTLPFPFLPCELPQHGLVNCNWFLKSVPHFSAAA 60
human       MGFCRSALHPLSLVQAIMLAMTLALGTLPFAFLPCELPQHGLVNCNWFLKSVPHFSMAA 60
rat         MVLCRRTLHPLSLVQAAVLAELALGTLPFAFLPCELPKHGLVDCNWFLKSVPHFSAAE 60
*           :*****. ** :* * *.*****: ;* *.:*****.*.

feline      PRGNVTSLSLSYNSRIHHLHDSDFVHLSLRLNLKWNCPASLSPMHFPCMTIEPHTFL 120
canine      PRGNVTSLSLSYNSRIHHLHDYDFVHFVHLRLNLKWNCPASLSPMHFPCMTIEPNTFL 120
bovine      PRANVTSLSLSISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCRMTEPNTFL 119
mouse       PRANVTSLSLSISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCRMTEPNTFL 119
ovine       PRANVTSLSLSISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCRMTEPNTFL 119
porcine     PRANVTSLSLSNRIHHLHDSDFVHLSLRTNLKWNCPAGLSPMHFPCMTIEPNTFL 119
horse       PRDNVTSLSLSNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 120
human       PRGNVTSLSLSNRIHHLHDSDFVHLSLRLNLKWNCPVGLSPMHFPCMTIEPSTFL 120
rat         PRSNITSLSLIANRIHHLHDLDFVHLPNVRLNLKWNCPVGLSPMHFPCMTIEPKTFL 120
*           ** :*****.*****: **.: : *****.***:***:***** **

feline      AVPTLEELNLSYNSITTPALPSSLVSLSLRTNIVLDPANLAGLSLRFLLDGNCCY 180
canine      AVPTLEDNLSYNSITTPALPSSLVSLSLRTNIVLDPATLAGLYALRFLDGNCCY 180
bovine      AVPTLEELNLSYNGITTPALPSSLVSLSLSHTSILVLGPTHFTGLHALRFLYMDGNCCY 179
mouse       AVPTLEELNLSYNGITTPALPSSLVSLSLSHTSILVLGPTHFTGLHALRFLYMDGNCCY 179
ovine       AVPTLEELNLSYNGITTPALPSSLVSLSLSHTSILVLGPTHFTGLHALRFLYMDGNCCY 179
porcine     AVPTLEELNLSYNSITTPALPSSLVSLSLRTNIVLDPHTGLHALRFLYMDGNCCY 179
horse       AVPTLEELNLSYNGITTPALPSSLVSLSLRTNIVLQDPTSLTGLHALRFLYMDGNCCY 180
human       AVPTLEELNLSYNNIMTPALPKSLISLSLSTNIMLDSASLAGLHFLYMDGNCCY 180
rat         AMRMLEELNLSYNGITTPRLPSSLTNLSLSTNIVLDDASLAGLHSLRVLFMDGNCCY 180
*           *: **.:*****.* *** **.* * **.:** *.:**.:*** *:*****

feline      KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 240
canine      KNPCQALQVAPGALLGLGNLTHLSLKYNNTVPRGLPPSLEYLLSYNHIITLAPEDL 240
bovine      MNPCPRALEVAPGALLGLGNLTHLSLKYNNTVPRGLPPSLDTLLSYNHIVTLAPEDL 239
mouse       MNPCPRALEVAPGALLGLGNLTHLSLKYNNTVPRGLPPSLDTLLSYNHIVTLAPEDL 239
ovine       KNPCQAVEVAPGALLGLGNLTHLSLKYNNTVPRGLPPSLDTLLSYNHIITLAPEDL 239
porcine     KNPCQGALEVVPAGALLGLGNLTHLSLKYNNTVPRSLPPSLETLLSYNHIVTLTPEDL 239
horse       KNPCGRALEVAPGALLGLGNLTHLSLKYNNTVPRSLPPSLEYLLSYNHIIVTLAPEDL 240
human       KNPCQGALEVAPGALLGLGNLTHLSLKYNNTVPRNLPPSLEYLLSYNRIIVKLAPEDL 240
rat         KNPCNGAVNTPDAFLGLSNLTHLSLKYNNTVPRQLPPSLEYLLSYNLKGLAEDL 240
*           *** *:***.***.***** ***** **.*: ***** *:.* ***

feline      ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDTFSHLNHLEGLVLKDSSLYNLN 300
canine      ANLTALRVLDVGGNCRRCDHARNPCRECPKGFQPLHPNTFGLSHLEGLVLRDSSLYSLD 300
bovine      ANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSSLYKLE 299
mouse       ANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSSLYKLE 299
ovine       ANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSSLYKLE 299
porcine     ANLTALRVLDVGGNCRRCDHARNPCRECPKDHPLHSDTFSHLSRLEGLVLKDSSLYQLN 299
horse       ANLTALRVLDVGGNCRRCDHARNPCRECPKHFQPLHSDTFSHLSRLEGLVLKDSSLYQLN 300
human       ANLTALRVLDVGGNCRRCDHARNPCMECPRHFPQLHPDTFSHLSRLEGLVLKDSSLSWLN 300
rat         ANLTSLRMLDVGGNCRRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKDSSLSHSLN 300
*           *****:***:***** ***** : * * : .*:** *.:*****:*** *:

feline      PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRLNLNLSFNHYHKKVSFAHLHLAPSF 360
canine      PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRNLNLSFNHYHKKVSFAHLHLASSF 360
bovine      KDWFRGLGRLQVLDLSENFLYDYITKTTIFNDLTQLRLNLNLSFNHYHKKVSFAHLHLASSF 359
mouse       KDWFRGLGRLQVLDLSENFLYDYITKTTIFNDLTQLRLNLNLSFNHYHKKVSFAHLHLASSF 359
ovine       KDWFRGLGRLQVLDLSENFLYDYITKTTIFRNLTLQLRLNLNLSFNHYHKKVSFAHLQLAPSF 359
porcine     TRWFRGLDRLQVLDLSENFLYDCITKTTAFQGLARLRNLNLSFNHYHKKVSFAHLHLAPSF 359
horse       PRWFRGLGNLTVLDLSENFLYDCITKTKAFQGLAQLRLNLNLSFNHYHKKVSFAHLTLAPSF 360
human       ASWFRGLGNLTVLDLSENFLYKICITKTKAFQGLTQLRLNLNLSFNHYQKRVSAHLHLAPSF 360
rat         SKWFQGLANLSVLDLSENFLYESINKTSFQNLTRLRLKDLNLSFNHYCKKVSFAHLHLASSF 360
*           **:.* * *****. *.*. * .*:** *.:***** *:*****:*** **

```

Figure 1
(2/3)

```

feline      GSLLSLQQLDMHGIFFRSLSETTLRSVLHLPMLQSLHLQMNFINQAQLSIFGAFPLGRYV 420
canine      GSLLSLQELDIHGIFFRSLSKTTQLSLAHLPMQLRLHLQLNFISQAQLSIFGAFPLGRYV 420
bovine      GSIVSLEKLDMHGIFFRSLTNITLQSLTRLPLKLSLHLQLNFINQAQLSIFGAFPSLLFV 419
mouse       GSIVSLEKLDMHGIFFRSLTNITLQSLTRLPLKLSLHLQLNFINQAQLSIFGAFPSLLFV 419
ovine       GGLVSLEKLDMHGIFFRSLTNTTLRPLTQLPKLSLQLNFINQAELSIFGAFPSLLFV 419
porcine     GHLRSLKELDMHGIFFRSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPLGLLYV 419
horse       GSLLSLQELDMHGIFFRSLSQKTLQPLARLPMQLRLYLQMNFINQAQLGIFKDFPLGRYI 420
human       GSLVALKELDMHGIFFRSLDETTLRLPLARLPMQLTLRLQMNFINQAQLGIFRAFPGLRYV 420
rat         KSLVSLQELNMNGIFFRLLNKNTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFV 420
          * :*:*:*:*:***** * : **: * . ** *: * **:**:*.***:*.*: * . * : :

feline      DLSDNRISGAMELAAATGEVDG--GERVRLPSGDLALGPPGTPSSEGFMPCCKTLNFTLD 478
canine      DLSDNRISGAAPAAATGEVEADCGERVWPQSRDLALGPLGTPGSEAFMPSCRTLNFTLD 480
bovine      DLSDNRISGAATPAAALGEVDS--RVEVWRLPRGLAPGPLDAVSSKDFMPSCN-LNFTLD 476
mouse       DLSDNRISGAATPAAALGEVDS--RVEVWRLPRGLAPGPLDAVSSKDFMPSCN-LNFTLD 476
ovine       DLSDNRISGAARPVAAALGEVDS--GVEVWRWPRGLAPGPLAAVSAKDFMPSCN-LNFTLD 476
porcine     DLSDNRISGAARPVAITREVDG--REVRVWLPNRNLAAPRLDTRSEDFMPNCKAFSFTLD 477
horse       DLSDNRISGAVEPVATTGEVDG--GKKVWLTSRDLTPGPLDTPSSEDFMPSCNLSFTLD 478
human       DLSDNRISGASELTATMGEADG--GEKVWLQPGDLAPAPVDTPSSEDFRPNCSFTLNFTLD 478
rat         DLSNNRISGPPTLSRVAPEKAD-EAEKGVWPASLTLPALPSTPVSKNFMVRCKNLRFMTD 479
          ****:*****. * . . .*: : : * * : **: *

feline      LSRNNLVTTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQVLDLSHNKLDLYHG 538
canine      LSRNNLVTVQPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNLRVLDLSHNKLDLYHG 540
bovine      LSRNNLVTTIQPEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLDLSHNKLDLYHG 536
mouse       LSRNNLVTTIQPEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLDLSHNKLDLYHG 536
ovine       LSRNNLVTTIQPEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLDLSYNKLDLYHG 536
porcine     LSRNNLVTTIQSEMFARLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLDLSHNKLDLYHG 537
horse       LSRNNLVTVQPEMFAQLSRDLQCLRLSHNSISQAVNGSQFVPLTSLQVLDLSHNKLDLYHG 538
human       LSRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQVLDLSHNKLDLYHE 538
rat         LSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLKVLDLSYNKLDLYHS 539
          ***** :*: : * :*:*.***:*.***:*****:***: :*:*****:*****

feline      RSFTELPRLAALDLSYNSQPFMSQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSSQQLCSA 598
canine      RSFTELPRLAALDLSYNSQPFMSRQGVGHNLFSVAQLPALRYLSLAHNGIHSRVSSQQLRSA 600
bovine      RSFTELPQLEALDLSYNSQPFMSQGVGHNLFSVAQLPSLRYLSLAHNGIHSRVSSQQLSSA 596
mouse       RSFTELPQLEALDLSYNSQPFMSQGVGHNLFSVAQLPSLRYLSLAHNGIHSRVSSQQLSSA 596
ovine       RSFTELPQLEALDLSYNSQPFMSQGVGHNLFSVAQLPSLRYLSLAHNGIHSRVSSQQLSSA 596
porcine     RSFTELPRLAALDLSYNSQPFMTQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSSQQLCSA 597
horse       RSFTELPRLAALDLSYNSQPFMSRQGVGHNLFSVAQLPTLRYLSLAHNGIHSRVSSQQLCST 598
human       HSFTELPRLAALDLSYNSQPFMSQGVGHNLFSVAHLRTRLRHLSLAHNNIHSQVSSQQLCST 598
rat         KSFSLEPQLQALDLSYNSQPFMSQGIHNFSTLANLSRLQNLSLAHNDIHSRVSSRLYST 599
          :*:***:*.*****:***:***:***:***: * : *****:***:***: * :

feline      SLRALDFSGNALSQMWAEGLDLYLHFFRGLRSLVRLDLSQNLRLHTLLPRTLNDLNPKSRLRL 658
canine      SLRALDFSGNTLSQMWAEGLDLYLRFFQGLRSLVQLDLSQNLRLHTLLPRNLNDLNPKSRLRL 660
bovine      SLRALDFSGNLSQMWAEGLDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLNDLNPKSRLRL 656
mouse       SLRALDFSGNLSQMWAEGLDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLNDLNPKSRLRL 656
ovine       SLRALDFSGNLSQMWAEGLDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLNDLNPKSRLRL 656
porcine     SLCALDFSGNDLSRMWAEGLDLYLRFFQGLRSLVWLDLSQNLHLHTLLPRALNDLNPKSRLKHL 657
horse       SLWALDFSGNLSQMWAEGLDLYLRFFQGLRSLIRLDLSQNLRLHTLLPCTLGNLNPKSRLQLL 658
human       SLRALDFSGNALGHMWAEGDLYLHFFQGLSGLIWL DLSQNLRLHTLLPQTLRNLNPKSRLQVL 658
rat         SVEYLD FSGNGVGRMWDEEDLYLYFFQDLRSLIHL DLSQNLHLIRPQNLNLYLPKSRLTKL 659
          *: ***** :*: * * * * * *: * : *****:***: * * * * *

feline      RLRDNYLAFFNWSSSLVLLPRLAALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVAS 718
canine      RLRDNYLAFFNWSSSLALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSIGFVVP 720
bovine      RLRDNNLAFFNWSSSLTVLPRLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVIP 716
mouse       RLRDNNLAFFNWSSSLTVLPRLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVIP 716
ovine       RLRDNNLAFFNWSSSLTVLQLEALDLAGNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTP 716
porcine     HLRDNNLAFFNWSSSLTLLPKLETLDLAGNQLKALSNGSLPSGTQLRRLDLSNSIGFVNP 717
horse       RLRNNYLAFFNWSSSLTLLPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSRNSIIFVVP 718
human       RLRDNYLAFFKWWSLHFLPKLEVDLAGNQLKALTNGSLPAGTRLRRLDVSCNSISFVAP 718
rat         SFRDNHLSFFNWSSSLAFLPNRLDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIGFVVP 719
          :*: * :*: * * * * * .***. ***** *****:***: * * :*:***: * * * * *

```

Figure 1
(3/3)

feline	SFFALATRLRELNLSANALKTVEPSWFGSLAGTLKVLDVTGNPLHCACGAAFVDFLLEVQ	778
canine	SFFALAVRLRELNLSANALKTVEPSWFGSLAGALKVLDVTANPLHCACGATFVDFLLEVQ	780
bovine	GFFVRATRLIELNLSANALKTVDPSPWFGSLAGTLKILDVSANPLHCACGAAFVDFLLERQ	776
mouse	GFFVRATRLIELNLSANALKTVDPSPWFGSLAGTLKILDVSANPLHCACGAAFVDFLLERQ	776
ovine	GFFVLANRLKELNLSANALKTVDPFWFGRLTETLNILDVSANPLHCACGAAFVDFLLEMQ	776
porcine	GFFALAKQLEELNLSANALKTVEPSWFGSMVGNLKVLDVSANPLHCACGATFVGFLLEVQ	777
horse	GFFALATRLRELNLSANALRTEEPSWFGFLAGSLLEVLDVSANPLHCACGAAFVDFLLQVQ	778
human	GFFSKAKELRELNLSANALKTVDHWSFGPLASALQILDVSANPLHCACGAAFMDFLLEVQ	778
rat	AFFALAVELKEVNLSHNILKTVDRSWFGPIVMNLTVLVDSSNPLHCACGAFFVDLLLEVQ	779
	. ** * . * : *** * * : * : * * : . * : *** : ***** . : . : * : * :	
feline	AAVPGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFGLSLLTVALGLAVPMLHHI	838
canine	AAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFSLSLLAVALSLAVPMLHQL	840
bovine	EAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETLSLDCFGLSLLMVALGLAVPMLHHI	836
mouse	EAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETLSLDCFGLSLLMVALGLAVPMLHHI	836
ovine	AAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETLSLDCFGLSLLMVALGLAVPMLHHI	836
porcine	AAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDETLSWNCFGLSLLAMALGLVVPMLHHI	837
horse	AAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFGLSLLVVALGLAMPMLHHI	838
human	AAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFGLSLLAVALGLGVPMLHHI	838
rat	TKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFGLSLLAVAVGTVLPLLOHI	839
	****. * . **** * * * : ***** . * * * : * : * : . : * : * : *	
feline	CGWDLWYCFHLCLAWLPRRGR--RGADALPYDAFVVFDKAQSAVADWVYNELRVLEER	896
canine	CGWDLWYCFHLCLAWLPRRGR--RGVDALAYDAFVVFDKAQSSVADWVYNELRVQLEER	898
bovine	CGWDLWYCFHLCLAWLPRRRQ--RGEDTLLYDAVVVFDKVQSAVADWVYNELRVQLEER	894
mouse	CGWDLWYCFHLCLAWLPRRRQ--RGEDTLLYDAVVVFDKVQSAVADWVYNELRVQLEER	894
ovine	CGWDLWYCFHLCLAWLPRRRQ--RGEDTLLYDAFVVFDKAQSAVADWVYNELRVQLEER	894
porcine	CGWDLWYCFHLCLAWLPHRGQR--RGADALFYDAFVVFDKAQSAVADWVYNELRVQLEER	895
horse	CGWDLWYCFHLGLAWLPRRGWQ--RGADALSYDAFVVFDKAQSAVADWVYNELRVLEER	896
human	CGWDLWYCFHLCLAWLPRGRQSGRDEALPYDAFVVFDKTSQSAVADWVYNELRGQLEEC	898
rat	CGWDVWYCFHLCLAWLPLLTRGR--RSAQALPYDAFVVFDKAQSAVADWVYNELRVLEER	898
	****. ***** * * * * . * : * * * . ***** . * : ***** : ***	
feline	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQORL	956
canine	RGRRALRLCLEERDWPVGKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQORL	958
bovine	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQORL	954
mouse	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQORL	954
ovine	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQORL	954
porcine	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQORL	955
horse	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLLAQORL	956
human	RGRWALRLCLEERDWLPGKTLFENLWASVYSGRKTLFVLAHTDRVSGLLRASFLLAQORL	958
rat	RGRRALRLCLEERDWLPGQTLFENLWASYGSRKTLFVLAHTDKVSGLLRTSFLLAQORL	958
	*** ***** : *** : * : ***** : * . *** : * * : * : ***** : *****	
feline	LEDKDVVVLVILRPDAHRSRYVRLRQRLCRQSVLLWPHQPSGQSFWAQLGTALTRDNQ	1016
canine	LEDKDVVVLVILCPDAHRSRYVRLRQRLCRQSVLLWPHQPSGQSFWAQLGTALTRDNR	1018
bovine	LEDKDVVVLVILRPAAYRSRYVRLRQRLCRQSVLLWPHQPSGQGSFWANLGIALTRDNR	1014
mouse	LEDKDVVVLVILRPAAYRSRYVRLRQRLCRQSVLLWPHQPSGQGSFWANLGIALTRDNR	1014
ovine	LEDKDVVVLVILRPAAYRSRYVRLRQRLCRQSVLLWPHQPSGQGSFWANLGIALTRDNR	1014
porcine	LEDKDVVVLVILRPDAYRSRYVRLRQRLCRQSVLLWPHQPSGQSFWAQLGTALTRDNH	1015
horse	LEDKDVVVLVILSPDARRSRYVRLRQRLCRQSVLFWPHQPSGQSFWAQLGMALTRDNR	1016
human	LEDKDVVVLVILSPDARRSRYVRLRQRLCRQSVLLWPHQPSGQSFWAQLGMALTRDNH	1018
rat	LEDKDVVVLVILRPDAHRSRYVRLRQRLCRQSVLFWPHQPSGQSFWAQLSTALTRDNH	1018
	***** * . ***** : ***** * * * : * . ***** :	
feline	HFYNQNFRCGPTTAE-----	1031
canine	HFYNQNFRCGPTTAE-----	1032
bovine	HFYNRNFCRGPTTAE-----	1029
mouse	HFYNRNFCRGPTTAE-----	1032
ovine	HFYNRNFCRGPTTAE-----	1029
porcine	HFYNRNFCRGPTTAE-----	1030
horse	HFYNQNFRCGPTMAE-----	1031
human	HFYNRNFCQGPTAE-----	1032
rat	HFYNRNFCRGPTAE-----	1032
	****. *** : ***	

Figure 2





Figure 3



SEQUENCE LISTING

<110> Coley Pharmaceutical GmbH
University of Saskatchewan
Qiagen GmbH

<120> TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

<130> C1041.70040WO00

<150> US 60/412,479

<151> 2002-09-19

<160> 70

<170> PatentIn version 3.1

<210> 1
<211> 1032
<212> PRT
<213> Rattus norvegicus

<400> 1

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln
1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe
20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn
50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn
65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp
85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met
100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu
115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser
130 135 140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala
 145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro
 180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp
 515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe
 545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser
 565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val
 580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly
 595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe

610 615 620
 Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys
 625 630 635 640
 Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu
 645 650 655
 Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser
 660 665 670
 Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn
 675 680 685
 Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu
 690 695 700
 Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala
 705 710 715 720
 Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn
 725 730 735
 Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn
 740 745 750
 Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly
 755 760 765
 Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly
 770 775 780
 Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg
 785 790 795 800
 Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser
 805 810 815
 Arg Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Thr Val
 820 825 830
 Leu Pro Leu Leu Gln His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe
 835 840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Thr Arg Gly Arg Arg Ser
850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp
900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Lys Val Ser
930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
980 985 990

Leu Phe Trp Pro His Gln Pro Asn Gly Gln Gly Ser Phe Trp Ala Gln
995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg
1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu
1025 1030

<210> 2
<211> 821
<212> PRT
<213> Rattus norvegicus

<400> 2

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln
1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn
 50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn
 65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met
 100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser
 130 135 140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala
 145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro
 180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp
 515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe
 545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser
 565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val
 580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly
 595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe
 610 615 620

Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu
 645 650 655

Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser
 660 665 670

Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn
 675 680 685

Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu
 690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala
 705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn

725	730	735
Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn		
740	745	750
Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly		
755	760	765
Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly		
770	775	780
Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg		
785	790	800
Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser		
805	810	815
Arg Asp Cys Phe Gly		
820		

<210> 3
 <211> 3099
 <212> DNA
 <213> Rattus norvegicus

<400> 3
 atggtttctct gtcgcaggac cctgcacccc ttgtctctcc tggtagagc cgcagtgtctg 60
 gctgaggctc tggccctggg taccctgcct gccttcctac cctgtgaact gaagcctcat 120
 ggcttggttag actgcaactg gctcttcctg aagtctgtgc ctactttctc tgccgcagaa 180
 ccccgttcca acatcaccag cctttccttg atcgccaacc gcatccacca cctgcacaac 240
 ctogactttg tccacctgcc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc 300
 cctggcctca gcccttgca cttctcctgc cgcattacca ttgagcccaa aaccttcctg 360
 gctatgcgca tgctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc 420
 ctgcccagct ccctgacgaa tctgagccta agccacacca acatcctggt actcgatgcc 480
 agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgctactac 540
 aagaaccctt gcaacggggc ggtgaacgtg acccggagc ccttctggtg cttgagcaac 600
 ctacccactc tgtcccttaa gtataacaac ctacagagg tgccccgcca actgcccccc 660
 agcctggagt acctcctgct gtcctataac ctcatcgta agctgggggc cgaagaccta 720
 gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac 780

gcccccgacc tctgtacaga atgccggcag aagtcccttg atctgcaccc tcagactttc	840
catcacctga gccaccttga aggcctggtg ctgaaggaca gttctctcca ctcgctgaac	900
tccaagtggg tccagggtct ggcgaaacctc tcggtgctgg acctaaagcga gaactttctc	960
tacgagagca tcaacaaaaac cagcgccctt cagaacctga cccgtctcg caagctcgac	1020
ctgtccttca attactgcaa gaaggatatc ttcgcccgc tccacctggc aagttccttc	1080
aagagcctgg tgtcgctgca ggagctgaac atgaacggca tcttcttccg cttactcaac	1140
aagaacacgc tcagggtggc ggctggtctg cccaagctcc acacgctgca ccttcaaatg	1200
aatttcatca accaggcgca gctcagcgtc tttagtacct tccgagccct tcgctttgtg	1260
gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag	1320
gcagacgagg cggagaaggg ggttccatgg cctgcaagtc tcaccccgag tctcccgagc	1380
actcccgctc caaagaactt catggctcagg tgtaagaacc tcagattcac catggacctg	1440
tctcggaaca accagggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag	1500
tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccg	1560
ctgaccaacc tgaagggtgct ggacctgtcc tataacaagc tggacctgta ccattcgaaa	1620
tcgttcagt agctcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc	1680
agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac	1740
cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca	1800
gtggagtatc tggacttcag cggcaacggg gtgggcccga tgtgggacga ggaggacctt	1860
tacctctatt tcttccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag	1920
ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt	1980
ttcogtgaca atcacctctc tttctttaac tggagcagtc tggccttctc gcccaatctg	2040
cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaata	2100
ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc	2160
ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact	2220
gtggatcgct cctgggtttg gcccatgtg atgaacctga cggttctaga cgtgagcagc	2280
aaccctctgc attgtgcctg cgggtgcaccc tttgtagact tactgctgga agtgcagacc	2340
aagggtgcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc	2400
agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt	2460
ggcctttcac tcctggctgt ggccgtgggc acggtgttgc ctttactgca gcattctctgc	2520
ggctgggacg tctgggtactg tttccatctg tgctggcat ggctacctt gctgaccctg	2580

ggccggcgca gcgccaagc tctcccttat gatgccttcg tgggtgttcga taaggcgag 2640
 agcgcggttg ctgactgggt gtataacgag cttcgagtgc ggctagagga gcggcgcggt 2700
 cgccgagccc tacgcttggt tctggaggac cgagattggc tgcctggcca gacactcttc 2760
 gagaacctct gggcctccat ctatggcagc cgcaagactc tgtttgtgct ggccacacg 2820
 gacaaggta gtggcctcct gcgcaccagc ttctgctgg ctcagcagcg cctgctggag 2880
 gaccgcaagg acgtgggtgt gttgggtgat ctgcgcctg atgcccaccg ctcccgtac 2940
 gtgcgactgc gccagcgct ctgccgccag agtgtgtct tctggcccca tcagcccaac 3000
 gggcagggca gcttctgggc ccagctgagt acagccctga ctagggacaa ccaccacttc 3060
 tataaccgga acttctgccg gggacctaca gcagaatag 3099

<210> 4

<211> 2463

<212> DNA

<213> Rattus norvegicus

<400> 4

atggttctct gtgcaggac cctgcacccc ttgtctctcc tggtagaggc cgcagtgtgt 60
 gctgaggctc tggccctggg taccctgcct gccttcctac cctgtgaact gaagcctcat 120
 ggctggtag actgcaactg gctcttcttg aagtctgtgc ctcaactctc tgccgcagaa 180
 ccccgttcca acatcaccag cctttccttg atcgccaacc gcatccacca cctgcacaac 240
 ctgactttg tccacctgcc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc 300
 cctggcctca gcccttgca cttctcctgc cgcattacca ttgagccaa aaccttctg 360
 gctatgcgca tgctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc 420
 ctgccagct ccctgacgaa tctgagccta agccacacca acatcctggg actcgatgcc 480
 agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgctactac 540
 aagaaccctt gcaacggggc ggtgaacgtg acccgggacg ccttctctggg cttgagcaac 600
 ctacccact tgtcccttaa gtataacaac ctacagagg tgccccgcca actgcccccc 660
 agcctggagt acctcctgct gtctataac ctcatcgta agctgggggc cgaagacct 720
 gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgacac 780
 gccccgacc tctgtacaga atgcccgcag aagtccttg atctgcacc tcagactttc 840
 catcacctga gccacctga aggctgggt ctgaaggaca gttctctcca ctgctgaac 900
 tccaagtgtg tccaggtctt ggcgaacctc tcggtgctgg acctaaagca gaactttctc 960
 tacgagagca tcaacaaaac cagcgccttt cagaacctga cccgtctgcg caagctcgac 1020

```

ctgtccttca attactgcaa gaaggtatcg ttcgcccgcc tccacctggc aagttccttc 1080
aagagcctgg tgtcgtcgca ggagctgaac atgaacggca tcttcttccg cttactcaac 1140
aagaacacgc tcaggtggct ggctgggtctg cccaagctcc acacgctgca ccttcaaagt 1200
aatttcatca accaggcgca gctcagcgtc tttagtacct tccgagccct tcgctttgtg 1260
gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320
gcagacgagg cggagaaggg ggttccatgg cctgcaagtc tcaccccagc tctcccagac 1380
actcccgctc caaagaactt catggtcagg tgtaagaacc tcagattcac catggacctg 1440
tctcggaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag 1500
tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccg 1560
ctgaccaacc tgaaggtgct ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620
tcgttcagtg agtcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680
agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740
cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca 1800
gtggagtatc tggacttcag cggcaacggt gtgggcccga tgtgggacga ggaggacctt 1860
tacctctatt tcttccaaga cctgagaagc ctgattcacc tggacctgtc tcagaataag 1920
ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980
ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttcct gcccaatctg 2040
cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt 2100
ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160
ttctttgtct tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220
gtggatcgct cctggtttgg gccatttgtg atgaacctga cggttctaga cgtgagcagc 2280
aaccctctgc attgtgcctg cgggtgcacc tttgtagact tactgctgga agtgcagacc 2340
aaggtgcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400
agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt 2460
ggc 2463

```

```

<210> 5
<211> 1030
<212> PRT
<213> Sus scrofa
<400> 5

```

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val
 1 5 10 15
 Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu
 20 25 30
 Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe
 35 40 45
 Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val
 50 55 60
 Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser
 65 70 75 80
 Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn
 85 90 95
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr
 100 105 110
 Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn
 115 120 125
 Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu
 130 135 140
 Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr
 145 150 155 160
 His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn
 165 170 175
 Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly
 180 185 190
 Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn
 195 200 205
 Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu
 210 215 220
 Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe

705		710		715		720
Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu						
		725		730		735
Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys						
		740		745		750
Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr						
		755		760		765
Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro						
		770		775		780
Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile						
		785		790		795
Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn						
		805		810		815
Cys Phe Gly Ile Ser Leu Leu Ala Met Ala Leu Gly Leu Val Val Pro						
		820		825		830
Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu						
		835		840		845
Cys Leu Ala Trp Leu Pro His Arg Gly Gln Arg Arg Gly Ala Asp Ala						
		850		855		860
Leu Phe Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val						
		865		870		875
Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg						
		885		890		895
Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro						
		900		905		910
Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg						
		915		920		925
Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu Leu						
		930		935		940

Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys
 945 950 955 960

Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala Tyr Arg Ser Arg
 965 970 975

Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp
 980 985 990

Pro His Gln Pro Arg Gly Gln Gly Ser Phe Trp Ala Gln Leu Gly Thr
 995 1000 1005

Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg Asn Phe Cys
 1010 1015 1020

Arg Gly Pro Thr Thr Ala Glu
 1025 1030

<210> 6
 <211> 819
 <212> PRT
 <213> Sus scrofa

<400> 6

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val
 1 5 10 15

Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val
 50 55 60

Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser
 65 70 75 80

Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn
 115 120 125

Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr
 145 150 155 160

His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn
 195 200 205

Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe
 705 710 715 720

Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu
 725 730 735

Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys
 740 745 750

Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr
 755 760 765

Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro
 770 775 780

Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile
 785 790 795 800

Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn
 805 810 815

Cys Phe Gly

<210> 7
 <211> 3352
 <212> DNA
 <213> Sus scrofa

<400> 7
 gagcacgaac atccttcact gtagctgctg cccggctctgc cagccagacc ctttgagaaa 60
 gaccccaactc cctgtcatgg gcccccgctg caccctgcac cccctttctc tcctggtgca 120
 ggtgacagcg ctggctgcgg ctctggcca gggcaggctg cctgccttcc tgccctgtga 180
 gctccagccc cacggcctgg tgaactgcaa ctggctcttc ctgaagtccg tgccccactt 240
 ctcggcggca gcgccccggg ccaacgtcac cagcctctcc ttactctcca accgcatcca 300
 ccacctgcac gactccgact tcgtccacct gtccagccta cgaactctca acctcaagtg 360
 gaactgcccg cgggctggcc tcagccccat gcacttcccc tgccacatga ccatcgagcc 420
 caacaccttc ctggcctgct ccacctgga ggagctgaac ctgagctaca acagcatcac 480
 gaccgtgcct gccctgcccg actccctcgt gtccctgtcg ctgagccgca ccaacatcct 540
 ggtgctagac cccaccacc tcactggcct acatgccctg cgctacctgt acatggatgg 600
 caactgctac tacaagaacc cctgccaggg ggcgctggag gtggtgccgg gtgccctcct 660
 cggcctgggc aacctcacac atctctcact caagtacaac aatctcacgg aggtgccccg 720
 cagcctgccc cccagcctgg agaccctgct gttgtcctac aaccacattg tcacctgac 780
 gcctgaggac ctggccaatc tgactgccct gcgcgtgctt gatgtggggg ggaactgccg 840
 ccgctgtgac catgcccgca accctgcag ggagtgccca aaggaccacc ccaagctgca 900
 ctctgacacc ttcagccacc tgagccgct cgaaggcctg gtgttgaaag acagtctctt 960
 ctacaacctg gacaccaggt ggttcgagg cctggacagg ctccaagtgc tggacctgag 1020
 tgagaacttc ctctacgact gcataccaa gaccacggcc ttccagggcc tggcccgact 1080
 gcgcagcctc aacctgtcct tcaattacca caagaagggt tcctttgcc accctgcacct 1140
 ggcaccctcc tttgggcacc tccggtccct gaaggagctg gacatgcatg gcatcttctt 1200
 ccgctcgctc agtgagacca cgctccaacc tctggtccaa ctgcctatgc tccagaccct 1260
 gcgcctgcag atgaacttca ttaaccaggc ccagctcagc atctttgggg ccttccctgg 1320
 cctgctgtac gtggacctat cggacaaccg catcagcgga gctgcaaggc cagtggccat 1380
 tactagggag gtggatggta gggagagggt ctggctgcct tccaggaacc tcgctccacg 1440
 tccactggac actctccgct cagaggactt catgccaaac tgcaaggcct tcagcttcac 1500

cttggacctg tctcggaaca acctggtgac aatccagtcg gagatgtttg ctgcctctc 1560
 acgcctcgag tgcctgcgcc tgagccacaa cagcatctcc caggcggtea atggctctca 1620
 gtttgtgccc ctgaccagcc tgcgggtgct ggacctgtcc cacaacaagc tggacctgta 1680
 tcacggggcg tgcgtcacgg agctgccgag cctggaagca ctggacctca gctacaatag 1740
 ccagcccttt accatgcagg gtgtgggcca caacctcagc ttcgtggccc agctgcccgc 1800
 cctgcgctac ctacgcctgg cgcacaatga catccatagc cgagtgtccc agcagctctg 1860
 tagcgctca ctgtgcgcc tggacttttag cggcaacgat ctgagccgga tgtgggctga 1920
 gggagacctc tatctccgct tcttccaagg cctaagaagc ctagtctggc tggacctgtc 1980
 ccagaaccac ctgcacaccc tcttgccagc tgccctggac aacctccca aaagcctgaa 2040
 gcatctgcat ctccgtgaca ataacctggc cttcttcaac tggagcagcc tgaccctcct 2100
 gcccaagctg gaaaccttg acttggtgg aaaccagctg aaggccctaa gcaatggcag 2160
 cctgccatct ggcacccagc tgcggaggct ggacctcagt ggcaacagca tcggctttgt 2220
 gaacctggc tcttttgccc tggccaagca gttagaagag ctcaacctca gcgccaatgc 2280
 cctcaagaca gtggagccct cctggtttg ctgatggtg ggcaacctga aagtcctaga 2340
 cgtgagcgcc aacctctgc actgtgcctg tggggcgacc ttcgtgggct tctgtctgga 2400
 ggtacaggct gccgtgcctg gggtgcccag ccgcgtcaag tgtggcagtc cggggcagct 2460
 ccagggccat agcatctttg cgcaagacct gcgcctctgc ctggatgaga cctctctgtg 2520
 gaactgtttt ggcatctgc tgcgtggccat ggccctgggc ctggttgtgc ccatgctgca 2580
 ccacctctgc ggctgggacc tctggtagct cttcacctg tgcctggcct ggctgcccc 2640
 ccgagggcag cggcggggcg cagacgcct gttctatgat gccttcgtgg tctttgacaa 2700
 agctcagagt gctgtggccg actgggtgta caacgagctg cgggtgcagc tggaggagcg 2760
 ccgtggggcg cgcgcactgc gcctgtgcct ggaggagcga gactggttac ctggcaagac 2820
 gctcttcgag aacctgtggg cctcagtcta cagcagcgc aagaccctgt ttgtgctggc 2880
 ccacacggac cgtgtcagcg gcctcttgcg tgccagttc ctgctggccc agcagcgct 2940
 gctggaggac cgcaaggacg ttgtagtgct ggtgatcctg cggcccgatg cctaccgctc 3000
 ccgtacgtg cggctgcgcc agcgctctg ccgcagagt gtccctcctt ggccccacca 3060
 gcccgtggg cagggcagct tctgggcca gctgggcaca gccctgacca gggacaacca 3120
 ccacttctat aaccggaact tctgccggg cccacgaca gccgaatagc actgagtgc 3180
 agccagttg cccagcccc cctggatttg cctctctgcc tggggtgccc caacctgctt 3240
 tgctcagcca caccactgct ctgctccctg tccccaccc cccccccag cctggcatgt 3300

aacatgtgcc caataaatgc taccggaggg ccaagaaaaa aaaaaaaaaa aa 3352

<210> 8
 <211> 2457
 <212> DNA
 <213> Sus scrofa

<400> 8
 atggggcccc gctgcaccct gcaccccctt tctctcctgg tgcaggtgac agcgtggct 60
 gcggctctgg cccagggcag gctgcctgcc ttcttgccct gtgagctcca gccccacggc 120
 ctggtgaact gcaactggct cttcctgaag tccgtgcccc acttctcggc ggcagcggcc 180
 cgggccaacg tcaccagcct ctcttactc tccaaccgca tccaccacct gcacgactcc 240
 gacttcgtcc acctgtccag cctacgaact ctcaacctca agtggaactg cccgcggct 300
 ggctcagcc ccattgcactt cccctgccac atgaccatcg agcccaacac cttcctggcc 360
 gtgcccaccc tggaggagct gaacctgagc tacaacagca tcacgaccgt gcctgcccctg 420
 cccgactccc tcgtgtccct gtctgtgagc cgcaccaaca tcctggtgct agaccccacc 480
 cacctcactg gcctacatgc cctgcgtac ctgtacatgg atggcaactg ctactacaag 540
 aacccctgcc agggggcgct ggagggtggtg ccgggtgccc tcctcggcct gggcaacctc 600
 acacatctct cactcaagta caacaatctc acggagggtgc cccgcagcct gccccccagc 660
 ctggagaccc tgctgttgtc ctacaaccac attgtcacc tgacgcctga ggacctggcc 720
 aatctgactg ccctgcgcgt gcttgatgtg ggggggaact gccgccgctg tgaccatgcc 780
 cgcaaccctt gcagggagtg cccaaaggac caccccaagc tgcactctga caccttcagc 840
 cacctgagcc gcctcgaagg cctggtgttg aaagacagtt ctctctacaa cctggacacc 900
 aggtggttcc gaggcctgga caggtccaa gtgctggacc tgagtgagaa cttcctctac 960
 gactgcatca ccaagaccac ggcttccag ggcttggccc gactgcgcag cctcaacctg 1020
 tccttcaatt accacaagaa ggtgtccttt gccacactgc acctggcacc ctcctttggg 1080
 cacctccggt ccctgaagga gctggacatg catggcatct tcttcgctc gctcagtga 1140
 accagctcc aacctctggt ccaactgcct atgtccaga ccctgcgcct gcagatgaac 1200
 ttcattaacc aggccagct cagcatcttt ggggccttcc ctggcctgct gtacgtggac 1260
 ctatcggaca accgcatcag cggagctgca aggccagtgg ccattactag ggaggtggat 1320
 ggtagggaga gggctctggct gccttccagg aacctcgtc cacgtccact ggacactctc 1380
 cgctcagagg acttcatgcc aaactgcaag gccttcagct tcaccttga cctgtctcgg 1440
 aacaacctgg tgacaatcca gtcggagatg tttgctcgc tctcagcct cgagtgcctg 1500

cgccctgagcc acaacagcat ctcccaggcg gtcaatggct ctcagtttgt gccgctgacc 1560
 agcctgcggg tgctggacct gtcccacaac aagctggacc tgtatcacgg gcgctcgttc 1620
 acggagctgc cgcgcctgga agcactggac ctcagetaca atagccagcc ctttaccatg 1680
 caggggtgtgg gccacaacct cagcttcgtg gcccagetgc ccgccctgcg ctacctcagc 1740
 ctggcgacaca atgacatcca tagccgagtg tcccagcagc tctgtagcgc ctactgtgc 1800
 gccctggact ttagcggcaa cgatctgagc cggatgtggg ctgagggaga cctctatctc 1860
 cgcttcttcc aaggcctaag aagcctagtc tggtgggacc tgtcccagaa ccacctgcac 1920
 accctcctgc cacgtgccct ggacaacctc cccaaaagcc tgaagcatct gcatctccgt 1980
 gacaataacc tggccttctt caactggagc agcctgacct tcctgcccac gctggaaacc 2040
 ctggacttgg ctggaaacca gctgaaggcc ctaagcaatg gcagcctgcc atctggcacc 2100
 cagctgcgga ggctggacct cagtggaac agcatcggct ttgtgaacct tggcttcttt 2160
 gccctggcca agcagttaga agagctcaac ctcaagcga atgccctcaa gacagtggag 2220
 ccctcctggt ttggctcgat ggtgggcaac ctgaaagtcc tagacgtgag cgccaaccct 2280
 ctgcactgtg cctgtggggc gaccttcgtg ggcttctgc tggaggtaca ggctgccgtg 2340
 cctgggctgc ccagccgct caagtgtggc agtccggggc agctccaggg ccatagcatc 2400
 tttgcgcaag acctgcgct ctgcctggat gagaccctct cgtggaactg ttttggc 2457

<210> 9
 <211> 1029
 <212> PRT
 <213> Bos taurus

<400> 9

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn
115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu
130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr
145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn
165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly
180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn
195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu
210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala
225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg
245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro
260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu
275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg
290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr

305 310 315 320
 Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg
 325 330 335
 Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His
 340 345 350
 Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu
 355 360 365
 Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln
 370 375 380
 Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn
 385 390 395 400
 Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu
 405 410 415
 Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro
 420 425 430
 Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu
 435 440 445
 Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp
 450 455 460
 Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn
 465 470 475 480
 Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu
 485 490 495
 Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly
 500 505 510
 Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His
 515 520 525
 Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe
 785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys
 805 810 815

Phe Gly Leu Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met
 820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys
 835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu
 850 855 860

Leu Tyr Asp Ala Val Val Val Phe Asp Lys Val Gln Ser Ala Val Ala
 865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly
 885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly
 900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys
 915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg
 930 935 940

Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp
 945 950 955 960

Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr
 965 970 975

Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro
 980 985 990

His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Ile Ala
 995 1000 1005

Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg
 1010 1015 1020

Gly Pro Thr Thr Ala Glu
1025

<210> 10

<211> 818

<212> PRT

<213> Bos taurus

<400> 10

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala
1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu
20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe
35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val
50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser
65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn
115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu
130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr
145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn
165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly
180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr
 305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg
 325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His
 340 345 350

Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln
 370 375 380

Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro

420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu		
435	440	445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp		
450	455	460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn		
465	470	475
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu		
485	490	495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly		
500	505	510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His		
515	520	525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln		
530	535	540
Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln		
545	550	555
Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg		
565	570	575
Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys		
580	585	590
Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu		
595	600	605
Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly		
610	615	620
Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr		
625	630	635
Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu		
645	650	655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe
 785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys
 805 810 815

Phe Gly

<210> 11

<211> 3191

<212> DNA

<213> Bos taurus

<400> 11

gggaagtggg cgccaagcat ccttcctgc agctgcctcc caacctgccc gccagaccct 60

ctggagaagc cgcattccct gtcattggcc cctactgtgc cccgcacccc ctttctctcc 120

tgggtgcaggc ggcggcactg gcagcggccc tggccgaggg caccctgcct gccttctctg 180

cctgtgagct ccagcccat ggtcaggtgg actgcaactg gctgttctctg aagtctgtgc 240

cgcacttttc ggctggagcc ccccgggcca atgtcaccag cctctcctta atctccaacc 300

gcatccacca	cttgcacgac	tctgacttcg	tccacctgtc	caacctgcgg	gtcctcaacc	360
tcaagtggaa	ctgcccgcgg	gccggcctca	gccccatgca	cttcccctgc	cgtatgacca	420
tcgagcccaa	caccttcctg	gctgtgcccc	ccctggagga	gctgaacctg	agctacaacg	480
gcatcacgac	cgtgcctgcc	ctgcccagtt	ccctcgtgtc	cctgtcgctg	agccacacca	540
gcatcctggg	gctaggcccc	accacttca	ccggcctgca	cgcctgcgc	tttctgtaca	600
tggacggcaa	ctgctactac	atgaaccctt	gcccgcgggc	cctggagggtg	gccccaggcg	660
ccctcctcgg	cctgggcaac	ctcacgcacc	tgtcgctcaa	gtacaacaac	ctcacggagg	720
tgccccgcgg	cctgcccccc	agcctggaca	ccctgctgct	gtcctacaac	cacattgtca	780
ccctggcacc	caggagacctg	gccaacctga	ctgccctgcg	cgtgcttgac	gtgggtggga	840
actgccgcgg	ctgcgaccat	gcccgcgaac	cctgcaggga	gtgcccgaag	aacttcccca	900
agctgcaccc	tgacaccttc	agtcacctga	gccgcctcga	aggcctgggtg	ttgaaggaca	960
gttctctcta	caaactagag	aaagattggg	tccgcggcct	gggcaggctc	caagtgtcgt	1020
acctgagtga	gaacttcctc	tatgactaca	tcaccaagac	caccatcttc	aacgacctga	1080
cccagctgcg	cagactcaac	ctgtccttca	attaccacaa	gaagggtgtcc	ttcgcccacc	1140
tgcacctage	gtcctccttt	gggagtctgg	tgtccctgga	gaagctggac	atgcacggca	1200
tcttcttcgg	ctccctcacc	aacatcacgc	tccagtcgct	gaccgggctg	cccaagctcc	1260
agagtctgca	tctgcagctg	aacttcatca	accaggccca	gtcagcatc	tttggggcct	1320
tcccagacct	gctcttcgtg	gacctgtcgg	acaaccgcat	cagcggagcc	gcgacgccag	1380
cggccgcctt	gggggagggtg	gacagcaggg	tggaagtctg	gcgattgccc	aggggcctcg	1440
ctccaggccc	gctggacgcc	gtcagctcaa	aggacttcat	gccaagctgc	aacctcaact	1500
tcaccttgga	cctgtcacgg	aacaacctgg	tgacaatcca	gcaagagatg	tttaccgcgc	1560
tctccgcctt	ccagtgcctg	cgcctgagcc	acaacagcat	ctcgcaggcg	gttaatggct	1620
cccagttcgt	gccgctgacc	agcctgcgag	tgtcgcacct	gtcccacaac	aagctggacc	1680
tgtaccatgg	gcgctcattc	acggagctgc	cgcagctgga	ggcaactggac	ctcagctaca	1740
acagccagcc	cttcagcatg	cagggcgtgg	gccacaacct	cagcttcgtg	gccagctgc	1800
cctccctgcg	ctacctcagc	cttgccgaca	atggcatcca	cagccgcgtg	tcacagaagc	1860
tcagcagcgc	ctcgttgccg	gccctggact	tcagcggcaa	ctccctgagc	cagatgtggg	1920
ccgagggaga	cctctatctc	tgttttttca	aaggcttgag	gaacctggtc	cagctggacc	1980
tgtccgagaa	ccatctgcac	accctcctgc	ctcgtcacct	ggacaacctg	cccaagagcc	2040

tgcggcagct gcgtctccgg gacaataacc tggccttctt caactggagc agcctgaccg 2100
 tcctgccccg gctggaagcc ctggatctgg caggaaacca gctgaaggcc ctgagcaacg 2160
 gcagcctgcc gcctggcatc cggctccaga agctggacgt gagcagcaac agcatcggct 2220
 tcgtgatccc cggcttcttc gtccgcgcga ctccggctgat agagcttaac ctccagcgcca 2280
 atgccctgaa gacagtggat ccctcctggg tccggttcctt agcagggacc ctgaaaatcc 2340
 tagacgtgag cgccaacccg ctccactgcg cctgcggggc ggcctttgtg gacttcctgc 2400
 tggagagaca ggaggccgtg cccgggctgt ccaggcgcgt cacatgtggc agtccggggc 2460
 agctccaggg ccgcagcatc ttcacacagg acctgcgcct ctgcctggat gagaccctct 2520
 ccttggaactg ctttggcctc tcaactgctaa tggtagcgct gggcctggca gtgcccattgc 2580
 tgcaccacct ctgtggctgg gacctctggg actgcttcca cctgtgtctg gcccatattgc 2640
 cccgacggcg gcggcagcgg ggcgaggaca cctgtctcta tgatgccgtc gtgggtcttcg 2700
 acaagggtgca gagtgcagtg gctgattggg tgtacaacga gctccgcgtg cagctggagg 2760
 agcgcggggg gcgcggggcg ctccgcctct gcctggagga gcgagactgg ctccctggta 2820
 agacgctctt cgagaacctg tgggcctcgg tctacagcag ccgcaagacc atgttcgtgc 2880
 tggaccacac ggaccggggtc agcggcctcc tgcgcgccag ctctctgctg gccagcagc 2940
 gcctgttga ggaccgcaag gacgtcgtag tgctgggtgat cctgcgcccc gccgcctatc 3000
 ggtcccgtc cgtgcggctg cgcagcgcc tctgcccga gagcgtcctc ctctggcccc 3060
 accagcccag tggccagggt agtttctggg ccaacctggg catagccctg accagggaca 3120
 accgtcactt ctataaccgg aacttctgcc ggggccccac gacagccgaa tagcacagag 3180
 tgactgccc g 3191

<210> 12

<211> 2454

<212> DNA

<213> Bos taurus

<400> 12

atgggccctt actgtgcccc gcacccctt tctctcctgg tgcaggcggc ggcaactggca 60
 gcggccctgg ccgagggcac cctgcctgcc ttcttgccct gtgagctcca gcccattggt 120
 cagggtggact gcaactggct gttcctgaag tctgtgccg acttttcggc tggagcccc 180
 cgggccaatg tcaccagcct ctcttaatc tccaaccga tcaccactt gcatgactct 240
 gacttcgtcc acctgtccaa cctgcggggt ctcaacctca agtggaactg cccgcgggcc 300
 ggcctcagcc ccatgcactt cccctgccgt atgaccatcg agcccaacac ctctcctggct 360

gtgcccaccc	tggaggagct	gaacctgagc	tacaacggca	tcacgaccgt	gcctgccctg	420
cccagttccc	tcgtgtccct	gtcgctgagc	cacaccagca	tcctggtgct	aggccccacc	480
cacttcaccg	gcctgcacgc	cctgcgcttt	ctgtacatgg	acggcaactg	ctactacatg	540
aacctctgcc	cgcgggccct	ggaggtggcc	ccaggcgccc	tcctcggcct	gggcaacctc	600
acgcacctgt	cgctcaagta	caacaacctc	acggaggtgc	cccgcgcct	gccccccagc	660
ctggacaccc	tgctgtgtgc	ctacaaccac	attgtcacc	tggcaccgga	ggacctggcc	720
aacctgactg	ccctgcgcgt	gcttgacgtg	ggtgggaact	gccgcgcgtg	cgaccatgcc	780
cgcaaccct	gcagggagtg	cccaaagaac	ttccccaagc	tgcaccctga	caccttcagt	840
cacctgagcc	gcctcgaagg	cctggtgttg	aaggacagtt	ctctctacaa	actagagaaa	900
gattggttcc	gcggcctggg	caggctccaa	gtgctcgacc	tgagtgagaa	cttcctctat	960
gactacatca	ccaagaccac	catcttcaac	gacctgaccc	agctgcgcag	actcaacctg	1020
tccttcaatt	accacaagaa	ggtgtccttc	gcccacctgc	acctagcgtc	ctcctttggg	1080
agtctggtgt	ccctggagaa	gctggacatg	cacggcatct	tcttcgcctc	cctcaccaac	1140
atcacgctcc	agtcgctgac	ccggctgccc	aagctccaga	gtctgcatct	gcagctgaac	1200
ttcatcaacc	aggcccagct	cagcatcttt	ggggccttcc	cgagcctgct	cttcgtggac	1260
ctgtcggaca	accgcatcag	cggagccgcg	acgccagcgg	ccgccctggg	ggaggtggac	1320
agcaggggtg	aagtctggcg	attgcccagg	ggcctcgctc	caggcccgcct	ggacgcgcgc	1380
agctcaaagg	acttcatgcc	aagctgcaac	ctcaacttca	ccttggaacct	gtcacggaac	1440
aacctggtga	caatccagca	agagatgttt	accgcctct	ccgcctcca	gtgcctgcgc	1500
ctgagccaca	acagcatctc	gcaggcggtt	aatggctccc	agttcgtgcc	gctgaccagc	1560
ctgcgagtgc	tcgacctgtc	ccacaacaag	ctggacctgt	accatgggcg	ctcattcacg	1620
gagctgccgc	agctggaggg	actggacctc	agctacaaca	gccagccctt	cagcatgcag	1680
ggcgtggggc	acaacctcag	cttcgtggcc	cagctgccct	ccctgcgcta	cctcagcctt	1740
gcgcacaatg	gcatccacag	ccgcgtgtca	cagaagctca	gcagcgccct	gttgcgcgcc	1800
ctggacttca	gcggcaactc	cctgagccag	atgtggggcg	aggagacct	ctatctctgc	1860
tttttcaaag	gcttgaggaa	cctggtccag	ctggacctgt	ccgagaacca	tctgcacacc	1920
ctcctgcctc	gtcacctgga	caacctgccc	aagagcctgc	ggcagctgcg	tctccgggac	1980
aataacctgg	ccttcttcaa	ctggagcagc	ctgaccgtcc	tgccccggct	ggaagccctg	2040
gatctggcag	gaaaccagct	gaaggccctg	agcaacggca	gcctgccgcc	tggcatccgg	2100
ctccagaagc	tggacgtgag	cagcaacagc	atcggcttcg	tgatccccgg	cttcttcgtc	2160

cgcgcgactc ggctgataga gcttaacctc agcgccaatg ccctgaagac agtggatccc 2220
 tcctggttcg gttccttagc agggacctg aaaatcctag acgtgagcgc caaccgctc 2280
 cactgcgect gcggggcggc ctttgtggac ttctgtctgg agagacagga ggccgtgccc 2340
 gggctgtcca ggcgcgtcac atgtggcagt ccgggccagc tccagggccg cagcatcttc 2400
 acacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 13
 <211> 1031
 <212> PRT
 <213> Equus caballus

<400> 13

Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn
 50 55 60

Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp
 65 70 75 80

Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
 130 135 140

Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro
 145 150 155 160

Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe
 260 265 270

Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly
 405 410 415
 Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu
 420 425 430
 Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu
 435 440 445
 Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu
 450 455 460
 Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser
 465 470 475 480
 Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser
 485 490 495
 Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val
 500 505 510
 Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu
 515 520 525
 Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu
 530 535 540
 Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser
 545 550 555 560
 Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr
 565 570 575
 Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser
 580 585 590
 Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn
 595 600 605
 Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe
 610 615 620
 Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln
 645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser
 660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln
 690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
 725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu
 740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala
 755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp
 805 810 815

Asp Cys Phe Gly Leu Ser Leu Leu Val Val Ala Leu Gly Leu Ala Met
 820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His
 835 840 845

Leu Gly Leu Ala Trp Leu Pro Arg Arg Gly Trp Gln Arg Gly Ala Asp
 850 855 860

Ala Leu Ser Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala

865 870 875 880
 Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg
 885 890 895
 Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu
 900 905 910
 Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser
 915 920 925
 Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Gln Val Ser Gly Leu
 930 935 940
 Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg
 945 950 955 960
 Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Ala Arg Arg Ser
 965 970 975
 Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Phe
 980 985 990
 Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly
 995 1000 1005
 Met Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln Asn Phe
 1010 1015 1020
 Cys Arg Gly Pro Thr Met Ala Glu
 1025 1030

 <210> 14
 <211> 820
 <212> PRT
 <213> Equus caballus

 <400> 14

 Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

 Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe
 20 25 30

 Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu

35 40 45
 Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn
 50 55 60
 Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp
 65 70 75 80
 Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp
 85 90 95
 Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met
 100 105 110
 Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
 115 120 125
 Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
 130 135 140
 Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro
 145 150 155 160
 Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly
 165 170 175
 Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro
 180 185 190
 Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205
 Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr
 210 215 220
 Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu
 225 230 235 240
 Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255
 Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe
 260 265 270

Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly
 275 280 285
 Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe
 290 295 300
 Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320
 Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu
 325 330 335
 Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350
 His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu
 355 360 365
 Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu
 370 375 380
 Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met
 385 390 395 400
 Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly
 405 410 415
 Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu
 420 425 430
 Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu
 435 440 445
 Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu
 450 455 460
 Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser
 465 470 475 480
 Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser
 485 490 495
 Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser
 545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn
 595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe
 610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln
 645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser
 660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln
 690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
 725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu
 740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala
 755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp
 805 810 815

Asp Cys Phe Gly
 820

<210> 15
 <211> 3391
 <212> DNA
 <213> Equus caballus

<400> 15
 ctctgttctc tgagctgttg ccgctgaag ggactgcgag cacaagcat cctcctctgc 60
 agctgctgcc cagtgtgcca gctggaccct ctggatcatc tcccactccc tgtcatgggc 120
 ccttgccatg gtgccctgca gccctgtct ctctgggtgc aggcggccat gctggccgtg 180
 gctctggccc aaggcaccct gcctcccttc ctgccctgtg agctccagcc ccacggcctg 240
 gtgaactgca actggctggt cctgaagtcc gtgcccact tctcagcagc agcaccctgg 300
 gacaatgtca ccagcctttc cttgctctcc aaccgcatcc accacctcca cgactccgac 360
 tttgccaac tgtccaacct gcagaaactc aacctcaaat ggaactgccc gccagccggc 420
 ctacgcccga tgcacttccc ctgcccatg accatcgagc ccaacacttt cctggctgta 480
 cccaccctgg aggagctgaa cctgagctac aacggcatca cgactgtgcc tgccctgccc 540
 agctccctcg tgtccctgat cctgagccgc accaacatcc tgcagctaga cccaccagc 600
 ctacggggcc tgcattccct gcgttcccta tacatggatg gcaactgcta ctacaagaac 660
 ccctgcgggc gggccctgga ggtggcccca ggcgcctcc ttggcctggg caacctcacc 720
 cacctgtcac tcaagtacaa caacctcaca acggtgcccc gcagcctgcc cctagcctg 780
 gagtacctgc tgttgtccta caaccacatt gtcaccctgg cacctgagga cctggccaat 840
 ctgactgccc tgcgtgtgct cgatgtgggt ggaaactgcc gccgtgtga ccatgcacgc 900
 aaccctgcg tggagtgccc acataaattc cccagctgc actccgacac cttcagccac 960

ctaagccgcc tagaaggcct cgtgttgaag gatagttctc tctaccagct gaaccccaga	1020
tggttccgtg gcctgggcaa cctcacagtg ctcgacctga gtgagaactt cctctacgac	1080
tgcataccca aaaccaaggc attccagggc ctggcccagc tgcgaagact caacttgtcc	1140
ttcaattacc ataagaaggt gtccttcgcc cacctgacgc tggcaccctc cttcgggagc	1200
ctgctctccc tgcaggaact ggacatgcat ggcattctct tccgctcact cagccagaag	1260
acgtccagc cactggcccg cctgcccatg ctccagcgtc tgtatctgca gatgaacttc	1320
atcaaccagg ccagctcgg catcttcaag gacttccttg gtctgcgcta catagacctg	1380
tcagacaacc gcatcagtgg agctgtggag ccggtggcca ccacagggga ggtggatggt	1440
gggaagaagg tctggctgac atccagggac ctactccag gccactgga cccccccagc	1500
tctgaggact tcatgccaaag ctgcaagaac ctacagcttca ccttggaact gtcacggaac	1560
aacctggtaa cagtccagcc agagatgttt gccagctct cgcgcctcca gtgcctgcgc	1620
ctgagccaca acagcatctc gcaggcggtc aatggctcac agttcgtgcc actgaccagc	1680
ctgcagggtgc tggacctgtc ccataacaaa ctggacctgt accatgggag ctcgtttacg	1740
gagctgcgc gactggaggc cctggacctc agctacaaca gccagccctt cagcatgcgg	1800
ggtgtgggccc acaacctcag ctttgtggcc cagctgcccc ccctgcgcta cctcagcctg	1860
gcacacaatg gcatccacag ccgtgtgtcc cagcagctct gcagcacctc gctgtgggccc	1920
ctggacttca gcggcaattc cctgagccag atgtgggctg agggagacct ctatctccgc	1980
ttcttccaag gcctgagaag cctaataccg ctagacctgt cccagaatcg tctgcatacc	2040
ctcctgccat gcaccctggg caacctcccc aagagcttgc agctgctgcg tctccgtaac	2100
aattacctgg ccttcttcaa ttggagcagc ctgacctcc tgcccaacct ggaaacctg	2160
gacctggctg gaaaccagct gaaggctctg agcaatggca gcctgccttc tggcaccag	2220
ctccagaggc tggacgtcag caggaacagc atcatcttcg tggtccttg cttctttgct	2280
ctggccacga ggctgcgaga gctcaacctc agtgccaacg ccctcaggac agaggagccc	2340
tcctggtttg gtttcctagc aggtccctt gaagtcctag atgtgagcgc caacctctg	2400
cactgcgcct gtggggcagc ctttgtggac ttctgctgc aggttcaggc tgccgtgcct	2460
ggtctgccc ggcgcgtcaa gtgtggcagt ccgggcccag tccagggccg cagcatcttc	2520
gcacaagacc tgcgcctctg cctggacaag tcctctcctc gggactgttt tggctctctca	2580
ttgtctggtg tggccctggg cctggccatg cctatgttgc accacctctg cggtgggagc	2640
ctctggtact gcttccacct gggcctggcc tggtgcccc ggcgggggtg gcagcggggc	2700

gcggatgccc tgagctatga tgcctttgtg gtcttcgaca aggcacagag cgcagtggcc 2760
gactgggtgt acaatgaact gcgggtgcgg ctagaggagc gccgtgggcg ccgggcgctc 2820
cgcctgtgtc tggaggagcg tgactggcta cctggcaaga cgctgttcga aaacctgtgg 2880
gcctcagtct acagcagccg caagatgctg tttgtgctgg ccacacgga ccaggtcagt 2940
ggcctcttgc gtgccagctt cctgctggcc cagcagcgtc tgctggagga ccgcaaggac 3000
gttgtggtgc tggtaatcct gagccctgac gcccgccggt cccgttacgt gcggctgcgc 3060
cagcgcctct gccgccagag tgtcctcttc tggccccacc agcctagtgg ccagcgcagc 3120
ttctggggccc agctaggcat ggccctgacc agggacaacc gccacttcta taaccagaac 3180
ttctgccggg gcccgacgat ggctgagtag cacagagtga cagcctggca tgtacaaccc 3240
ccagccctga ccttgccctct ctgcctatga tgcccagtct gcctcactct gtgacgcccc 3300
tgctctgcct ccgccaccct caccctggc atacagcagg cactcaataa atgccactgg 3360
caggccaaac agccaaaaa aaaaaaaaaa a 3391

<210> 16

<211> 2460

<212> DNA

<213> Equus caballus

<400> 16

atgggccctt gccatggtgc cctgcagccc ctgtctctcc tgggtgcagge ggccatgctg 60
gccgtggctc tggcccaagg caccctgcct cccttcctgc cctgtgagct ccagccccac 120
ggcctggtga actgcaactg gctgttcctg aagtccgtgc ccacttctc agcagcagca 180
ccccgggaca atgtcaccag cctttccttg ctctccaacc gcatccacca cctccacgac 240
tccgactttg cccaactgtc caacctgcag aaactcaacc tcaaattggaa ctgcccgcc 300
gccggcctca gccccatgca cttcccctgc cacatgacca tcgagcccaa cactttcctg 360
gctgtacca ccctggagga gctgaacctg agctacaacg gcatcacgac tgtgcctgcc 420
ctgcccagct ccctcggtgc cctgatcctg agccgcacca acatcctgca gctagacccc 480
accagcctca cgggcctgca tgccctgcgc ttctataca tggatggcaa ctgctactac 540
aagaaccctt gcgggggggc cctggagggtg gcccagggc cctccttgg cctgggcaac 600
ctcaccacc tgctactcaa gtacaacaac ctcaaacgg tgccccgag cctgccccct 660
agcctggagt acctgctgtt gtcctacaac cacattgtca ccctggcacc tgaggacctg 720
gccaatctga ctgccctgcg tgtgctcgat gtgggtggaa actgccgccg ctgtgaccat 780
gcacgcaacc cctgcgtgga gtgcccacat aaattcccc agctgcactc cgacaccttc 840

agccacctaa gccgcctaga aggcctcgtg ttgaaggata gttctctcta ccagctgaac 900
 cccagatggg tccgtggcct gggcaacctc acagtgtctg acctgagtga gaacttcctc 960
 tacgactgca tcaccaaaac caaggcattc cagggcctgg cccagctgcg aagactcaac 1020
 ttgtccttca attaccataa gaagggtgtc ttgcgccacc tgacgtggc accctccttc 1080
 gggagcctgc tctccctgca ggaactggac atgcatggca tcttcttccg ctactcagc 1140
 cagaagacgc tccagccact ggcccgctg cccatgctcc agcgtctgta tctgcagatg 1200
 aacttcatca accaggccca gctcggcatc ttcaaggact tccctgggtc gcgtacata 1260
 gacctgtcag acaaccgcat cagtggagct gtggagccgg tggccaccac aggggaggtg 1320
 gatgggtggga agaaggctctg gctgacatcc agggacctca ctccaggccc actggacacc 1380
 cccagctctg aggacttcat gccaaagtgc aagaacctca gcttcacctt ggacctgtca 1440
 cggaacaacc tggtaacagt ccagccagag atgtttgccc agctctcgcg cctccagtgc 1500
 ctgcgcctga gccacaacag catctcgagc gcggtcaatg gctcacagtt cgtgccactg 1560
 accagcctgc aggtgctgga cctgtcccat aacaaactgg acctgtacca tgggcgctcg 1620
 ttacggagc tgccgcgact ggaggccctg gacctcagct acaacagcca gcccttcagc 1680
 atgcggggtg tgggccacaa cctcagcttt gtggcccagc tgcccaccct gcgtacctc 1740
 agcctggcac acaatggcat ccacagccgt gtgtcccagc agctctgcag cacctcgctg 1800
 tgggcctgg acttcagcgg caattccctg agccagatgt gggctgaggg agacctctat 1860
 ctccgcttct tccaaggcct gagaagccta atccggctag acctgtacca gaatcgctctg 1920
 cataccctcc tgccatgcac cctgggcaac ctccccaaga gcttgcagct gctgcgtctc 1980
 cgtaacaatt acctggcctt cttcaattgg agcagcctga cctcctgcc caacctggaa 2040
 acctggacc tggctggaaa ccagctgaag gctctgagca atggcagcct gccttctggc 2100
 acccagctcc agaggctgga cgtcagcagg aacagcatca tcttcgtggg ccctggcttc 2160
 tttgctctgg ccacgaggct gcgagagctc aacctcagtg ccaacgccct caggacagag 2220
 gagccctcct gggttggttt cctagcaggc tcccttgaag tcctagatgt gagcgccaac 2280
 cctctgcact gcgcctgtgg ggcagccttt gtggacttcc tgctgcaggc tcaggctgcc 2340
 gtgcctggtc tgcccagccg cgtcaagtgt ggcagtccgg gccagctcca gggccgcagc 2400
 atcttcgcac aagacctgcg cctctgcctg gacaagtccc tctcctggga ctgttttggg 2460

<210> 17

<211> 1029

<212> PRT

<213> Ovis aries

<400> 17

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu
 20 25 30

Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe
 35 40 45

Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn
 115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr
 145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu
 210 215 220

Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr
 305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg
 325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His
 340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg
 370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn
 385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro
 420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp
 435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp
 450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn
 465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu
 485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly
 500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr
 515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr
 660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val
 705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys
 725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe
 755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe
 785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys
 805 810 815

Phe Gly Phe Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met
 820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys
 835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu
 850 855 860

Leu Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val Ala
 865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly
 885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly
 900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys
 915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg

930 935 940
 Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp
 945 950 955 960
 Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr
 965 970 975
 Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro
 980 985 990
 His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Met Ala
 995 1000 1005
 Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg
 1010 1015 1020
 Gly Pro Thr Thr Ala Glu
 1025
 <210> 18
 <211> 818
 <212> PRT
 <213> Ovis aries
 <400> 18
 Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala
 1 5 10 15
 Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu
 20 25 30
 Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe
 35 40 45
 Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val
 50 55 60
 Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser
 65 70 75 80
 Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn
 85 90 95
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr

100	105	110
Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn		
115	120	125
Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu		
130	135	140
Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr		
145	150	155
His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn		
165	170	175
Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly		
180	185	190
Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn		
195	200	205
Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu		
210	215	220
Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala		
225	230	235
Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg		
245	250	255
Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro		
260	265	270
Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu		
275	280	285
Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg		
290	295	300
Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr		
305	310	315
Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg		
325	330	335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His
 340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg
 370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn
 385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro
 420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp
 435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp
 450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn
 465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu
 485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly
 500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr
 515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr
 660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val
 705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys
 725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe
 755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe
 785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys
 805 810 815

Phe Gly

<210> 19

<211> 3199

<212> DNA

<213> Ovis aries

<400> 19

```

gtcggcacgg gaagtgagcg ccaagcatcc ttccctgcag ctgccgcca acttgcccgc      60
cagaccctct ggagaagccg cattccctgc catgggcccc tactgtgccc cgcaccccct      120
ttctctcctg gtgcaggcgg cggcgtctggc agcagccctg gcccagggca ccctgcctgc      180
cttcctgccc tgtgagctcc agccccgggg taaggatgaac tgcaactggc tgttcctgaa      240
gtctgtgccc cgtttttcgg ccggagcccc ccgggccaat gtcaccagcc tctccttaat      300
ctccaaccgc atccaccact tgcacgactc tgacttcgtc cacctgtcca acctgcgggt      360
cctcaacctc aagtggaact gcccgccggc cggcctcagc cccatgcact tcccctgccg      420
catgaccatc gagcccaaca ccttcctggc tgtgcccacc ctggaggagc tgaacctgag      480
ctacaatggc atcacgaccg tgcttgccct gccagttct ctcgatccc tgcgtctgag      540
ccgcaccagc atcctggtgc taggccccac ccacttcacc ggcctgcacg ccctgcgctt      600
tctgtacatg gacggcaact gctactataa gaaccctgc cagcaggccg tggaggtggc      660
cccaggcgcc ctcttgggc tgggcaacct cagcacctg tcgctcaagt acaacaacct      720
cacggaggtg ccccgccgcc tgccccccag cctggacacc ctgctgctgt cctacaacca      780
catcatcacc ctggcaccgg aggacctggc caatctgact gccctgcgtg tgcttgatgt      840
gggcggggaa tgccgcccgt gcgaccacgc ccgcaacccc tgcagggagt gcccagaaga      900
cttccccaag ctgcacctg acaccttcag ccacctgagc cgcctcgaag gcctggtgtt      960
gaaggacagt tctctctaca aactagagaa agactggttc cgcggcctgg gcaggctcca     1020
agtgtctgac ctgagtgaga acttcctcta tgactacatc accaagacca ccatcttcag     1080
gaacctgacc cagctgcgca gactcaacct gtccttcaat taccacaaga aggtgtcctt     1140
cgccacctg caactggcac cctcctttgg gggcctggtg tccctggaga agctggacat     1200
gcacggcatc ttcttcgct ccctcaccaa caccacgctc cggccgctga ccagctgcc     1260
caagctccag agtctgagtc tgcagctgaa cttcatcaac caggccgagc tcagcatctt     1320
tggggccttc ccgagcctgc tcttcgtgga cctgtcggac aaccgcatca gcggagctgc     1380
gaggccggtg gccgccctcg gggaggtgga cagcggggtg gaagtctggc ggtggcccag     1440

```

gggcctcgct ccaggccccg tggccgccgt cagcgcaaag gacttcatgc caagctgcaa 1500
 cctcaacttc accttgacc tgtcacggaa caacctggtg acgatccagc aggagatggt 1560
 tacccgcctc tcccgccctc agtgcctgcg cctgagccac aacagcatct cgcaggcggt 1620
 taatggctcg cagttcgtgc cgctgacccg cctgcgagtg ctcgacctgt cctacaacaa 1680
 gctggacctg taccatgggc gctcgttcac ggagctgccg cagctggagg cactggacct 1740
 cagctacaac agccagccct tcagcatgca gggcgtaggg cacaacctca gcttcgtggc 1800
 ccagctgccg tccctgcgct acctcagcct tgcgcacaac ggcatccaca gccgcgtgtc 1860
 acagaagctc agcagcgccct cgctgcgcgc cctggacttc agcggcaact ccctgagcca 1920
 gatgtgggccc gagggagacc tctatctctg cttcttcaaa ggcttgagga acctgggtcca 1980
 gctggacctg tccaagaacc acctgcacac cctcctgcct cgtcacctgg ataacctgcc 2040
 caagagcctg cggcagctgc gtctccggga caataacctg gccttcttca actggagcag 2100
 cctgactggt ctgccccagc tggaagccct ggatctggcg ggaaaccagc tgaaggccct 2160
 gagcaacggc agcctgccac ctggcacccg gctccagaag ctggacgtga gcagcaacag 2220
 catcggttt gtgacccctg gcttctttgt ccttgccaac cggctgaaag agcttaacct 2280
 cagcgccaac gccctgaaga cagtggatcc cttctggttc ggtcgcttaa cagagacct 2340
 gaatatccta gacgtgagcg ccaaccgct cactgtgcc tgcggggcgg cctttgtgga 2400
 cttcctgctg gagatgcagg cggccgtgcc tgggctgtcc aggcgcgtca cgtgtggcag 2460
 tccgggcccag ctccagggcc gcagcatctt cgcacaggac ctgcgcctct gcctggatga 2520
 gacctctctc ttggactgct ttggcttctc gctgctaata gtggcgctgg gcctggcggt 2580
 gcccatgctg caccacctct gtggctggga cctgtggtac tgcttccacc tgtgtctggc 2640
 ccatttgccc cgacggcggc ggcagcgggg cgaggacacc ctgctctacg atgccttcgt 2700
 ggtcttcgac aaggcgcaga gtgcagtggc cgactgggtg tacaacgagc tccgcgtgca 2760
 gctggaggag cgccgcgggc gccgggcgct ccgcctctgc ctggaggagc gagactggct 2820
 ccctggcaag acgctcttcg agaacctgtg ggccctcggtc tacagcagcc gtaagaccat 2880
 gttcgtgctg gaccacacgg accgggtcag tggcctcctg cgcgccagct tcctgctggc 2940
 ccagcagcgc ctgttgagg accgcaagga tgcgtggtg ctggtgatcc tgcgccccgc 3000
 cgcctaccgg tcccgctacg tgcggctgcg ccagcgccctc tgccgccaga gcgtcctcct 3060
 ctggccccac cagcccagtg gccagggtag cttctggggc aacctgggca tggccctgac 3120
 cagggacaac cgccacttct ataaccggaa cttctgccgg ggccccacga cagccgaata 3180

gcacagagtg actgccag

3199

<210> 20

<211> 2454

<212> DNA

<213> Ovis aries

<400> 20

atgggcccct actgtgcccc gcaccccctt tctctcctgg tgcaggcggc ggcgctggca	60
gcagccctgg cccagggcac cctgcctgcc ttcttgccct gtgagctcca gcccgggggt	120
aaggtgaact gcaactggct gttcctgaag tctgtgcccgc gcttttcggc cggagccccc	180
cgggccaatg tcaccagcct ctcttaatac tccaaccgca tccaccactt gcacgactct	240
gacttcgtcc acctgtocaa cctgcgggtc ctcaacctca agtggaactg cccgccggcc	300
ggcctcagcc ccatgcactt cccctgcccgc atgaccatcg agcccaacac ctctctggct	360
gtgcccaccc tggaggagct gaacctgagc tacaatggca tcacgaccgt gcctgccctg	420
cccagttctc tcgtatccct gtgcgtgagc cgcaccagca tcctgggtgct agggcccacc	480
cacttcaccg gcctgcaagc cctgcgcttt ctgtacatgg acggcaactg ctactataag	540
aacccttgcc agcaggccgt ggagggtggc ccaggcgccc tccttggcct gggcaacctc	600
acgcacctgt cgctcaagta caacaacctc acggagggtgc cccgccgcct gccccccagc	660
ctggacaccc tgctgctgtc ctacaaccac atcatcacc tggcaccoga ggacctggcc	720
aatctgactg ccctgcgtgt gcttgatgtg ggcgggaact gccgccgctg cgaccacgcc	780
cgcaaccctc gcagggagtg cccaaagaac ttccccaagc tgcaccctga caccttcagc	840
cacctgagcc gcctcgaagg cctgggtgtg aaggacagtt ctctctacaa actagagaaa	900
gactgggttc gcggcctggg caggctccaa gtgctcgacc tgagtgagaa ctctctctat	960
gactacatca ccaagaccac catcttcagg aacctgacct agctgcgcag actcaacctg	1020
tccttcaatt accacaagaa ggtgtccttc gccacctgc aactggcacc ctcttttggg	1080
ggcctgggtg cctggagaa gctggacatg cagggcatct tcttcgctc cctcaccaac	1140
accacgctcc ggccgctgac ccagctgccc aagctccaga gtctgagtct gcagctgaac	1200
ttcatcaacc aggccgagct cagcatcttt ggggccttcc cgagcctgct ctctgtggac	1260
ctgtcggaca accgcatcag cggagctgcy aggcgggtgg ccgccctcgg ggaggtggac	1320
agcgggggtg aagtctggcg gtggcccagg ggcctcgctc caggcccgtc ggccgccgtc	1380
agcgcaaagg acttcatgcc aagctgcaac ctcaacttca ccttggacct gtcacggaac	1440
aacctgggtg cgatccagca ggagatgttt accgcctct cccgcctcca gtgcctgcgc	1500

ctgagccaca acagcatctc gcaggcgggtt aatggctcgc agttcgtgcc gctgacccgc 1560
 ctgcgagtgc tcgacctgtc ctacaacaag ctggacctgt accatgggcg ctcgttcacg 1620
 gagctgccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag 1680
 ggctgtgggc acaacctcag cttcgtggcc cagctgccgt ccctgcgcta cctcagccctt 1740
 gcgcacaacg gcatccacag ccgcgtgtca cagaagctca gcagcgctc gctgcgcgcc 1800
 ctggacttca gcggcaactc cctgagccag atgtgggccc agggagacct ctatctctgc 1860
 ttcttcaaag gcttgaggaa cctggtccag ctggacctgt ccaagaacca cctgcacacc 1920
 ctctgcctc gtcacctgga taacctgccc aagagcctgc ggcagctgcg tctccgggac 1980
 aataacctgg ccttcttcaa ctggagcagc ctgactgttc tgcccagct ggaagccctg 2040
 gatctggcgg gaaaccagct gaaggccctg agcaacggca gcctgccacc tggcaccgcg 2100
 ctccagaagc tggacgtgag cagcaacagc atcggtcttg tgaccctgg cttctttgtc 2160
 cttgccaacc ggctgaaaga gcttaacctc agcgccaacg ccctgaagac agtggatccc 2220
 ttctggttcg gtcgcttaac agagaccctg aatatcctag acgtgagcgc caaccgcctc 2280
 cactgtgcct gcggggcggc ctttgtggac ttctgtctgg agatgcaggc ggccgtgcct 2340
 gggctgtcca ggcggtcac gtgtggcagt ccggggccagc tccagggccg cagcatcttc 2400
 gcacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 21
 <211> 1032
 <212> PRT
 <213> Canis familiaris

<400> 21

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
 65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro
 145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe
 260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly
 275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe
 290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu
 355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu
 370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu
 385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu
 420 425 430

Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro

545		550		555		560
Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu						
	565			570		575
Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg						
	580		585		590	
Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser						
	595		600		605	
Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg						
	610		615		620	
Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn						
	625		630		635	640
Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser						
	645		650		655	
Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp						
	660		665		670	
Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly						
	675		680		685	
Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln						
	690		695		700	
Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro						
	705		710		715	720
Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala						
	725		730		735	
Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly						
	740		745		750	
Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys						
	755		760		765	
Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro						
	770		775		780	

Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly
 785 790 795 800

Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu
 805 810 815

Ser Trp Val Cys Phe Ser Leu Ser Leu Leu Ala Val Ala Leu Ser Leu
 820 825 830

Ala Val Pro Met Leu His Gln Leu Cys Gly Trp Asp Leu Trp Tyr Cys
 835 840 845

Phe His Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly
 850 855 860

Val Asp Ala Leu Ala Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln
 865 870 875 880

Ser Ser Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu
 885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp
 900 905 910

Trp Val Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr
 915 920 925

Ser Ser Arg Lys Thr Leu Phe Val Leu Ala Arg Thr Asp Arg Val Ser
 930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Cys Pro Asp Ala His
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
 980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln
 995 1000 1005

Leu Gly Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Thr Ala
1025 1030

<210> 22
<211> 822
<212> PRT
<213> Canis familiaris

<400> 22

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn
50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp
85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met
100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu
115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro
145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe
 260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly
 275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe
 290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu
 355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu
 370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu
 385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu
 420 425 430

Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro
 545 550 555 560

Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu
 565 570 575

Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg
 580 585 590

Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser
 595 600 605

Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg
 610 615 620

Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn
 625 630 635 640

Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser
 645 650 655

Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp

660 665 670
 Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly
 675 680 685
 Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln
 690 695 700
 Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro
 705 710 715 720
 Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala
 725 730 735
 Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly
 740 745 750
 Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys
 755 760 765
 Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro
 770 775 780
 Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly
 785 790 795 800
 Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu
 805 810 815
 Ser Trp Val Cys Phe Ser
 820

<210> 23

<211> 3334

<212> DNA

<213> Canis familiaris

<400> 23

```

aggaaggggc tgtgagctcc aagcatcctt tcctgcagct gctgccagc ctgccagcca      60
gaccctctgg agaagcccc gtcctctgtc atgggcccct gccgtggcgc cctgcacccc      120
ctgtctctcc tgggtcaggc tgccgcgcta gccctggccc tggcccaggg caccctgcct      180
gccttcctgc cctgtgagct ccagcccat ggctggtga actgcaactg gctgttcctc      240
aagtccgtgc cccgcttctc ggcagctgca cccgcggta acgtcaccag cctttccttg      300

```

tactccaacc gcatccacca cctccatgac tatgactttg tccacttcgt ccacctgcgg	360
cgtctcaatc tcaagtggaa ctgcccgcgc gccagcctca gcccacatgca ctttcctgt	420
cacatgacca ttgagcccaa caccttcctg gctgtgcca ccctagagga cctgaatctg	480
agctataaca gcatcacgac tgtgcccgc ctgcccagtt cgcttgtgtc cctgtccctg	540
agccgcacca acatcctggg gctggaccct gccaccctgg caggccttta tgccctgcgc	600
ttcctgttcc tggatggcaa ctgctactac aagaaccct gccagcaggc cctgcagggtg	660
gcccaggtg cctcctggg cctgggcaac ctcacacacc tgtcactcaa gtacaacaac	720
ctcacctggg tgccgcggg cctgcccccc agcctggagt acctgctctt gtctacaac	780
cacatcatca ccctggcacc tgaggacctg gccaatctga ctgccctgcg tgtcctcgat	840
gtgggtggga actgtcgccg ctgtgacct gcccgtaacc cctgcaggga gtgccccaa	900
ggcttcccc agctgcaccc caacaccttc ggccacctga gccacctga aggctgggtg	960
ttgagggaca gctctctcta cagcctggac ccaggtgggt tccatggcct gggcaacctc	1020
atgggtgctg acctgagtga gaacttctg tatgactgca tcacaaaac caaagccttc	1080
tacggcctgg cccggctgcg cagactcaac ctgtccttca attatcataa gaagggtgcc	1140
tttgcccacc tgcatctggc atcctccttc gggagcctac tgtccctgca ggagctggac	1200
atacatggca tcttcttccg ctgcctcagc aagaccacgc tccagtcgct ggcccacctg	1260
cccatgctcc agcgtctgca tctgcagttg aactttatca gccaggcca gctcagcatc	1320
ttcggcgcct tccctggact gcggtacgtg gacttgtcag acaaccgcat cagtggagct	1380
gcagagcccg cggctgccac aggggaggta gaggcagact gtggggagag agtctggcca	1440
cagtcccggt accttgctct gggcccactg ggcaccccg gctcagaggc cttcatgccg	1500
agctgcagga ccctcaactt caccttgga ctgtctcgga acaacctagt gactgttcag	1560
ccggagatgt ttgtccggtt ggcgcgcctc cagtgcctgg gctgagcca caacagcatc	1620
tgcaggcgg tcaatggctc gcagttcgtg cctctgagca acctgcgggt gctggacctg	1680
tcccataaca agctggacct gtaccacggg cgctcgttca cggagctgcc gcggctggag	1740
gccttggaac tcagctacaa cagccagccc ttcagcatgc ggggcgtggg ccacaatctc	1800
agctttgtgg cacagctgcc agccctgcgc tacctcagcc tggcgcacaa tggcatccac	1860
agccgcgtgt cccagcagct ccgcagcgcc tcgctccggg ccctggactt cagtggcaat	1920
acctgagcc agatgtgggc cgagggagac ctctatctcc gcttcttcca aggctgaga	1980
agcctgggtt agctggacct gtcccagaat cgctgcata ccctcctgcc acgcaacctg	2040
gacaacctcc ccaagagcct gcggctcctg cggtccgtg acaattacct ggctttcttc	2100

aactggagca gcctggccct cctacccaag ctggaagccc tggacctggc gggaaaccag 2160
ctgaaggccc tgagcaatgg cagcttgccc aacggcacc cagctccagag gctggacctc 2220
agcggaaca gcatcggtt cgtggtcccc agcttttttg ccctggccgt gaggttcga 2280
gagctcaacc tcagcgcaa cgccctcaag acggtggagc cctcctgggt tggttccctg 2340
gcgggtgccc tgaaagtcct agacgtgacc gccaacccct tgcaattgcgc ttgcggcgca 2400
accttcgtgg acttcttgct ggaggtgcag gctgcggtc ccggcctgcc tagccgtgtc 2460
aagtgcggca gcccggtcca gctccagggc cgcagcatct tcgcacagga cctgcgcctc 2520
tgcctggacg aagcgtcttc ctgggtctgt ttcagcctct cgtgctggc tgtggccctg 2580
agcctggctg tgcccatgct gcaccagctc tgtggctggg acctctggta ctgcttcac 2640
ctgtgcctgg cctggctgcc ccggcggggg cgccggcggg gtgtggatgc cctggcctat 2700
gacgccttcg tggctctcga caaggcgag agctcggtgg cggaactgggt gtacaatgag 2760
ctgcgggtac agctagagga gcgcgtggg cgccggcggc tacgcctgtg tctggaggaa 2820
cgtgactggg taccggcaa aacctcttc gagaacctct gggcctcagt ttacagcagc 2880
cgcaagacgc tgtttgtgct ggcccgacg gacagagtca gcggcctcct gcgtgccagc 2940
ttcctgctgg cccaacagcg cctgctggag gaccgcaagg acgtcgtggg gctggtgatc 3000
ctgtgccccg acgcccaccg ctcccgtat gtgcggctgc gccagcgct ctgccgccag 3060
agtgtcctcc tctggcccca ccagcccagt ggccagcgca gcttctgggc ccagctgggc 3120
acggccctga ccagggacaa ccggcacttc tacaaccaga acttctgccg gggccccacg 3180
acagcctgat aggcagacag cccagcacct tcgcgcccct acaccctgcc tgtctgtctg 3240
ggatgcccga cctgctggct ctacaccgcc gctctgtctc ccctacacc agccctggca 3300
taaagcgacc gctcaataaa tgctgctggg agac 3334

<210> 24

<211> 2466

<212> DNA

<213> Canis familiaris

<400> 24

atggggccct gccgtggcg cctgcacccc ctgtctctcc tggcagggc tgccgcgcta 60
gccctggccc tggcccaggg caccctgcct gccttctgc cctgtgagct ccagcccat 120
ggcctgggtga actgcaactg gctgttcctc aagtccgtgc ccgcttctc ggcagctgca 180
ccccgcggtg acgtcaccag cctttctctg tactccaacc gcatccacca cctccatgac 240
tatgactttg tccacttcgt ccacctgcgg cgtctcaatc tcaagtggaa ctgcccggcc 300

gccagcctca gcccacatgca ctttcctgt cacaatgacca ttgagcccaa caccttcctg 360
 gctgtgccc cccatagagga cctgaatctg agctataaca gcatcaogac tgtgcccgcc 420
 ctgcccagtt cgcttgtgtc cctgtccctg agccgcacca acatcctggt gctggaccct 480
 gccaccctgg caggccttta tgccctgcgc ttctgtttcc tggatggcaa ctgctactac 540
 aagaaccctt gccagcaggc cctgcagggt gcccaggtg ccctcctggg cctgggcaac 600
 ctcacacacc tgtcactcaa gtacaacaac ctcaccgtgg tgccgcgggg cctgcccccc 660
 agcctggagt acctgctctt gtccataaac cacatcatca ccctggcacc tgaggacctg 720
 gccaatctga ctgccctgcg tgcctcgat gtgggtggga actgtcgccg ctgtgacctat 780
 gcccgtaacc cctgcaggga gtgcccacag ggcttcccc agctgcaccc caacaccttc 840
 ggccacctga gccacctga aggcctgggt ttgagggaca gctctctcta cagcctggac 900
 cccaggtggt tccatggcct gggcaacctc atgggtgctgg acctgagtga gaacttcctg 960
 tatgactgca tcacaaaaac caaagccttc tacggcctgg cccggctgcg cagactcaac 1020
 ctgtccttca attatcataa gaaggtgtcc ttgcccacc tgcactctggc atcctccttc 1080
 gggagcctac tgtccctgca ggagctggac atacatggca tcttcttccg ctgcctcagc 1140
 aagaccacgc tccagtcgct ggccacctg cccatgctcc agcgtctgca tctgcagttg 1200
 aactttatca gccaggccca gctcagcatc ttgggcgcct tccctggact gcggtacgtg 1260
 gacttgtcag acaaccgcat cagtggagct gcagagcccg cggctgccac aggggaggta 1320
 gaggcagact gtggggagag agtctggcca cagtcccggt accttgctct gggcccaactg 1380
 ggcacccccg gctcagaggc cttcatgccg agctgcagga ccctcaactt caccttggac 1440
 ctgtctcgga acaacctagt gactgttcag ccggagatgt ttgtccggct ggcgcgcctc 1500
 cagtgcctgg gcctgagcca caacagcatc tcgcaggcgg tcaatggctc gcagttcgtg 1560
 cctctgagca acctgcgggt gctggacctg tccataaca agctggacct gtaccacggg 1620
 cgctcgttca cggagctgcc gcggctggag gccttggacc tcagctaaa cagccagccc 1680
 ttcagcatgc ggggcgtggg ccacaatctc agctttgtgg cacagctgcc agccctgcgc 1740
 tacctcagcc tggcgacaaa tggcatccac agccgcgtgt cccagcagct ccgcagcgcc 1800
 tcgctccggg ccctggactt cagtggcaat accctgagcc agatgtgggc cgaggagac 1860
 ctctatctcc gcttcttcca aggcctgaga agcctggttc agctggacct gtcccagaat 1920
 cgctgcata ccctcctgcc acgcaacctg gacaacctcc ccaagagcct gcggctcctg 1980
 cggctccgtg acaattacct ggctttcttc aactggagca gcctggccct cctaccaaac 2040

```

ctggaagccc tggacctggc gggaaaccag ctgaaggccc tgagcaatgg cagcttgccc 2100
aacggcacccc agctccagag gctggacctc agcggcaaca gcatcggtt cgtggtcccc 2160
agcttttttg ccttgccgt gaggttcga gagctcaacc tcagcgccaa cgccctcaag 2220
acggtggagc cctcctggtt tggttccctg gcgggtgccc tgaaagtcct agacgtgacc 2280
gccaaccctt tgcattgcgc ttgcggcgca accttcgtgg acttcttgct ggaggtgcag 2340
gctgcggtgc ccggcctgcc tagccgtgtc aagtgcggca gcccgggcca gctccagggc 2400
cgcagcatct tcgcacagga cctgcgcctc tgctggacg aagcgctctc ctgggtctgt 2460
ttcagc 2466

```

```

<210> 25
<211> 1031
<212> PRT
<213> Felis catus

```

```

<400> 25

```

```

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
1           5           10           15

```

```

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
          20           25           30

```

```

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu
          35           40           45

```

```

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn
          50           55           60

```

```

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
65           70           75           80

```

```

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp
          85           90           95

```

```

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met
          100          105          110

```

```

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
          115          120          125

```

```

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
          130          135          140

```

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro
 145 150 155 160
 Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly
 165 170 175
 Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro
 180 185 190
 Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205
 Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr
 210 215 220
 Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu
 225 230 235 240
 Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255
 Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe
 260 265 270
 Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly
 275 280 285
 Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe
 290 295 300
 His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320
 Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu
 325 330 335
 Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350
 His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln
 355 360 365
 Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu
 420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu
 435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu
 450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser
 465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser
 485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val
 500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser
 545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser
 580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn
 595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe

610 615 620
 Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu
 625 630 635 640
 His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg
 645 650 655
 Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser
 660 665 670
 Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln
 675 680 685
 Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln
 690 695 700
 Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe
 705 710 715 720
 Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
 725 730 735
 Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu
 740 745 750
 Lys Val Leu Asp Val Thr Gly Asn Pro Leu His Cys Ala Cys Gly Ala
 755 760 765
 Ala Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu
 770 775 780
 Pro Gly His Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser
 785 790 795 800
 Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp
 805 810 815
 Asp Cys Phe Gly Leu Ser Leu Leu Thr Val Ala Leu Gly Leu Ala Val
 820 825 830
 Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His
 835 840 845

Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly Ala Asp
 850 855 860

Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala
 865 870 875 880

Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg
 885 890 895

Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu
 900 905 910

Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser
 915 920 925

Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu
 930 935 940

Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg
 945 950 955 960

Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His Arg Ser
 965 970 975

Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu
 980 985 990

Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly
 995 1000 1005

Thr Ala Leu Thr Arg Asp Asn Gln His Phe Tyr Asn Gln Asn Phe
 1010 1015 1020

Cys Arg Gly Pro Thr Thr Ala Glu
 1025 1030

<210> 26
 <211> 820
 <212> PRT
 <213> Felis catus

<400> 26

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
 65 70 75 80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met
 100 105 110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro
 145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe
 260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe
 290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu
 420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu
 435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu
 450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser
 465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser
 485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val
 500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser
 545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser
 580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn
 595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe
 610 615 620

Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu
 625 630 635 640

His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg
 645 650 655

Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser
 660 665 670

Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln
 690 695 700

Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala

725

730

735

Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu
 740 745 750

Lys Val Leu Asp Val Thr Gly Asn Pro Leu His Cys Ala Cys Gly Ala
 755 760 765

Ala Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu
 770 775 780

Pro Gly His Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp
 805 810 815

Asp Cys Phe Gly
 820

<210> 27
 <211> 3235
 <212> DNA
 <213> Felis catus

<400> 27
 aggggtctgcg agctccaggc attcttctct gccatcgctg cccagtctgc catccagacc 60
 ctctggagaa gccccactc cctgtcatgg gccctgcc tggcgccctg caccctgt 120
 ctctcctggt gcaggctgcc gcgctggcgg tggccctggc ccagggcacc ctgcctgcct 180
 ttctgccctg tgagctccag cgccacggcc tgggtgaattg cgactggctg ttctcaagt 240
 ccgtgcccc a t t t c t c g g c g g c a g c g c c c g t g g t a a c g t c a c c a g c c t t t c c c t g t a c t 300
 ccaaccgcat ccaccacctc cagcactccg actttgtcca cctgtccagc ctgcggcgctc 360
 tcaacctcaa atggaactgc ccaccgcc gccctagccc catgcacttc ccctgtcaca 420
 tgaccattga gccccacacc ttctggcgg tggccaccct ggaggagctg aacctgagct 480
 acaacagcat cagcacagta cccgccctgc ccagttccct cgtgtccctg tccttgagcc 540
 gtaccaacat cctggtgctg gaccctgcc accctgcagg gctgcactcc ctgcgctttc 600
 tgttcctgga tggcaactgc tactacaaga acccctgcc gcaggccctg caggtggccc 660
 cggcgccct ccttggcctg ggcaacctta cgcacctgtc actcaagtac aacaacctca 720
 ctgcggtgcc ccgcggcctg cccccagcc tggagtacct gctattgtcc tacaaccaca 780

tcatacacct	ggcacctgag	gacctggcca	acctgaccgc	cctgcgtgtg	ctcgatgtgg	840
gtgggaactg	ccgtcgctgt	gaccacgccc	gcaaccctg	tatggagtgc	cccaagggct	900
tcccgacact	gcacctgac	accttcagcc	acctgaacca	cctcgaaggc	ctggtgttga	960
aggacagctc	tctctacaac	ctgaacccca	gatggttcca	tgccctgggc	aacctcatgg	1020
tgctggacct	gagtgagaac	ttcctatatg	actgcatcac	caaaaccaca	gccttccagg	1080
gcctggccca	gctgcgcaga	ctcaacttgt	ctttcaatta	ccacaagaag	gtgtcctttg	1140
cccactgca	tctggcgccc	tccttcggga	gcctgctctc	cctgcagcag	ctggacatgc	1200
atggcatctt	cttcgcgtcg	ctcagcgaga	ccacgctccg	gtcgctggtc	cacctgccc	1260
tgctccagag	tctgcacctg	cagatgaact	tcataatca	ggcccagctc	agcatcttcg	1320
gggccttccc	tggcctgcga	tacgtggacc	tgtcagacaa	ccgcataagt	ggagccatgg	1380
agctggcggc	tgccacgggg	gaggtggatg	gtggggagag	agtccggctg	ccatctgggg	1440
acctagctct	gggcccaccg	ggcaccctta	gctccgaggg	cttcatgcc	ggctgcaaga	1500
ccctcaactt	caccttgga	ctgtcacgga	acaacctagt	gacaatccag	ccagagatgt	1560
ttgcccggt	ctcgcgctc	cagtgcctgc	tcctgagccg	caacagcatc	tcgcaggcag	1620
tcaacggctc	acaatttatg	ccgctgacca	gcctgcaggt	gctggacctg	ttccataaca	1680
agctggacct	gtaccatggg	cgctctttca	cggagctgcc	gcggctggag	gccctggacc	1740
tcagctacaa	cagccagccc	ttcagcatgc	agggcggtgg	tcacaacctc	agctttgtgg	1800
cacagctgcc	ggccctgcgc	tatctcagcc	tggcgcaaa	cgacatccac	agccgtgtgt	1860
cccagcagct	ctgcagcgcc	tcgctgcggg	ccttggactt	cagcggcaat	gccttgagcc	1920
ggatgtgggc	cgaggagag	ctgtatctcc	acttcttccg	aggcctgagg	agcctggtcc	1980
ggttggatct	gtcccagaat	cgctgcata	ccctcttgcc	acgcaccctg	gacaacctcc	2040
ccaagagcct	gcggctgctg	cgtctccgtg	acaattatct	ggctttcttc	aactggagca	2100
gcctggctct	cctccccagg	ctggaagccc	tggacctggc	gggaaaccag	ctgaaggccc	2160
tgagcaacgg	cagcttgctt	aatggaaccc	agctccagag	gctggacctc	agcagcaaca	2220
gtatcagctt	cgtggcctcc	agcttttttg	ctctggccac	caggctgcga	gagctcaacc	2280
tcagtgccaa	cgccctcaag	acgggtggagc	cctcctgggt	cggttctcta	gcgggcaccc	2340
tgaaagtctt	agatgtgact	ggcaaccccc	tgcactgcgc	ctgtggggcg	gccttcgtgg	2400
acttcttgct	ggaggtgcag	gctgcagtgc	ccggcctgcc	aggccacgtc	aagtgtggca	2460
gtccaggtea	gctccagggc	cgcagcatct	ttgcgcagga	tctgcgcctc	tgcttgatg	2520
aggccctctc	ctgggactgt	tttggcctct	cgctgctgac	cgtggccctg	ggcctggccg	2580

tgcccatgct gcaccacctc tgtggctggg acctctggta ctgcttcac ctgtgcctgg 2640
 cctggctgcc ccggcggggg cggcggcggg gcgcggatgc cctgccctac gatgcctttg 2700
 tggctcttoga caaggcacag agcgcggtgg ccgactgggt gtacaacgag ctgcgggtac 2760
 ggctagagga gcgcctgga cgcgagcgc tccgcctgtg cctggaggaa cgtgactggc 2820
 tacccggtaa aacgctcttt gagaacctgt gggcctcagt ttacagcagc cgcaagatgc 2880
 tgtttgtgct ggcccacaca gacaggggtca gggcctctt gcgcgccagc tttctgctgg 2940
 ccagcagcgc cctgctggag gaccgcaagg acgttggtgt gctggtgatc ctgcgccccg 3000
 acgcccaccg ctcccgtat gtgcggctgc gccagcgcct ctgccgccag agcgtcctcc 3060
 tctggcccga ccagcccagt ggccagcga gcttctgggc ccagctgggc acggccctga 3120
 ccagggacaa ccagcacttc tataaccaga acttctgccg gggcccccacg acggcagagt 3180
 gaccgcccag caccacaagc ctctacacc ttgcctgtct gcctgggatg ccggg 3235

<210> 28

<211> 2460

<212> DNA

<213> *Felis catus*

<400> 28

atggggccct gccatggcgc cctgcacccc ctgtctctcc tggcgcaggc tgccgcgctg 60
 gccgtggccc tggcccaggg caccctgcct gcctttctgc cctgtgagct ccagcgcac 120
 ggctgggtga attgcgactg gctgttcctc aagtccgtgc ccacttctc ggccgcagcg 180
 cccgtgggta acgtcaccag cctttccctg tactccaacc gcaccacca cctccacgac 240
 tccgactttg tccacctgtc cagcctgcgg cgtctcaacc tcaaatggaa ctgcccaccc 300
 gccagcctca gcccctgca cttcccctgt cacatgacca ttgagcccca caccttctg 360
 gccgtgcccga ccctggagga gctgaacctg agctacaaca gcatcacgac agtaccgccc 420
 ctgcccagtt ccctcgtgtc cctgtccttg agccgtacca acatcctggg gctggacct 480
 gccaacctcg cagggtgca ctccctgcgc tttctgttcc tggatggcaa ctgctactac 540
 aagaaccctt gccgcaggc cctgcagggt gccccgggcg ccctccttgg cctgggcaac 600
 cttacgcacc tgtcactcaa gtacaacaac ctcaactgcg tgccccgcgg cctgcccccc 660
 agcctggagt acctgctatt gtctacaac cacatcatca ccctggcacc tgaggacctg 720
 gccaacctga ccgcctcgc tgtgtctgat gtgggtggga actgccgtcg ctgtgaccac 780
 gcccgcaacc cctgtatgga gtgcccgaag ggcttcccg cactgcaccc tgacaccttc 840
 agccacctga accacctga aggcctgggt ttgaaggaca gctctctcta caacctgaac 900

cccagatggg tccatgccct gggcaacctc atgggtgctgg acctgagtga gaacttccta 960
 tatgactgca tcacaaaaac cacagccttc cagggcctgg cccagctgcg cagactcaac 1020
 ttgtctttca attaccacaa gaaggtgtcc ttgtcccacc tgcattctggc gccctccttc 1080
 gggagcctgc tctccctgca gcagctggac atgcatggca tcttcttcgg ctgcctcagc 1140
 gagaccacgc tccggtcgct ggtccacctg cccatgctcc agagtctgca cctgcagatg 1200
 aacttcatca atcaggccca gctcagcctc ttcggggcct tccctggcct gcgatacgtg 1260
 gacctgtcag acaaccgcat aagtggagcc atggagctgg cggctgccac gggggaggtg 1320
 gatggtgggg agagagtccg gctgccatct ggggacctag ctctggggcc accgggcacc 1380
 cctagctccg agggcttcat gccaggctgc aagacctca acttcacctt ggacctgtca 1440
 cggaacaacc tagtgacaat ccagccagag atgtttgccc ggctctcgcg cctccagtgc 1500
 ctgctcctga gccgcaacag catctcgagc gcagtcaacg gtcacaatt tatgccgtg 1560
 accagcctgc aggtgctgga cctgtcccat aacaagctgg acctgtacca tgggcgctct 1620
 ttcacggagc tgccgcggct ggaggccctg gacctcagct acaacagcca gcccttcagc 1680
 atgcagggcg tgggtcacia cctcagcttt gtggcacagc tgccggccct gcgctatctc 1740
 agcctggcgc acaacgacat ccacagccgt gtgtcccagc agctctgcag cgcctcgctg 1800
 cgggccttgg acttcagcgg caatgccttg agccggatgt gggccgaggg agacctgtat 1860
 ctccacttct tccgaggcct gaggagcctg gtccggttgg atctgtccca gaatcgctg 1920
 cataccctct tgccacgcac cctggacaac ctcccaga gcctgcggct gctgcgtctc 1980
 cgtgacaatt atctggcttt cttcaactgg agcagcctgg tcctcctccc caggctggaa 2040
 gccctggacc tggcgggaaa ccagctgaag gccctgagca acggcagctt gcctaattgga 2100
 acccagctcc agaggctgga cctcagcagc aacagtatca gcttcgtggc ctccagcttt 2160
 tttgctctgg ccaccaggt gcgagagctc aacctcagtg ccaacgccct caagacgggtg 2220
 gagccctcct ggttcgggtc tctagcgggc accctgaaag tcctagatgt gactggcaac 2280
 cccctgcact gcgcctgtgg ggcggccttc gtggacttct tgctggaggt gcaggctgca 2340
 gtgcccggcc tgccaggcca cgtcaagtgt ggcagtccag gtcagctcca gggccgcagc 2400
 atctttgcgc aggatctgcg cctctgcctg gatgaggccc tctcctggga ctgttttggc 2460

<210> 29

<211> 1032

<212> PRT

<213> Mus musculus

<400> 29

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu

225		230		235		240
Ala Asn Leu Thr Ser	Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg					
	245		250		255	
Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser						
	260		265		270	
Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly						
	275		280		285	
Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe						
	290		295		300	
Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu						
	305		310		315	320
Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu						
	325		330		335	
Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala						
	340		345		350	
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu						
	355		360		365	
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu						
	370		375		380	
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met						
	385		390		395	400
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala						
	405		410		415	
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr						
	420		425		430	
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu						
	435		440		445	
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser						
	450		455		460	

Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu
 465 470 475 480

Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu
 485 490 495

Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp
 515 520 525

Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe
 545 550 555 560

Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser
 565 570 575

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val
 580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly
 595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe
 610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu
 645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr
 660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn
 675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu
 690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn
725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn
740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly
755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly
770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg
785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser
805 810 815

Trp Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Met Val
820 825 830

Val Pro Ile Leu His His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe
835 840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Ala Arg Ser Arg Arg Ser
850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp
900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser
930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
 980 985 990

Leu Phe Trp Pro Gln Gln Pro Asn Gly Gln Gly Gly Phe Trp Ala Gln
 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu
 1025 1030

<210> 30
 <211> 821
 <212> PRT
 <213> Mus musculus

<400> 30

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser
 260 265 270

Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe
 290 295 300

Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala

340	345	350
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu		
355	360	365
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu		
370	375	380
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met		
385	390	400
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala		
405	410	415
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr		
420	425	430
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu		
435	440	445
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser		
450	455	460
Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu		
465	470	475
Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu		
485	490	495
Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala		
500	505	510
Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp		
515	520	525
Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu		
530	535	540
Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe		
545	550	555
Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser		
565	570	575

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val
580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly
595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe
610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn
625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu
645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr
660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn
675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu
690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn
725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn
740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly
755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly
770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg
785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser
805 810 815

Trp Asp Cys Phe Gly
820

<210> 31

<211> 3200

<212> DNA

<213> Mus musculus

<400> 31

tgtcagaggg agcctcggga gaatcctcca tctcccaaca tggttctccg tcgaaggact	60
ctgcacccct tgtccctcct ggtacaggct gcagtgtctgg ctgagactct ggccctgggt	120
accctgcctg ccttcctacc ctgtgagctg aagcctcatg gcctgggtgga ctgcaattgg	180
ctgttctctga agtctgtacc ccgtttctct gcggcagcat cctgctccaa catcaccgcg	240
ctctccttga tctccaaccg tatccaccac ctgcacaact ccgacttcgt ccacctgtcc	300
aacctgcggc agctgaacct caagtggaac tgtccacca ctggccttag cccctgcac	360
ttctcttgcc acatgaccat tgagcccaga accttcttgg ctatgcgtac actggaggag	420
ctgaacctga gctataatgg tatcaccact gtgccccgac tgcccagctc cctgggtgaat	480
ctgagcctga gccacaccaa catcctgggt ctagatgcta acagcctcgc cggcctatac	540
agcctgcgcg ttctcttcat ggacgggaac tgctactaca agaaccctg cacaggagcg	600
gtgaagggtga cccagggcg cctcctgggc ctgagcaatc tcaccatct gtctctgaag	660
tataacaacc tcacaaaggt gccccgcaa ctgccccca gcctggagta cctcctgggtg	720
tcctataacc tcattgtcaa gctggggcct gaagacctgg ccaatctgac ctcccttcta	780
gtacttgatg tgggtgggaa ttgccgtcgc tgcgaccatg cccccaatcc ctgtatagaa	840
tgtggccaaa agtccctcca cctgcacct gagaccttcc atcacctgag ccatctggaa	900
ggcctgggtgc tgaaggacag ctctctccat aactgaact cttcctgggt ccaaggctctg	960
gtcaacctct cgggtgctgga cctaagcgag aactttctct atgaaagcat caaccacacc	1020
aatgcctttc agaacctaac ccgcctgcgc aagctcaacc tgtccttcaa ttaccgcaag	1080
aaggatctct ttgcccgcct ccacctggca agttccttca agaacctgggt gtcactgcag	1140
gagctgaaca tgaacggcat cttcttccgc tcgctcaaca agtacacgct cagatggctg	1200
gccgatctgc caaaactcca cactctgcat cttcaaatga acttcatcaa ccaggcacag	1260
ctcagcatct ttggtacctt ccgagccctt cgctttgtgg acttgtcaga caatcgcac	1320
agtgggcctt caacgctgtc agaagccacc cctgaagagg cagatgatgc agagcaggag	1380
gagctgttgt ctgcggatcc tcaccagct ccactgagca cccctgcttc taagaacttc	1440

atggacaggt gtaagaactt caagttcacc atggacctgt ctcggaacaa cctggtgact	1500
atcaagccag agatgtttgt caatctctca cgcctccagt gtcttagcct gagccacaac	1560
tccattgcac aggctgtcaa tggctctcag ttcttgccgc tgactaatct gcaggtgctg	1620
gacctgtccc ataacaaact ggacttgtag cactggaaat cgttcagtga gctaccacag	1680
ttgcaggccc tggacctgag ctacaacagc cagcccttta gcatgaaggg tataggccac	1740
aatttcagtt ttgtggccca tctgtccatg ctacacagcc ttagcctggc acacaatgac	1800
attcataccc gtgtgtcctc acatctcaac agcaactcag tgaggtttct tgacttcagc	1860
ggcaacggta tgggcccgc atgtgggatgag gggggccttt atctccattt cttccaaggc	1920
ctgagtggcc tgctgaagct ggacctgtct caaaataacc tgcatacctt ccggccccag	1980
aaccttgaca acctcccaa gagcctgaag ctgctgagcc tccgagacaa ctacctatct	2040
ttctttaact ggaccagtct gtccttcctg cccaacctgg aagtccatga cctggcaggc	2100
aaccagctaa aggccctgac caatggcacc ctgcctaata gcacctcctt ccagaaactg	2160
gatgtcagca gcaacagtat cgtctctgtg gtcccagcct tcttcgctct ggcggtcgag	2220
ctgaaagagg tcaacctcag ccacaacatt ctcaagacgg tggatcgctc ctgggttggg	2280
cccattgtga tgaacctgac agttcttagac gtgagaagca acctctgca ctgtgcctgt	2340
ggggcagcct tcgtagactt actgttgag gtgcagacca aggtgcctgg cctggctaata	2400
ggtgtgaagt gtggcagccc cggccagctg cagggccgta gcatcttcgc acaggacctg	2460
cggctgtgcc tggatgaggt cctctcttgg gactgctttg gcctttcact cttggctgtg	2520
gccgtgggca tgggtgtgcc tatactgcac catctctgcg gctgggacgt ctggtactgt	2580
tttcatctgt gcctggcatg gctacctttg ctggcccgc gccgacgcag cgcaccaagct	2640
ctccccatg atgccttctg ggtgttcgat aaggcacaga gcgcagttgc ggactgggtg	2700
tataacgagc tgcgggtgcg gctggaggag cggcgcggtc gccgagccct acgcttgtgt	2760
ctggaggacc gagattggct gcctggccag acgctcttcg agaacctctg ggcttccatc	2820
tatgggagcc gcaagactct atttgtgctg gccacacgg accgcgtcag tggcctcctg	2880
cgcaccagct tcctgtggc tcagcagcgc ctgttggaa accgcaagga cgtggtggtg	2940
ttggtgatcc tgcgtccgga tgcccaccgc tcccgtatg tgcgactgcg ccagcgtctc	3000
tgcgccaga gtgtgctctt ctggccccag cagcccaacg ggcagggggg cttctgggcc	3060
cagctgagta cagccctgac tagggacaac cgccacttct ataaccagaa cttctgccgg	3120
ggacctacag cagaatagct cagagcaaca gctggaaaca gctgcatctt catgcctggt	3180
tcccagttg ctctgcctgc	3200

<210> 32
 <211> 2463
 <212> DNA
 <213> Mus musculus

<400> 32
 atggttctcc gtccaaggac tctgcacccc ttgtccctcc tggtagaggc tgcagtgtcg 60
 gctgagactc tggccctggg taccctgcct gccttcctac cctgtgagct gaagcctcat 120
 ggcctggtgg actgcaattg gctgttcctg aagtctgtac cccgtttctc tgcggcagca 180
 tcttgctcca acatcacccg cctctccttg atctccaacc gtatccacca cctgcacaac 240
 tccgacttcg tccacctgtc caacctgcgg cagctgaacc tcaagtggaa ctgtccaccc 300
 actggcctta gcccctgca cttctcttgc cacatgacca ttgagcccag aaccttcttg 360
 gctatgcgta cactggagga gctgaacctg agctataatg gtatcaccac tgtgccccga 420
 ctgcccagct ccctggtgaa tctgagcctg agccacacca acatcctggt tctagatgct 480
 aacagcctcg ccggcctata cagcctgcgc gttctcttca tggacgggaa ctgctactac 540
 aagaaccctt gcacaggagc ggtgaagggtg accccaggcg ccctcctggg cctgagcaat 600
 ctcacccatc tgtctctgaa gtataacaac ctcacaaagg tgccccgcca actgcccccc 660
 agcctggagt acctcctggt gtccctataac ctcatgttca agctggggcc tgaagacctg 720
 gccaatctga cctcccttcg agtacttgat gtgggtggga attgccgtcg ctgcgaccat 780
 gcccacaatc cctgtataga atgtggccaa aagtcctcc acctgcacc tgagaccttc 840
 catcacctga gccatctgga aggccctggtg ctgaaggaca gctctctcca tacactgaac 900
 tcttctggtg tccaaggctt ggtcaacctc tcggtgctgg acctaaagcg gaactttctc 960
 tatgaaagca tcaaccacac caatgccttt cagaacctaa cccgcctgcg caagctcaac 1020
 ctgtccttca attaccgcaa gaaggatatc tttgcccgc tccacctggc aagttccttc 1080
 aagaacctgg tgtcactgca ggagctgaac atgaacggca tcttcttccg ctcgctcaac 1140
 aagtacacgc tcagatggct ggccgatctg cccaaactcc acactctgca tcttcaaatg 1200
 aacttcatca accaggcaca gctcagcatc tttggtacct tccgagccct tcgctttgtg 1260
 gacttgtcag acaatcgcat cagtgggcct tcaacgctgt cagaagccac ccctgaagag 1320
 gcagatgatg cagagcagga ggagctgttg tctgcggatc ctcaccagc tccactgagc 1380
 accctgctt ctaagaactt catggacagg tgtaagaact tcaagttcac catggacctg 1440
 tctcggaaca acctggtgac tatcaagcca gagatgtttg tcaatctctc acgcctccag 1500
 tgtcttagcc tgagccacaa ctccattgca caggctgtca atggctctca gttcctgccg 1560

```

ctgactaatc tgcagggtgct ggacctgtcc cataacaaac tggacttgta ccactggaaa 1620
tcgttcagtg agctaccaca gttgcaggcc ctggacctga gctacaacag ccagcccttt 1680
agcatgaagg gtataggcca caatttcagt tttgtggccc atctgtccat gctacacagc 1740
cttagcctgg cacacaatga cattcatacc cgtgtgtcct cacatctcaa cagcaactca 1800
gtgagggttc ttgacttcag cggcaacggt atgggccgca tgtgggatga ggggggcctt 1860
tatctccatt tcttccaagg cctgagtggc ctgctgaagc tggacctgtc tcaaaataac 1920
ctgcatatcc tccggcccca gaaccttgac aacctcccca agagcctgaa gctgctgagc 1980
ctccgagaca actacctatc tttctttaac tggaccagtc tgtccttcct gcccaacctg 2040
gaagtcctag acctggcagg caaccagcta aaggccctga ccaatggcac cctgcctaata 2100
ggcaccctcc tccagaaact ggatgtcagc agcaacagta tcgtctctgt ggtcccagcc 2160
ttcttcgctc tggcggtcga gctgaaagag gtcaacctca gccacaacat tctcaagacg 2220
gtggatcgct cctggttttg gcccatgtg atgaacctga cagttctaga cgtgagaagc 2280
aaccctctgc actgtgcctg tggggcagcc ttcgtagact tactgttgga ggtgcagacc 2340
aagggtgcctg gcctggctaa tgggtgtaag tgtggcagcc ccggccagct gcagggccgt 2400
agcatcttcg cacaggacct gcggctgtgc ctggatgagg tcctctcttg ggactgcttt 2460
ggc 2463

```

```

<210> 33
<211> 1032
<212> PRT
<213> Homo sapiens

```

```

<400> 33

```

```

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln
1           5           10           15

```

```

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
          20           25           30

```

```

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
          35           40           45

```

```

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn
          50           55           60

```

```

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp
65           70           75           80

```

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met
 100 105 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser
 130 135 140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser
 145 150 155 160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe
 260 265 270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe
 290 295 300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu

- 96 -

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly
 545 550 555 560

Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr
 565 570 575

Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn
 595 600 605

Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe
 610 615 620

Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu
 625 630 635 640

His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln
 645 650 655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser
 660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg
 675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg
 690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe
 705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
 725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu
 740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala
 755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp
805 810 815

Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val
820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His
835 840 845

Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp
850 855 860

Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu
885 890 895

Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp
900 905 910

Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser
930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln
995 1000 1005

Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg
1010 1015 1020

Asn Phe Cys Gln Gly Pro Thr Ala Glu
1025 1030

<210> 34
<211> 820
<212> PRT
<213> Homo sapiens

<400> 34

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln
1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn
50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp
65 70 75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp
85 90 95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met
100 105 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
115 120 125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser
130 135 140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser
145 150 155 160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe
 260 265 270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe
 290 295 300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala
 340 345 350

His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu
 370 375 380

Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu

420	425	430
Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu		
435	440	445
Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu		
450	455	460
Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser		
465	470	475
480		
Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser		
485	490	495
His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val		
500	505	510
Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu		
515	520	525
Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu		
530	535	540
Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly		
545	550	555
560		
Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr		
565	570	575
Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser		
580	585	590
Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn		
595	600	605
Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe		
610	615	620
Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu		
625	630	635
640		
His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln		
645	650	655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser
660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg
675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg
690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe
705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu
740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala
755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp
805 810 815

Asp Cys Phe Ala
820

<210> 35

<211> 3352

<212> DNA

<213> Homo sapiens

<400> 35

aggctggtat aaaaatctta cttcctctat tctctgagcc gctgctgccc ctgtgggaag 60

ggacctcgag tgtgaagcat cttccctgt agctgctgtc cagtctgccc gccagacctt 120

ctggagaagc ccctgcccc cagcatgggt ttctgccgca gcgccctgca cccgctgtct 180

ctcctgggtgc aggccatcat gctggccatg accctggccc tgggtacctt gctgccttc 240

ctaccctgtg agctccagcc ccacggcctg gtgaactgca actggctgtt cctgaagtct 300

gtgccccact tctccatggc agcacccccgt ggcaatgtca ccagcctttc cttgtcctcc	360
aaccgcatcc accacctcca tgattctgac tttgcccacc tgcccagcct gcggcatctc	420
aacctcaagt ggaactgccc gccggttggc ctcagcccca tgcacttccc ctgccacatg	480
accatcgagc ccagcacctt cttggctgtg cccaccctgg aagagctaaa cctgagctac	540
aacaacatca tgactgtgcc tgcgctgccc aaatccctca tatccctgtc cctcagccat	600
accaacatcc tgatgctaga ctctgccagc ctcgccggcc tgcatgccct gcgcttccta	660
ttcatggacg gcaactgtta ttacaagaac ccctgcaggc aggcaactgga ggtggccccg	720
ggtgccctcc ttggcctggg caacctcacc cacctgtcac tcaagtacaa caacctcact	780
gtggtgcccc gcaacctgcc ttccagcctg gagtatctgc tgttgtccta caaccgcatc	840
gtcaaaactgg cgctgagga cctggccaat ctgaccgccc tgcgtgtgct cgatgtgggc	900
ggaaattgcc gccgctgcca ccacgctccc aaccctgca tggagtgcct tcgtcacttc	960
ccccagctac atcccgatac cttcagccac ctgagccgtc ttgaaggcct ggtgttgaag	1020
gacagttctc tctcctggct gaatgccagt tggttccgtg ggctgggaaa cctccgagt	1080
ctggacctga gtgagaactt cctctacaaa tgcatacta aaaccaaggc cttccagggc	1140
ctaacacagc tgcgcaagct taacctgtcc ttcaattacc aaaagagggt gtcctttgcc	1200
cacctgtctc tggccccctc cttcgggagc ctggctgccc tgaaggagct ggacatgcac	1260
ggcatcttct tccgctcact cgatgagacc acgctccggc cactggcccc cctgccccatg	1320
ctccagactc tgcgtctgca gatgaacttc atcaaccagg cccagctcgg catcttcagg	1380
gccttccctg gcctgcgcta cgtggacctg tcggacaacc gcatcagcgg agcttcggag	1440
ctgacagcca ccatggggga ggcagatgga ggggagaagg tctggctgca gcctggggac	1500
cttgcctcgg cccagtgga cactcccagc tctgaagact tcaggcccaa ctgcagcacc	1560
ctcaacttca ccttgatct gtcaaggaa aacctggtga ccgtgcagcc ggagatgttt	1620
gccagctct cgcacctgca gtgcctgcgc ctgagccaca actgcatctc gcaggcagtc	1680
aatggctccc agttcctgcc gctgaccggt ctgcaggtgc tagacctgtc ccgcaataag	1740
ctggacctct accacgagca ctcaattcac gagctaccgc gactggaggc cctggacctc	1800
agctacaaca gccagccctt tggcatgcag ggcgtgggccc acaacttcag cttcgtggct	1860
cacctgcgca ccctgcgcca cctcagcctg gccacaaca acatccacag ccaagtgtcc	1920
cagcagctct gcagtacgtc gctgccccgc ctggacttca gcggcaatgc actgggccat	1980
atgtggggccg agggagacct ctatctgcac ttcttccaag gcctgagcgg tttgatctgg	2040

ctggacttgt cccagaaccg cctgcacacc ctctgcccc aaaccctgcg caacctcccc 2100
 aagagcctac aggtgctgcg tctccgtgac aattacctgg ccttctttaa gtggtggagc 2160
 ctccacttcc tgcccaaact ggaagtccctc gacctggcag gaaaccggct gaaggccctg 2220
 accaatggca gcctgcctgc tggcaccggtg ctccggaggc tggatgtcag ctgcaacagc 2280
 atcagcttcg tggcccccg cttcttttcc aaggccaagg agctgcgaga gctcaacctt 2340
 agcgccaacg ccctcaagac agtggaccac tcttggtttg ggccctggc gagtgcctg 2400
 caaatactag atgtaagcgc caaccctctg cactgcgcct gtggggcggc ctttatggac 2460
 ttctgctggtg aggtgcaggc tgccgtgccc ggtctgcca gccgggtgaa gtgtggcagt 2520
 ccgggccagc tccagggcct cagcatcttt gcacaggacc tgcgcctctg cctggatgag 2580
 gccctctcct gggactgttt cgccctctcg ctgctggctg tggctctggg cctgggtgtg 2640
 cccatgctgc atcacctctg tggctgggac ctctggtact gcttcacct gtgcctggcc 2700
 tggcttccct ggcgggggcg gcaaagtggg cgagatgagg atgccctgcc ctacgatgcc 2760
 ttctggtctc tcgacaaaac gcagagcgca gtggcagact ggggtgtacaa cgagcttcgg 2820
 gggcagctgg aggagtgcog tgggcgctgg gcaactccgc tgtgcctgga ggaacgcgac 2880
 tggctgcctg gaaaaaccct ctttgagaac ctgtgggcct cggctctatg cagccgcaag 2940
 acgctgtttg tgctggcca caccgaccgg gtcagtggtc tcttgcgcg cagcttctctg 3000
 ctggcccagc agcgctgct ggaggaccgc aaggacgtcg tggtgctggt gatcctgagc 3060
 cctgaaggcc gccgctcccg ctacgtgcgg ctgcgccagc gcctctgcc ccagagtgtc 3120
 ctctctggc cccaccagcc cagtggctcag cgcagcttct gggcccagct gggcatggcc 3180
 ctgaccaggg acaaccacca cttctataac cggaacttct gccagggacc cacggccgaa 3240
 tagccgtgag ccggaatcct gcacgggtgcc acctccacac tcacctcacc tctgcctgcc 3300
 tggctgacc ctccctgct cgctccctc accccacacc tgacacagag ca 3352

<210> 36

<211> 2460

<212> DNA

<213> Homo sapiens

<400> 36

atgggtttct gccgcagcgc cctgcaccg ctgtctctcc tggcgcaggc catcatgctg 60
 gccatgaccc tggccctggg taccttgcc gccttctac cctgtgagct ccagccccac 120
 ggctggtga actgcaactg gctgttctc aagtctgtgc ccaacttctc catggcagca 180
 ccccggtggca atgtcaccag ctttctcttg tctccaacc gcatccacca cctccatgat 240

tctgactttg cccacctgcc cagcctgcgg catctcaacc tcaagtggaa ctgcccgcg	300
gttggcctca gcccacatgca cttcccctgc cacatgacca tcgagcccag caccttcttg	360
gctgtgcca ccttggaaga gctaaacctg agctacaaca acatcatgac tgtgcctgcg	420
ctgccc aaat cccatatac cctgtccctc agccatacca acatcctgat gctagactct	480
gccagcctcg cgggcctgca tgccctgcgc ttccatttca tggacggcaa ctgttattac	540
aagaaccct gcaggcaggc actggagggtg gcccgggtg ccctccttg cctgggcaac	600
ctcaccaccc tgctactcaa gtacaacaac ctactgttg tgcccgcga cctgccttc	660
agcctggagt atctgctgtt gtctacaac cgcactgtca aactggcgcc tgaggacctg	720
gccaatctga ccgcctgcg tgtgctgat gtggcgga attgccgcg ctgcgaccac	780
gctcccaacc cctgcatgga gtgccctcgt cacttcccc agctacatcc cgataccttc	840
agccacctga gccgtctga aggcctggtg ttgaaggaca gttctctctc ctggctgaat	900
gccagttggt tccgtgggct gggaaacctc cgagtgttg acctgagtga gaacttcctc	960
tacaaatgca tcaactaaac caaggccttc cagggcctaa cacagctgcg caagcttaac	1020
ctgtccttca attacaaaa gaggtgtcc ttgcccacc tgtctctggc cccttccttc	1080
gggagcctgg tcgcctgaa ggagctggac atgcacggca tcttcttccg ctactcgat	1140
gagaccacgc tccggccact ggccgcctg cccatgtcc agactctgcg tctgcagatg	1200
aacttcatca accaggccca gctcgcatc ttcagggcct tccctggcct gcgctacgtg	1260
gacctgtcgg acaaccgcat cagcggagct tcggagctga cagccaccat gggggaggca	1320
gatggagggg agaaggctctg gctgcagcct ggggacctg ctccggcccc agtggacact	1380
cccagctctg aagacttcag gcccactgc agcaccctca acttcacctt ggatctgtca	1440
cggacaacc tggtgaccgt gcagccggag atgtttgcc agctctcgca cctgcagtgc	1500
ctgcgcctga gccacaactg catctcgag gcagtcaatg gctcccagtt cctgccgctg	1560
accggtctgc aggtgctaga cctgtccgc aataagctgg acctctacca cgagcactca	1620
ttcacggagc taccgcgact ggaggccctg gacctcagct acaacagcca gccctttggc	1680
atgcaggggc tgggccacaa cttcagcttc gtggctcacc tgcgcaccct gcgccacctc	1740
agcctggccc acaacaacat ccacagccaa gtgtcccagc agctctgcag tacgtcgctg	1800
cgggccctgg acttcagcgg caatgcactg ggccatatgt gggccgaggg agacctctat	1860
ctgcacttct tccaaggcct gagcggtttg atctggtgg acttgtccca gaaccgctg	1920
cacaccctcc tgcccaaac cctgcgcaac ctcccaaga gcctacaggt gctgcgtctc	1980
cgtgacaatt acctggcctt ctttaagtgg tggagcctcc acttctgcc caaactggaa	2040

gtcctcgacc tggcaggaaa ccggctgaag gccctgacca atggcagcct gcctgctggc 2100
 acccggtccc ggaggctgga tgtcagctgc aacagcatca gcttcgtggc ccccggttc 2160
 ttttccaagg ccaaggagct gcgagagctc aaccttagcg ccaacgccct caagacagtg 2220
 gaccactcct ggtttgggcc cctggcgagt gccctgcaaa tactagatgt aagcgccaac 2280
 cctctgcact gcgcctgtgg ggccggccttt atggacttcc tgctggaggt gcaggetgcc 2340
 gtgcccggtc tgcccagccg ggtgaagtgt ggcagtccgg gccagctcca gggcctcagc 2400
 atctttgcac aggacctgcg cctctgcctg gatgaggccc tctcctggga ctgtttcgcc 2460

<210> 37
 <211> 26
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 37
 accttgccctg ccttcctacc ctgtga 26

<210> 38
 <211> 21
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 38
 gtccgtgtgg gccagcaca a 21

<210> 39
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 39
 tccatgacgt ttttgatgtt 20

<210> 40
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 40
tccataacgt ttttgatggt 20

<210> 41
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 41
tccatcacgt ttttgatggt 20

<210> 42
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 42
tccattacgt ttttgatggt 20

<210> 43
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 43
tccatggcgt ttttgatggt 20

<210> 44
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 44
tccatgccgt ttttgatggt 20

<210> 45
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 45

tccatgctcgt ttttgatggt

20

<210> 46

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 46

tccatgatgt ttttgatggt

20

<210> 47

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 47

tccatgaagt ttttgatggt

20

<210> 48

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 48

tccatgaggt ttttgatggt

20

<210> 49

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 49

tccatgacat ttttgatggt

20

<210> 50

<211> 20

<212> DNA

<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 50
tccatgacct ttttgatggt 20

<210> 51
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 51
tccatgactt ttttgatggt 20

<210> 52
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 52
tccatgacgc ttttgatggt 20

<210> 53
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 53
tccatgacga ttttgatggt 20

<210> 54
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 54
tccatgacgg ttttgatggt 20

<210> 55
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 55
tccatgacgt ctttgatggt 20

<210> 56
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 56
tccatgacgt atttgatggt 20

<210> 57
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 57
tccatgacgt gtttgatggt 20

<210> 58
<211> 24
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 58
tcgtcgtttt gtcgttttgt cggt 24

<210> 59
<211> 24
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 59
tgctgctttt gtgcttttgt gctt 24

<210> 60
<211> 20
<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 60

tccatgacgt tcctgatgct

20

<210> 61

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 61

tccatgagct tcctgatgct

20

<210> 62

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> Consensus oligopeptide

<220>

<221> MISC_FEATURE

<222> (4)..(5)

<223> Any amino acid

<220>

<221> MISC_FEATURE

<222> (7)..(12)

<223> Any amino acid

<220>

<221> MISC_FEATURE

<222> (14)..(15)

<223> Any amino acid

<400> 62

Gly Asn Cys Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Cys
1 5 10 15

<210> 63

<211> 16

<212> PRT

<213> Homo sapiens

<400> 63

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys
 1 5 10 15

<210> 64
 <211> 16
 <212> PRT
 <213> Mus musculus

<400> 64

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Ile Cys
 1 5 10 15

<210> 65
 <211> 31
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Consensus oligopeptide

<220>
 <221> MISC_FEATURE
 <222> (2)..(8)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (14)..(22)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (25)..(30)
 <223> Any amino acid

<400> 65

Arg Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg Xaa Asp Xaa Tyr Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Ser Xaa Xaa Xaa Xaa Xaa Xaa Tyr
 20 25 30

<210> 66
 <211> 31
 <212> PRT
 <213> Homo sapiens

<220>
 <221> MISC_FEATURE
 <222> (2)..(8)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (14)..(22)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (25)..(30)
 <223> Any amino acid

<400> 66

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Leu Xaa Xaa Xaa Xaa Xaa Xaa Tyr
 20 25 30

<210> 67
 <211> 31
 <212> PRT
 <213> Mus musculus

<220>
 <221> MISC_FEATURE
 <222> (2)..(8)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (14)..(22)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (25)..(30)
 <223> Any amino acid

<400> 67

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Gln Leu Xaa Xaa Xaa Xaa Xaa Tyr
 20 25 30

<210> 68
 <211> 31
 <212> PRT
 <213> Homo sapiens

<400> 68

Gln Val Leu Asp Leu Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His
 1 5 10 15

Ser Phe Thr Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr
 20 25 30

<210> 69
 <211> 31
 <212> PRT
 <213> Mus musculus

<400> 69

Gln Val Leu Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys

```
<210> 70
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 70
tccaggactt ctctcaggtt
```